

TABLE OF CONTENTS

2002 CHIEFTAIN/SUNFLYER "L-SERIES" WIRING DIAGRAM BOOK

Wiring Diagram – Automotive	Page 1-7
Wiring Diagram – Auto Lamps	8-9
Wiring Installation – Front End	10-17

L36W

Wiring Diagram – Body, 12 Volt	18-29
Wiring Diagram – Body, 110 Volt	30
Wiring Installation – Body, 12 Volt.....	31-37
Wiring Installation – Body, 110 Volt.....	38-41
Wiring Installation – Chassis	42-43


L39C/L/T

Wiring Diagram – Body, 12 Volt	44-61
Wiring Diagram – Body, 110 Volt	62
Wiring Installation – Body, 12 Volt.....	63-68
Wiring Installation – Body, 110 Volt.....	69-71
Wiring Installation – Chassis	72-73



110 Volt Load Center/Auto Transfer Switch	74-76
Wiring Installation – Exterior Lamps	77-78
Wiring Diagram – Holding Tanks	79
Wiring Installation – Front TV/VCR.....	80
Wiring Installation – Rear TV/VCR.....	81-84
Dash Radio Installation.....	85
Holding Tank Monitor Panel	86-88
Wiring Diagram – AC/Heat/EMS.....	89-90

Appendix

Electrical Parts Identification List	A1-A7
Wiring Identification Guide.....	B1-B41



- 1-MK 14 YEL
- 2-MG 14 WHT
- 3-KE 14 YEL
- 4-PJ 16 YEL
- 5-PX 16 YEL
- 6-PY 16 WHT
- 7-LS 16 WHT
- 8-MM 14 YEL
- 9-










- A1- F1-NK 16 YEL
- A2- F2-NL 14 YEL
- A3- G2
- B1-FS 14 YEL
- B2-PY 16 WHT
- B3-PX 16 YEL
- B4-NK 14 YEL
- C1-WL 14 YEL
- C2-WM 14 WHT
- D1- J2
- D2- J3
- D3- J4
- D4- K1
- E1- K2
- E2- K3


WIRING DIAGRAM-IP, MAIN
 (WIRE ASM 139770-01)

WINNEBAGO


DTR: _____ GRID: DATE _____
 DWR: _____ ALL DIMENSIONS ARE IN MILLIMETERS
 P.E.: _____ FIRST USED _____
 M.E.: _____
 DSW: _____
 UNSPECIFIED TOLERANCES ARE: MATERIAL:
 UNLESS OTHERWISE SPECIFIED:
 ONE-PLACE (R, Ø, .1)
 TWO-PLACE (R, Ø, .01)
 ANGLE: _____
 THIRD ANGLE PROJECTION
DO NOT SCALE DRAWING
 TITLE: _____
 SHEET 1 of 4 PART NO 139172
 REF: 1 PAGE 1




CONNECTS TO COMPASS DISPLAY UNIT




WH I/P CONVENIENCE CENTER




CONNECTS TO HEATER CONTROLS








CONNECTS TO WIRE ASM- REAR MONITOR







CIGARETTE LIGHTER





ANTENNA WARNING MODULE



CONNECTS TO WIRE ASM- I/P LEFT









WIRING DIAGRAM-IP,RIGHT
(WIRE ASM 139754-01)

FIRST USED		02 L-SERIES	
DO NOT SCALE DRAWING			
TITLE: WIRING DIAGRAM-AUTO			
SHEET 2	PART NO	139172	




WIRING DIAGRAM IP, LEFT
(WIRE ASM 139755-01)


FIRST USED	02 L-SERIES	
TITLE:	DO NOT SCALE DRAWING	
	WIRING DIAGRAM-AUTO	
SHEET 3	PART NO	139172




WIRING DIAGRAM POWER DRIVER SEAT
(WIRE ASM 108029-01)



WIRING DIAGRAM-OVERDRIVE SWITCH
(WIRE ASM 137626-02)







WIRING DIAGRAM POWER PASS. SEAT
(WIRE ASM 108029-03)



WIRING DIAGRAM-WIPER/WASHER
(WIRE ASM 126030-01)

FIRST USED	02 L-SERIES
DO NOT SCALE DRAWING	
TITLE:	WIRING DIAGRAM-AUTO
SHEET 4	PART NO 139172



WINNEBAGO

DATE 09/19/01
 DRAWN
 P.E.
 W.E.
 CHECKED
 UNDESIGNED TOLERANCES ARE:
 HOLE DIA. (X.XX) +
 ONE-PLACE (X.XXX) +
 TWO-PLACE (X.XXXX) +
 HOLE -
 THIRD ANGLE PROJECTION

MATERIAL:
 .
 .
 .
 .
 .


DO NOT SCALE DRAWING

TITLE:
 WIRING DIAGRAM-AUTO LAMPS


SHEET 1 of 2 PART NO. 139171

2 SEE WIRING DIAGRAM-AUTO FOR ADDITIONAL INFORMATION.
 1 SEE MANUFACTURER'S DIAGRAM FOR ADDITIONAL INFORMATION.


NOTES:



2 SEE WIRING DIAGRAM-AUTO FOR ADDITIONAL INFORMATION.
1 SEE MANUFACTURER'S DIAGRAM FOR ADDITIONAL INFORMATION.



FIRST USED	02 L-SERIES
TITLE:	DO NOT SCALE DRAWING
WIRING DIAGRAM-AUTO LAMPS	
SHEET 2	PART NO 139171



CB POWER PROVISION
 YELLOW +12V
 WHITE GROUND
 COAX ANTENNA
 (SEE REVERSE SIDE ALSO)

(1SD) (5) (2) BUTT SPLICES TO CHASSIS WIRING (GGW) (SEE DETAIL AB)

(2BX) (6) PIN HOUSING TO LEFT MIRROR

(40J) (2) BUTT SPLICES (SEE DETAIL AA)

(1) RING TERMINAL (BY) TO PASS THRU STUD TO BREAKER PANEL WIRING

(9) PIN HOUSING TO WIRE ASM-POWER MIRROR

(2) FEMALE TERMINALS TO DOME LAMP SWITCH

(2) COMPASS SENSOR TAPE-FOAM, DBL 76322-05-000 (1100)

(2) LIGHT-READING BULB 12V 129317-01-000 (2)
 CONNECTOR 59029-01-000 (14)
 SCREW 611-08-16J (4)

(3) CONDUCTOR WIRE FROM DISPLAY UNIT TO COMPASS SENSOR

DETAIL AB (1SD)

DETAIL AA (3)

DETAIL AC

DETAIL FA

STEERING COLUMN SUPPORT

CHASSIS SUPPLIED WIRING

- (2BX) MIRRORS-EXTERIOR W/DEFROST
- (40J) CB RADIO PREP
- (3BN) FANS-DEFROSTER, AUXILIARY
- (20C) SOUND SYS. DLX. W/O-SURROUND
- (1SD) MAPPING SYSTEM

WINNEBAGO

QTR: 03/24/01
 QTR: 03/24/01
 P.E.: ALL DIMENSIONS ARE IN MILLIMETERS
 W.E.: FIRST USED
 QTR: 02 L SERIES

UNSPECIFIED TOLERANCES ARE:
 HOLE DIA (+/-) .1
 ONE-PLACE (+/-) .15
 TWO-PLACE (+/-) .050
 HOLE (+/-) .1


THIRD ANGLE PROJECTION

DO NOT SCALE DRAWING



TITLE: WIRING INSTL-FRONT END
 SHEET 1 of 8 PART NO 139170

- (6) UNPLUG SINGLE PIN HOUSING ON WORKHORSE HARNESS ON TOP OF STEERING COLUMN SUPPORT.
- (5) CUT DK GRN/WHT WIRE FROM IP CLUSTER AND RESPLICE TO GGW FROM IP, MAIN
- (4) ROUTE WIRE IN SIDEWALL
- (3) GATHER YELLOW AND WHITE WIRES FROM WIRE ASM-IP, MAIN AND CB ANTENNA CABLE AND WRAP WITH LABEL.
- (2) MOUNT SENSOR WITH DOUBLE SIDED TAPE IN BOTTOM OF FRONT OVDH SO THAT SENSOR FACES FORWARD AS INDICATED ON SENSOR LABEL.
- (1) SEE DOOR INSTL-DRIVER FOR ADDITIONAL INFORMATION.

NOTES:



- (64J) OR (64D) WIRE ASM-POWER DRIVER'S SEAT 108029-01-000
- (64J) WIRE ASM-POWER PASSENGER SEAT 108029-03-000




- (9L1) HOME COMFORT PLUS PACKAGE
- (64D) SEAT PED-6-WAY POWER DRIVER
- (64J) SEAT PED-6-WAY DR/PASS POWER
- (360) AIR HORNS-CHROME

- NOTES:
- 4 CIRCUITS FROM WIRE ASM-IP, MAIN NOT SHOWN FOR CLARITY.
 - 3 WITHOUT (360).
 - 2 WITHOUT (64J) OR (64D).
 - 1 WITHOUT (64J) OR (64D) OR (9L1).

FIRST USED		02 L SERIES	
DO NOT SCALE DRAWING			
TITLE: WIRING INSTL-FRONT END			
SHEET	2	PART NO	139170

4 DETAIL BB (REAR VIEW)




- (9L1) HOME COMFORT PLUS PACKAGE
- (360) AIR HORNS-CHROME
- (27E) CODES/STANDARDS-CMVSS
- (265) CODES/STANDARDS-CSA/CMVSS

- NOTES:
- (2) WITHOUT (360)
 - (1) WITHOUT (9L1)

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

X-X FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000



FIRST USED		02 L SERIES	
DO NOT SCALE DRAWING			
TITLE: WIRING INSTL-FRONT END			
SHEET	3	PART NO.	139170



FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

X - X FOR ELECTRICAL CALLOUTS SEE DWG NO. 121338-01-000

FIRST USED	02 L SERIES	
TITLE	DO NOT SCALE DRAWING	
	WIRING INSTL-FRONT END	
SHEET 4	PART NO	139170




DETAIL EB

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

X-X FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

FIRST USED	02 L SERIES	
TITLE:	DO NOT SCALE DRAWING	
SHEET	5	PART NO 139170



VIEW FA

20C SOUND SYS. DLX. W/O-SURROUND

20C

FIRST USED 02 L SERIES

DO NOT SCALE DRAWING


TITLE: WIRING INSTL-FRONT END

SHEET 6 PART NO 139170


FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

X-X FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000


NOTES: 1 CONNECT RCA CONNECTORS TO RED AND WHITE TV PORTS.



VIEW GA



VIEW GB 640 64J



VIEW GC 64J


- 64J SEAT PED-6-WAY DR/PASS POWER
- 640 SEAT PED-6-WAY POWER DRIVER

NOTES:
 1 LEAVE 675±50 MM OF WIRE AT PEDESTAL

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

X-X FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

FIRST USED	02 L SERIES
DO NOT SCALE DRAWING	
TITLE:	WIRING INSTL-FRONT END
SHEET 7	PART NO 139170




1 MOUNT SENSOR SO THAT IT WILL BE EXPOSED TO AIR FLOW.

NOTES:


FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

X - X FOR ELECTRICAL CALLOUTS SEE DWG NO. 121338-01-000

FIRST USED		02 L SERIES	
DO NOT SCALE DRAWING			
TITLE: WIRING INSTL-FRONT END			
SHEET	8	PART NO	139170



WIRING DIAGRAM-CHASSIS
 (WIRE ASM 140199-01)



WINNEBAGO

DATE 12/03/01

ALL DIMENSIONS ARE IN MILLIMETERS

FIRST USED 02 L36W

UNSPECIFIED TOLERANCES ARE:

INCH DIM (XX)	±
ONE-PLACE (X.X)	±
TWO-PLACE (X.XX)	±
THREE-PLACE (X.XXX)	±
MILS	±


THIRD ANGLE PROJECTION


DO NOT SCALE DRAWING


TITLE: WIRING DIAGRAM-BODY, 12V

SHEET 1 of 7 PART NO 140752

REF: NONE 1 PAGE 18







WIRING DIAGRAM-COACH
 (WIRE ASM 141118-01)

02 L36W

DO NOT SCALE DRAWING

WIRING DIAGRAM-BODY, 12V

SHEET 2 PART NO 140752


F1

D


C

B

A


















NOTES:
 2 SEE WIRING DIAGRAM-HOLDING TANKS FOR ADDITIONAL INFORMATION.
 1 SEE MANUFACTURERS DIAGRAM FOR ADDITIONAL INFORMATION.




WIRING DIAGRAM-RIGHT
(WIRE ASM 141120)

FIRST USED	02 L36W
TITLE	DO NOT SCALE DRAWING
WIRING DIAGRAM-BODY, 12V	
F1 SHEET 3	PART NO 140752





NOTES:
 3 FOR ADDITIONAL INFORMATION, SEE WIRING DIAGRAM-AC/HEAT/EMS 138913-01-000.
 2 FOR ADDITIONAL INFORMATION, SEE MANUFACTURERS DIAGRAM.
 1 FOR ADDITIONAL INFORMATION, SEE WIRING DIAGRAM-CHASSIS.




FOR ADDITIONAL INFORMATION, SEE MANUFACTURERS DIAGRAM.


FOR ADDITIONAL INFORMATION, SEE WIRE ASM-DELUXE SOUND.

WIRING DIAGRAM-ROOF
(WIRE ASM 141153)


FIRST USED	02 L36W
DO NOT SCALE DRAWING	
TITLE:	WIRING DIAGRAM-BODY, 12V
SHEET 4	PART NO 140752



WIRING DIAGRAM-SIDEWALL, RIGHT (WIRE ASM 141170-01)




WIRING DIAGRAM-SIDEWALL (WIRE ASM 141172-01)




WIRING DIAGRAM-SIDEWALL, LEFT (WIRE ASM 140722-02)


FIRST USED	02 L36W
DO NOT SCALE DRAWING	
TITLE: WIRING DIAGRAM-BODY, 12V	
SHEET 5	PART NO 140752




WIRING DIAGRAM-SIDEWALL, RIGHT (WIRE ASM 141170-01)




WIRING DIAGRAM-COMPT LAMPS (WIRE ASM 141154-01)



WIRING DIAGRAM-COMPT LAMPS (WIRE ASM 141446-01)








WIRING DIAGRAM-SIDEWALL (WIRE ASM 143572-03)



WIRING DIAGRAM-SIDEWALL, LEFT (WIRE ASM 140722-02)

FIRST USED	02 L36W
DO NOT SCALE DRAWING	
TITLE: WIRING DIAGRAM-BODY, 12V	
SHEET 5	PART NO 140752





2 SEE MANUFACTURERS DIAGRAM FOR ADDITIONAL INFORMATION.

1 WIRE NOT USED.

NOTES:



FIRST USED	02 L36W
TITLE:	DO NOT SCALE DRAWING
WIRING DIAGRAM-BODY, 12V	
SHEET 6	PART NO 140752





FIRST USED	02 L36W
DO NOT SCALE DRAWING	
TITLE:	WIRING DIAGRAM-BODY, 12V
SHEET 7	PART NO 140752

CENTRAL AIR UNIT
 (LOCATED IN RIGHT REAR
 COMPARTMENT BELOW FLOOR)

LOAD CENTER



INVERTER
 BREAKER PANEL



- (13X) INVERTER/CHARGER 2.0 KW
- (2B5) CODES/STANDARDS - CSA/CMVSS
- (2IN) DISHWASHER/BUILT-IN
- (1B1) CODES/STANDARDS - USA


WINNEBAGO


DATE 10/08/01
 ALL DIMENSIONS ARE IN MILLIMETERS
 02 L36W

DO NOT SCALE DRAWING

TITLE: WIRING DIAGRAM-BODY, 110V
 SHEET 1 of 1 PART NO 140753

- NOTES:
- 3 WIRE ROUTED IN ROOF.
 - 2 WIRE ROUTED IN SIDEWALL.
 - 1 ALL OUTLETS DOWN STREAM AND INCLUDING THIS OUTLET ARE GROUND FAULT INTERRUPT PROTECTED.





- △ 8 SPLICE TELEPHONE WIRES TO MATCHING COLORS.
 - △ 7 WIRE ROUTED IN SIDEWALL.
 - △ 6 WIRE PASSES THROUGH FLOOR AT THIS POINT.
 - △ 5 CONNECT TELEPHONE WIRES TO MATCHING COLORS PLATE-WALL, TELEPHONE.
 - △ 4 TOP OF LAMP SHADE TO BE 150 BELOW CABINET.
 - △ 3 MOUNT SWITCH AND SPACER TO BLOCK ON JAMB ADJUST HEIGHT TO MATCH MAGNET.
 - △ 2 MOUNT MAGNET USING PILOT HOLES IN SCREEN DOOR FRAME, MOUNT WITH MAGNET TOWARD SWITCH.
1. WIRE ROUTED IN SIDEWALL.


NOTES:

- 42A CLOCK W/ALARM
- 9L1 HOME COMFORT PLUS PACKAGE
- 29H HEAT PUP-A/C CENTRAL
- 29C A/C CENTRAL
- 26L REAR STEREO SYSTEM W/CASSETTE
- 25E REAR STEREO SYSTEM W/CD
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA
- 1B1 265

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000


FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

FIRST DSD	
02 L36W	
DO NOT SCALE DRAWING	
TITLE:	WIRING INSTL-BODY, 12 V
SHEET 3	PART NO 140754




SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-08-CHT
SCREW
611-08-0BU (2)

DETAIL DA




SWITCH-ROCKER
135740-01-CHT (2)
SWITCH-BASE
135741-02-CHT
SWITCH-BEZEL
135742-19-CHT
SCREW
611-08-0BU (4)



SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-11-CHT
SCREW
611-08-0BU (2)

DETAIL DE



SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-07-CHT
SCREW
611-08-0BU (2)

DETAIL DJ





PLATE-SWITCH
81994-09-000
SWITCH
108357-06-000
ACTUATOR
108356-02-CHT
NUY
D65-08-00B (2)
LABEL
116220-01-000


WARNING UNDERSTAND OPERATOR'S MANUAL BEFORE USING. KEEP PEOPLE AND OBSTRUCTIONS CLEAR OF SLIDEOUT ROOM AND OPERATING TO AVOID INJURY AND/OR PROPERTY DAMAGE.

DETAIL DB




SWITCH-ROCKER
135740-01-CHT
135740-02-CHT
SWITCH-BASE
135741-02-CHT
SWITCH-BEZEL
135742-21-CHT
SCREW
611-08-0BU (4)

DETAIL DF




SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-XX-CHT
SCREW
611-08-0BU (2)

DETAIL DK




SWITCH
132190-01-CHT
SWITCH-PLATE
98351-01-CHT
SCREW
611-06-10U (2)

DETAIL DL




SWITCH-ROCKER
135740-01-CHT
135740-03-CHT
SWITCH-BASE
135741-02-CHT
SWITCH-BEZEL
135742-17-CHT
SCREW
611-08-0BU (4)

DETAIL DC




SWITCH-ROCKER
135740-01-CHT
135740-02-CHT
SWITCH-BASE
135741-02-CHT
SWITCH-BEZEL
135742-16-CHT
SCREW
611-08-0BU (4)

DETAIL DG




SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-07-CHT
SCREW
611-08-0BU (2)

DETAIL DM




SWITCH-ROCKER
135740-01-CHT (2)
SWITCH-BASE
135741-02-CHT
SWITCH-BEZEL
135742-20-CHT
SCREW
611-08-0BU (4)

DETAIL DD



SWITCH-BYPASS
SWITCH-WIRETRIZATION
(SUPPLIED W/KIT)
SCREW
612-05-16U (4)

DETAIL DH



DETAIL DN

(265) CODES/STANDARDS-CSA/CMVSS

(1B1) CODES/STANDARDS USA

(1B1) 265

FIRST DWD 02 L36W

DO NOT SCALE DRAWING


TITLE: WIRING INSTL-BODY, 12 V

SHEET 4 PART NO 140754


FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO 128793-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO 121339-01-000


NOTES:



CIRCUIT BREAKER (FRONT VIEW)



DETAIL EB





CIRCUIT BREAKER (BACK VIEW)

- (265) CODES/STANDARDS-CSA/CMVSS
- (1B1) CODES/STANDARDS USA
- (1B1) (265)

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO 128793-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO 121339-01-000

FIRST USED		02 L36W	
DO NOT SCALE DRAWING			
TITLE: WIRING INSTL-BODY, 12 V			
SHEET 5	PART NO		140754



4 IN SLIDEOUT ROOM

- 3. ALL GROUND WIRE TO BE COVERED WITH TUBING 8041-02-000.
- 2. ALL 110V WIRE TO BE CLAMPED WITH CLAMP 10497-05-000 WITHIN 200 OF OUTLET BOXES, USE SCREW 667-10-12B.
- 1. ALL WIRES TO BE SECURED WITH CLAMP 10495-01-000 OR CLIP 80734-01-000 EVERY 600MM, USE SCREW 667-10-12B UNLESS OTHERWISE SPECIFIED.




NOTES:

- (265) CODES/STANDARDS-CSA/CMVSS
- (1B1) CODES/STANDARDS USA
- (1B1) (265)

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128793-01-000

(X-X)
FOR
ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000




FIRST DRG		02 L36W	
DO NOT SCALE DRAWING			
TITLE: WIRING INSTL-BODY, 12 V			
SHEET 6	PART NO		140754



ANTENNA-RADIO
9094-01-000
EXTENDER-SHAFT, ANTENNA
109889-04-000
BRACKET-ANTENNA GROUND
108847-01-000

ANTENNA-RADIO
9094-01-000
EXTENDER-SHAFT, ANTENNA
109889-04-000
BRACKET-ANTENNA GROUND
108847-01-000

VENT FAN
SEE DETAIL GE




NOTES:
1 WRAP BRACKET LEGS AROUND ANTENNA BASE.

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO 128793-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO 121339-01-000

285 CODES/STANDARDS-CSA/CMVSS
1B1 CODES/STANDARDS-USA
1B1 265

FIRST USED 02 L36W
DO NOT SCALE DRAWING
TITLE: WIRING INSTL-BODY, 12 V
SHEET 7 PART NO 140754



- (FUR) 4400 DROP FROM LOAD CENTER THRU RCP-BLANK, REAR TV THRU RECIP-REAR TV THRU RECIP-DESK
- (GLD)
- (BLK)
- (BLU)
- (BRN)
- (RED)
- (GRN)
- (YEL)
- (YEL-2)
- 1500 DROP TO LOAD CENTER

TO ATS

PLATE
 106597-01-000
 CONNECTOR
 93256-02-000 (12)
 SCREW
 639-08-12B (4)

TO CENTRAL A/C UNIT
 (SEE A/C INSTALLATION FOR WIRING INFORMATION)

- (BLK) 2900 DROP TO RCP-BLANK, MICROWAVE
- (YEL-2) 2800 DROP TO REFRIGERATOR
- (YEL) 2700 DROP TO VACUUM
- (GLD) 3800 DROP TO WASHER/DRYER
- (WHT) 6900 LOOP TO WATER HEATER SWITCH
- (BRN) 7500 DROP THRU RCP-BLANK, LAV THRU GF I TO RECIP, BATH
- (BLU) 11100 DROP THRU GF I THRU EXTERIOR RECIP THRU EXT ENT CTR RECIP TO GALLEY RECIP.
- (BRN) 1200 DROP TO RECIP-BLANK, LAV

INVERTER/CHARGER
 113865-01-000
 NUT
 039-04-00B (4)
 WIRE ASM-GROUND
 136145-01-010

- 5 CONNECT BLK TO BLK, WHITE TO WHITE AND GROUNDS TO GROUNDS.
- 4 WIRES TO PASS THROUGH FLOOR IN THIS AREA.
- 3. ALL GROUND WIRE TO BE COVERED WITH TUBING 8041-02-000.
- 2. ALL 110V WIRE TO BE CLAMPED WITH CLAMP 10497-05-000 WITHIN 200 OF OUTLET BOXES, USE SCREW 667-10-12B.
- 1. ALL WIRES TO BE SECURED WITH CLAMP 10495-01-000 OR CLIP 80734-01-000 EVERY 600MM. USE SCREW 667-10-12B UNLESS OTHERWISE SPECIFIED.

NOTES:

- (B2) WATER HTR-10 GAL/ELEC/LP/MTR/ID
 - (21M) WASHER/DRYER PREP
 - (22T) VACUUM SYSTEM-CENTRAL
 - (265) CODES/STANDARDS-CSA/CMVSS
 - (LB) CODES/STANDARDS USA
- (B1) 265 78J 13X

WINNEBAGO

DATE 09/25/01
 DWR ALL DIMENSIONS ARE IN MILLIMETERS
 P.E.
 W.E. FIRST USED 02 L36W
 DWR

UNSPECIFIED TOLERANCES ARE:
 HOLE DIA .10
 ONE-PLACE .15
 TWO-PLACE .15
 HOLE .15

THIRD ANGLE PROJECTION



DO NOT SCALE DRAWING

TITLE: WIRING INSTL-BODY, 110V
 SHEET 1 of 4 PART NO 140755

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128793-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000



- BOX 8289-01-000
- SCREW 667-10-12B (2)
- COVER 8294-01-000
- CONNECTOR 8358-01-000 (2)
- WIRE ASM-GROUND 132678-01-000
- CONNECTOR 6313-01-000 (3)



TV-19" COLOR W/REMOTE
124075-06-000

LOAD CENTER/ATS
138633-01-000

4X4 BOX
DETAIL BB



5 ROUTE WIRE THRU SIDEWALL DURING INSTALLATION.

4 CONNECT BLACK TO BLACK, WHITE TO WHITE, AND GROUNDS TO GROUNDS.

3. ALL GROUND WIRE TO BE COVERED WITH TUBING 8041-02-000.

2. ALL 110V WIRE TO BE CLAMPED WITH CLAMP 10497-05-000 WITHIN 200 OF OUTLET BOXES, USE SCREW 667-10-12B.

1. ALL WIRES TO BE SECURED WITH CLAMP 10495-01-000 OR CLIP 80734-01-000 EVERY 600MM, USE SCREW 667-10-12B UNLESS OTHERWISE SPECIFIED.

5 ROUTE WIRE IN SIDEWALL DURING INSTALLATION




NOTES:

- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA
- 1B1 265

FIRST USED	
02 L36W	
DO NOT SCALE DRAWING	
TITLE: WIRING INSTL-BODY, 110V	
SHEET 2	PART NO 140755

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO: 128793-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO: 121339-01-000



- 4BG FLASHLIGHT-RECHARGEABLE 133140-01-000 SCREW 611-08-106 121 VACUUM 133139-01-000 SCREW 667-08-106 121
- 22R
- 9A1

- 9A1 ACCESSORY PACKAGE
- IB2 WATER HTR-10 GAL/ELEC/LP/MTR/1D
- 51B HAIR DRYER
- 22R VACUUM CLEANER-PORTABLE
- 4BG FLASHLIGHT
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA


- 4 WIRE ROUTED IN SIDEWALL.
- 3. ALL GROUND WIRE TO BE COVERED WITH TUBING 8041-02-000.
- 2. ALL 110V WIRE TO BE CLAMPED WITH CLAMP 10497-05-000 WITHIN 200 OF OUTLET BOXES, USE SCREW 667-10-12B.
- 1. ALL WIRES TO BE SECURED WITH CLAMP 10495-01-000 OR CLIP 80734-01-000 EVERY 600MM. USE SCREW 667-10-12B UNLESS OTHERWISE SPECIFIED.

NOTES:

FIRST USED	
02 L36W	
DO NOT SCALE DRAWING	
TITLE: WIRING INSTL-BODY, 110V	
SHEET 3	PART NO 140755

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128793-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000



- BOX 8289-01-000
- SCREW 611-08-12B (2)
- COVER 8294-01-000
- CONNECTOR 8356-01-000 (2)
- WIRE ASM-GROUND 133678-01-000
- CONNECTOR 8313-01-000 (3)
- SCREW-GROUND, GREEN 105291-01-000

REAR SLIDEOUT WIRE
SEE DWG 138633
FOR WIRE SPEC & LENGTH

SLIDEOUT FLOOR

TIE-WIRE
8343-03-000 (8)

SLIDEOUT RAM

- BOX 8289-01-000
- SCREW 611-08-12B (2)
- COVER 8294-01-000
- CONNECTOR 8356-01-000 (2)
- WIRE ASM-GROUND 133678-01-000
- CONNECTOR 8313-01-000 (3)
- SCREW-GROUND, GREEN 105291-01-000

THROW IN #3
(SEE DWG 138633 FOR
WIRE SPEC & LENGTH)

THROW IN #2
(SEE DWG 138633 FOR
WIRE SPEC & LENGTH)

12V WIRING

CLAMP 10497-03-000 (3)
SCREW 639-08-12U (3)

VIEW DA-DA

- (265) CODES/STANDARDS-CSA/CMVSS
- (1B1) CODES/STANDARDS USA
- (1B1) (265)
























1. ALL WIRES TO BE SECURED WITH CLAMP 10495-01-000
OR CLIP 80734-01-000 EVERY 600MM. USE SCREW
667-10-12B UNLESS OTHERWISE SPECIFIED.

NOTES:

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128793-01-000

FOR
ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000

FIRST USED	
02 L36W	
DO NOT SCALE DRAWING	
TITLE:	
WIRING INSTL-BODY, 110V	
SHEET 4	PART NO 140755



10 BATTERY CABLE MUST BE INSTALLED TO STARTER MOTOR BEFORE ENGINE WIRING HARNESS AND ROUTED IN SUCH A MANNER AS TO PREVENT ANY POSSIBLE DEGRADATION FROM THE EXHAUST SYSTEM.



9 USE TWO NUTS HERE TO ACCOUNT FOR BATTERY HEIGHT DIFFERENCE.



8 SEE WIRING INSTL-FRONT END FOR ADDITIONAL INFORMATION.



7 CLAMP 10497-02-000 AND SCREW G39-08-000.



6 CLAMP B3609-01-000 AND SCREW G39-08-000.



5 CLAMP B3610-01-000 AND SCREW G39-08-000.



4 WIRE TIE B343-04-000. FASTEN EVERY 600 MM MINIMUM.



3 ALL DIMENSIONS ARE FROM DATUM UNLESS OTHERWISE SPECIFIED.



2 SECURE CONDUIT 41953-01-000, -02, ANBD -03 OVER ALL WIRES THAT CONTACT SHARP EDGES.



1 LEGEND: — WINNEBAGO, - - - - - CABLE, - - - - - CHASSIS SUPPLIED.



12 COIL UP EXTRA WIRE AND TIE BACK TO LOOM.



11 SEE WIRING INSTL-BODY FOR ADDITIONAL INFORMATION.

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128793-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

1B1 265 1PR






QTR	QTR. DATE	09/20/01
DWR	ALL DIMENSIONS ARE IN MILLIMETERS	
P.E.		
W.E.	FIRST USED	
DWR	02 L36W	

UNSPECIFIED TOLERANCES ARE:
 HOLE DIA: .015
 ONE-PLACE: .015
 TWO-PLACE: .015
 HOLE: .015
 MATERIAL:
 THIRD ANGLE PROJECTION

DO NOT SCALE DRAWING

TITLE: WIRING INSTL-CHASSIS

SHEET 1 of 2 PART NO. 140751




- △ 5 FROM WIRE ASM-CHASSIS.
- △ 4 WITHOUT (52N).
- △ 3 TIE BACK TO LOOM WITHOUT (52N).
- △ 2 ADD LOCK WASHER OME028-04-071 PER SCREW.
- △ 1 SECURE WITH SOLENOID MOUNTING SCREW.

- (52N) AWNING-PAT10-ELECTRIC
- (265) CODES/STANDARDS-CSA/CMVSS
- (1B1) CODES/STANDARDS USA
- (1B1) (265) (52N)

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128793-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

FIRST USED	02 L36W
DO NOT SCALE DRAWING	
TITLE:	WIRING INSTL-CHASSIS
SHEET 2	PART NO 140751



WINNEBAGO

DATE: 04/06/01

ORIG. DATE: 04/06/01

CDR: ALL DIMENSIONS ARE IN MILLIMETERS

P.E.: IN MILLIMETERS

M.E.: FIRST USED

DSM: 02 L39T

UNSPECIFIED TOLERANCES ARE:


FRAMES DIM (XX)	±	MATERIAL:
ONE-PLACE (XX.X)	±	
TWO-PLACE (XX.XXX)	±	
THIRD ANGLE PROJECTION		

DO NOT SCALE DRAWING

TITLE: WIRING DIAGRAM-BODY, 12V

SHEET 1 OF 7 PART NO 138631

REF: 1 PAGE 44



WIRING DIAGRAM-WIRE ASM-CHASSIS (WIRE ASM 138625)

D


C

B



A

CONNECTS TO
WIRE ASM-FRONT
(SHT 2, A-26)
REFRIGERATOR (AST)


1-BBM	16	YEL
2-BBN	16	YEL
3-DDA	16	YEL
4-CCY	16	YEL
5-CCZ	16	YEL
6-DJ	16	YEL
7-DK	16	WHT
8-DL	16	YEL
9-DM	16	WHT
10-JT	16	YEL
11-HS	16	YEL
12-ER	16	YEL
13-FFD	14	YEL
14-WH	14	YEL
15-PJ	14	YEL




ELECTRIC
STEP SWITCH




F1-BBM	16	YEL
F2-CCZ	16	YEL
G1-DDA	16	YEL
G2-LR	14	YEL
G3-CCY	16	YEL
G4-NA	14	YEL
H1-KU	14	YEL
H2-NH	14	YEL
J1-AAT	16	YEL
J2-AAU	16	WHT
J3-AAW	16	YEL
J4-AAX	16	WHT
K1-		
K2-		
K3-		



CONNECTS TO
WIRE ASM-
LP MAIN
(LOCATED ON
DRIVER PLATFORM)




CONNECTS TO
WIRE ASM-
ELECTRICAL BOX
(SHT 1, C-6)
(LOCATED IN
ELECTRICAL BOX
BEHIND BATTERIES)



CONNECTS TO
AUTO HEATER

- NOTES:
- 3 SEE ZONE C-10 FOR ADDITIONAL INFORMATION.
 - 2 SEE WIRING DIAGRAM-AUTO LAMPS FOR ADDITIONAL INFORMATION.
 - 1 SEE WIRING DIAGRAM-AUTO FOR ADDITIONAL INFORMATION.



CONNECTS TO WIRE ASM REAR (SHT 3, B-3) (LOCATED IN BASE OF REFRIGERATOR CABT. 1)

CONNECTS TO EXT ENT CENTER

CONNECTS TO EXT ENT CTR (SHT 8, C-5 OR A-5) (LOCATED IN EXT ENT CTR.)

CONNECTS TO SOLAR MONITOR PANEL


CONNECTS TO SOLAR MONITOR PANEL


CONNECTS TO SOLAR MONITOR PANEL


CONNECTS TO SOLAR MONITOR PANEL

WIRING DIAGRAM-FRONT
(WIRE ASM 138628)

FIRST USED	02 L39T	
TITLE	DO NOT SCALE DRAWING	
	WIRING DIAGRAM-BODY, 12V	
S2 F1	SHEET 2	PART NO 138631








CONNECTS TO POWER DOOR LOCK SWITCH

- 1-PX 16 YEL
- 2-MK 14 YEL
- 3-PY 16 YEL



CONNECTS TO WIRE ASM-CHASSIS (SHT 1, A-14)
LOCATED IN BASE OF REFRIGERATOR CABT.1

- 1-AAT 16 YEL
- 2-ES 16 YEL
- 3-LL 16 WHT
- 4-LM 16 WHT
- 5-LN 16 WHT
- 6-LP 16 YEL
- 7-MM 14 YEL
- 8-AAU 16 WHT
- 9-MS 14 WHT
- 10-LG 16 YEL
- 11-LH 16 YEL
- 12-LJ 16 YEL
- 13-PX 16 YEL
- 14-PY 16 YEL
- 15-MK 14 YEL



CONNECTS TO AUX START SWITCH

- 1-KF 16 WHT
- 2-LH 16 YEL
- 3-LJ 16 YEL
- 5-LG 16 YEL
- 6-KF 16 WHT
- 7-
- 8-




SIDEMARKER LAMP




CONNECTS TO WIRE ASM-SIDEWALL (SHT 5, A-4)
LOCATED IN BASE OF GALLEY CABT.1

- 1-JF 14 YEL
- 2-NF 14 WHT
- 3-MM 14 YEL
- 4-MS 14 WHT
- 5-EEC 12 YEL
- 6-EED 12 WHT




CONNECTS TO WIRE ASM-REAR (SHT 3, A-51)
LOCATED IN BASE OF REFRIGERATOR CABT.1

- 1-CCN 16 YEL
- 2-BBJ 16 YEL
- 3-DD 16 YEL
- 4-BBH 16 YEL
- 5-CCP 16 YEL
- 6-LP 16 YEL




CONNECTS TO A/C CORD






- 1-BBH 16 YEL
- 2-CCP 16 YEL



FRONT SUBWOOFER




NOTES:
 2 SEE MANUFACTURER'S DIAGRAM FOR ADDITIONAL INFORMATION.
 1 SEE WIRING DIAGRAM-AC/HEAT/EMS FOR ADDITIONAL INFORMATION.





WIRING DIAGRAM-REAR
(WIRE ASM 139656)

CONNECTS TO LOAD SHEDDER CONTROL BOARD (LOCATED IN 110V BREAKER BOX)




FIRST USED		02 L39T	
DO NOT SCALE DRAWING			
TITLE: WIRING DIAGRAM-BODY, 12V			
S3F1	SHEET 3	PART NO	138631








1 SEE MANUFACTURER'S DIAGRAM FOR ADDITIONAL INFORMATION.
NOTES:





WIRING DIAGRAM-ROOF (WIRE ASM 138627)


FIRST USED	02 L39T
TITLE	DO NOT SCALE DRAWING
WIRING DIAGRAM-BODY, 12V	
S4 F1	SHEET 4 PART NO 138631



1 SEE MANUFACTURER'S DIAGRAM FOR ADDITIONAL INFORMATION.
NOTES:




WIRING DIAGRAM-ROOF, SIDE TV
(WIRE ASM 140168)




WIRING DIAGRAM-COMP LAMPS
(WIRE ASM 139534)

NOTES:
1 SEE WIRING DIAGRAM-AUTO FOR ADDITIONAL INFORMATION.


FIRST USED		02 L39T	
DO NOT SCALE DRAWING			
TITLE: WIRING DIAGRAM-BODY, 12V			
SHEET	6	PART NO	138631




WIRING DIAGRAM-BATH,WALL
(WIRE ASM 140263)



WIRING DIAGRAM-EXTENSION, 2 PIN
(WIRE ASM 133572)







WIRING DIAGRAM-OVHD
(WIRE ASM 139762)



WIRING DIAGRAM-ROOF,CENTER
(WIRE ASM 77093-15)


NOTES:

FIRST USED	02 L39T
TITLE:	DO NOT SCALE DRAWING
SHEET	7
PART NO	138631



NOTES:

FIRST USED	02 L39T
DO NOT SCALE DRAWING	
TITEL: WIRING DIAGRAM	
SHEET 8	PART NO 138631



WIRING DIAGRAM-SOFA, DBL REST EASY
WIRE ASM 139593-01


WIRING DIAGRAM-SOFA, DBL REST EASY
WIRE ASM 139593-02

NOTE
NOTES:

FIRST USED	02 L39T
TITLE:	DO NOT SCALE DRAWING
WIRING DIAGRAM-BODY 12V	
SHEET 9	PART NO 138631

CENTRAL AIR UNIT
 (LOCATED IN RIGHT REAR
 COMPARTMENT BELOW FLOOR)

LOAD CENTER



NOTES:
 3 WIRE ROUTED IN ROOF.
 2 WIRE ROUTED IN SIDEWALL.
 1 ALL OUTLETS DOWN STREAM AND INCLUDING THIS OUTLET ARE GROUND GAULT INTERRUPT PROTECTED.

- 13X INVERTER/CHARGER 2.0 KW
- 265 CODES/STANDARDS - CSA/CMVSS
- 21N DISHWASHER/BUILT-IN
- 1B1 CODES/STANDARDS - USA

181 265 78J 13X

WINNERBAGO

DATE 05/08/01
 DWR
 P.E.
 V.E.
 DWR





UNSPECIFIED TOLERANCES ARE:
 HOLE DIA. (X) .01
 ONE-PLACE (X, .01)
 TWO-PLACE (X, .001)
 HOLE .01

MATERIAL:
 02 L39T

THIRD ANGLE PROJECTION

DO NOT SCALE DRAWING

TITLE: WIRING DIAGRAM-BODY, 110V
 SHEET 1 of 1 PART NO 138632



- 5 RADIO ANTENNA CONNECTIONS FROM WIRE ASM-FRONT AND WIRE ASM-REAR ARE TO BE TAPED WITH TAPE 7957-01-000.
- 4 CONNECT TELEPHONE WIRES TO MATCHING COLORS ON PLATE-WALL, TELEPHONE.
3. WIRES THAT REST ON TRAYS ARE TO BE TIED DOWN WITH WIRE TIE B343-02-000.
2. CLAMP TO FLOOR SUPPORT TUBES AS NECESSARY WITH CLAMP 10497-01-000.
1. ALL WIRES TO BE CLAMPED WITH CLAMP 10495-01-000 OR CLIP 80734-02-000 EVERY 700. USE SCREW 667-10-12B UNLESS OTHERWISE SPECIFIED.

NOTES:

- 1D5 ENTERTAINMENT CENTR/EXT W/CD
- 76C ENTERTAINMENT CTR/EXT CASSETTE
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

WINNEBAGO

ORIG. DATE 04/11/01

DRW

P.E.

V.E.

DRW

UNSPECIFIED TOLERANCES ARE:

FINISH DIM (IN)	+ .1	MATERIAL:
ONE-PLACE (IN, EX)	+ 1.5	
TWO-PLACE (IN, EX)	+ 0.50	
HOLE	+ .1"	

THIRD ANGLE PROJECTION

DO NOT SCALE DRAWING


TITLE: WIRING INSTL-BODY, 12V

SHEET 1 of 6 PART NO. 138629

REF: 1 PAGE 63


FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

X-X FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000



DETAIL BA

DETAIL BB



DETAIL BB

- 2 CONNECT TELEPHONE WIRES TO MATCHING COLORS ON TELEPHONE PLATE.
- 1 SEE STYLING SHEETS FOR ADDITIONAL INFORMATION.

NOTES:

10M
1


29C
9L1

- (WIN) WINNEBAGO ONLY
- (10M) COUCH LH
- (9L1) HOME COMFORT PLUS PACKAGE
- (29H) HEAT PUMP-A/C CENTRAL
- (29C) A/C CENTRAL
- (265) CODES/STANDARDS-CSA/CMVSS
- (1B1) CODES/STANDARDS USA
- (1B1) (265)

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128793-01-000

X-X FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

FIRST USED		02 L39T	
DO NOT SCALE DRAWING			
TITLE:		WIRING INSTL-BODY, 12V	
SHEET	2	PART NO	138629




- NOTES:
- 3 MOUNT SWITCH AND SPACER TO BLOCK ON JAMB ADJUST HEIGHT TO MATCH MAGNET.
 - 2 MOUNT MAGNET USING PILOT HOLES IN SCREEN DOOR FRAME. MOUNT WITH MAGNET TOWARD SWITCH.
 - 1 SEE STYLING SHEETS FOR ADDITIONAL INFORMATION.

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

X - X FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

- (42A) CLOCK W/ALARM
- (26K) REAR STEREO SYSTEM WITHOUT
- (26L) REAR STEREO SYSTEM W/CASSETTE
- (26E) REAR STEREO SYSTEM W/CD
- (41A) LNG CHR-HOOP BASE W/CABINET
- (26S) CODES/STANDARDS-CSA/CMVSS
- (1B1) CODES/STANDARDS USA

PART NO	02 L39T
DO NOT SCALE DRAWING	
TITLE	WIRING INSTL-BODY, 12V
SHEET	3
PART NO	138629

















2 FASTEN TO VENT.
 1 WRAP BRACKET LEGS AROUND ANTENNA BASE.

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 126783-01-000

X-X FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

- 105 ENTERTAINMENT CTR/EXT W/CD
- 76C ENTERTAINMENT CTR/EXT CASSETTE
- 26L REAR STEREO SYSTEM W/CASSETTE
- 25E REAR STEREO SYSTEM W/CD
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA
- 1B1-265

FIGURE NO.	02 L39T
DO NOT SCALE DRAWING	
TITLE:	WIRING INSTL-BODY, 12V
SHEET 4	PART NO 138629




- (52F) AWNING-PATIO
- (9L1) HOME COMFORT PLUS PACKAGE
- (52N) AWNING - PATIO, ELECTRIC
- (29H) HEAT PUMP-A/C CENTRAL
- (265) CODES/STANDARDS-CSA/CMVSS
- (1B1) CODES/STANDARDS USA
- (1B1) (265)

FIRST USED	02 L39T
TITLE	DO NOT SCALE DRAWING
WIRING INSTL-BODY, 12V	
SHEET 5	PART NO 138629


WITHOUT (29H) PLUG THE TWO, TWO PIN HOUSING TOGETHER.

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000


X-X FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000



CIRCUIT BREAKER (FRONT VIEW)



SECTION FA-FA



CIRCUIT BREAKER (BACK VIEW)


FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

X - X FOR ELECTRICAL CALLOUTS SEE DWG NO. 121338-01-000

- (265) CODES/STANDARDS-CSA/CMVSS
- (1B1) CODES/STANDARDS USA
- (1B1) (265)

FIRST USED		02 L39T
DO NOT SCALE DRAWING		
TITLE: WIRING INSTL-BODY, 12V		
SHEET 6	PART NO	138629

DWG NO.	FEATURE		
138630-14	(1B1)	(7BJ)	(13X)
138630-18	(265)	(7BJ)	(13X)




- 5 SEE EXT ENT CTR COMPLETE FOR ADDITIONAL INFORMATION.
- SEE WIRING DIAGRAM-BODY FOR ADDITIONAL INFORMATION.
 - ALL GROUND WIRES ARE TO BE COVERED WITH TUBING 8041-02-000.
 - ALL WIRES ARE TO BE CLAMPED WITH CLAMP 10497-05-000 WITHIN 200 OF OUTLET BOXES AND SPLICES, USE SCREW G67-10-12B OR G39-10-12B.
 - ALL WIRES TO BE CLAMPED WITH CLAMP 10495-01-000 OR CLIP 80734-02-000 EVERY 600, USE SCREW G67-10-12B UNLESS OTHERWISE SPECIFIED.

- (13X) INVERTER/CHARGER-2000 WATT
- (7BJ) ELECTRICAL SYSTEM-50 AMP
- (265) CODES/STANDARDS-CSA/CMVSS
- (1B1) CODES/STANDARDS USA

WINNEBAGO	
DRW	ORIG. DATE 04/11/01
ALL DIMENSIONS ARE IN MILLIMETERS	
DRW	FIRST USED
UNSPECIFIED TOLERANCES ARE:	MATERIAL:
HOLES DIA (X) .1	
ONE-PLACE (X,XX) .1	
TWO-PLACE (X,XXX) .1	
HOLES .5	
THIRD ANGLE PROJECTION	
DO NOT SCALE DRAWING	
TITLE: WIRING INSTL-BODY, 110V	
SHEET 1 of 3	PART NO 138630

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

X-X FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000



(BRN) FROM INVERTER BREAKER PANEL
BLK (2)
WHT (2)
GRN (2)

(BLK) FROM INVERTER BREAKER PANEL
BLK (2)
WHT (2)
GRN (2)

(SIL) FROM INVERTER BREAKER PANEL

BLK (2)
WHT (2)
GRN (3)

BOX 8289-01-000 (2)
SCREW G11-08-12B (4)
COVER 8294-01-000 (2)
CONNECTOR 8356-01-000 (4)
CONNECTOR 8356-02-000 (2)
WIRE 133678-01-000 (2)
CONNECTOR 8314-01-000 (6)

FROM RECP-BLANK WARDROBE

FROM ROOF ASM

RECP-TV (PUR)

RECP-1 (BLU) WASH/DRYER
RECP-1 (GLD) WASH/DRYER

RECP-3 DET-BB CABT-TV

TV-19" COLOR W/REMOTE 124075-06-000

WIRES PASS UP THRU FLOOR IN THIS AREA

REAR WALL

HAIR DRYER, WALL-MOUNT 133058-01-000
SCREW G11-08-10U (3)

SWITCH-WATER HEATER (WHT) 84420-01-000
LABEL 83568-01-000

SPACER 133713-06-CHT
SCREW G11-08-200 (4)
RCP-2 (BRN) DESK

4X4 BOXES DETAIL BD

FLASHLIGHT-RECHARGEABLE SCREW G11-08-10B (2) (SEE DETAIL BF)

486

21N

265

181 265

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121338-01-000

136131-03-030
14-UL/BRN
136134-03-030
14-CA-BRN

TO RECP-GALLEY SIDEWALL (BRN)

TO RECP-BLANK GALLEY CABT (BLK)

136131-06-020
14-UL/BLK
136134-06-020
14-CA/BLK

TO RECP-DISHWASHER (SIL)

136131-11-008
14-UL/SIL

RCP-1 (BLK) MICROWAVE

WIRE FROM SIDEWALL

SP-04

RCP-2 (BRN) GALLEY SDW

GF-1-US (BLU) GALLEY
GF-1-CA (BLU) GALLEY




RCP-1 (BLU) FLASHLIGHT

GF-1-US (BRN) MEDICINE CABT
GF-1-CA (BRN) MEDICINE CABT

BE


BE

LOAD CENTER/ATS 138633-01-000
WIRE TO DROP 1500 FROM FLOOR



1. ALL WIRES TO BE CLAMPED WITH CLAMP 10495-01-000 OR CLIP 80734-02-000 EVERY 600, USE SCREW G67-10-12B UNLESS OTHERWISE SPECIFIED.
2. ALL WIRES ARE TO BE CLAMPED WITH CLAMP 10497-05-000 WITHIN 200 OF OUTLET BOXES AND SPLICES, USE SCREW G67-10-12B OR G39-10-12B.
3. ALL GROUND WIRES ARE TO BE COVERED WITH TUBING 8041-02-000
4. SEE WIRING DIAGRAM-BODY FOR ADDITIONAL INFORMATION.

(S1B)	HAIR DRYER
(486)	FLASHLIGHT
(21N)	DISHWASHER/BUILT-IN
(265)	CODES/STANDARDS-CSA/CMVSS
(181)	CODES/STANDARDS USA
(181 265)	
FIRST USED	
02 L39T	
DO NOT SCALE DRAWING	
TITLE: WIRING INSTEAD-BODY, 110V	
SHEET 2	PART NO 138630




- △ MOUNT BOX UP NEXT TO SIDEWALL.
- SEE WIRING DIAGRAM-BODY FOR ADDITIONAL INFORMATION.
 - ALL GROUND WIRES ARE TO BE COVERED WITH TUBING 8041-02-000.
 - ALL WIRES ARE TO BE CLAMPED WITH CLAMP 10497-05-000 WITHIN 200 OF OUTLET BOXES AND SPLICES, USE SCREW G67-10-12B OR G39-10-12B.
 - ALL WIRES TO BE CLAMPED WITH CLAMP 10495-01-000 OR CLIP 80734-02-000 EVERY 600, USE SCREW G67-10-12B UNLESS OTHERWISE SPECIFIED.

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

X - X

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

FIRST USED	02 L39T
DO NOT SCALE DRAWING	
TITLE:	WIRING INSTAL-BODY, 110V
SHEET	3
PART NO	138630



- 9 USE TWO NUTS HERE TO ACCOUNT FOR BATTERY HEIGHT DIFFERENCE.
 - 8 SEE WIRING INSTL-FRONT END FOR ADDITIONAL INFORMATION.
 - 7 CLAMP 10497-02-000 AND SCREW G39-08-000.
 - 6 CLAMP 83609-01-000 AND SCREW G39-08-000.
 - 5 CLAMP 83610-01-000, SCREW G11-10-16B.
 - 4 WIRE TIE 8343-04-000. FASTEN EVERY 600MM MINIMUM.
 - 3 ALL DIMENSIONS ARE FROM DATUM UNLESS OTHERWISE SPECIFIED.
 - 2 SECURE CONDUIT 41953-01-000, -02, AND -03 OVER ALL WIRES THAT CONTACT SHARP EDGES.
 - 1 LEGEND: — WINNEBAGO, - - - - CABLE, - - - - CHASSIS SUPPLIED.
- NOTES:
- 10 BATTERY CABLE MUST BE INSTALLED TO STARTER MOTOR BEFORE ENGINE WIRING HARNESS AND ROUTED IN SUCH A MANNER AS TO PREVENT ANY POSSIBLE DEGRADATION FROM THE EXHAUST SYSTEM.

IPR WORKHORSE 22,000
 265 CODES/STANDARDS-CSA/CMVSS
 IBI CODES/STANDARDS USA

IB1 265 IPR

WINNEBAGO

DATE 01/25/01
 DWG ALL DIMENSIONS ARE IN MILLIMETERS
 P.E.
 V.E. FIRST USED
 DWG 02 L39T


UNSPECIFIED TOLERANCES ARE:
 HOLE DIA (X.X) ± .1
 ONE-PLACE (X.XX) ± .15
 TWO-PLACE (X.XXX) ± 0.50
 HOLE ± .1*

THIRD ANGLE PROJECTION


DO NOT SCALE DRAWING

TITLE: WIRING INSTL-CHASSIS
 SHEET 1 of 2 PART NO 138626



REF: 1 PAGE 72



VIEW BA-BA



VIEW BB-BB (WIRING)




- NOTES:
- 4 WITHOUT (52N)
 - 3 TIE BACK TO LOOM WITHOUT (52N)
 - 2 ADD LOCK WASHER OME028-04-071 1 PER SCREW.
 - 1 SECURE WITH SOLENOID MOUNTING SCREW.

5 FROM WIRE ASM-CHASSIS

- (52N) AWNING - PAT10, ELECTRIC
- (265) CODES/STANDARDS-CSA/CMVSS
- (1B1) CODES/STANDARDS USA

FIRST USED	02 L39T
TITLE	DO NOT SCALE DRAWING
WIRING INSTL-CHASSIS	
SHEET 2	PART NO 138626



REV. ZONE		REVISION RECORD	DATE	DTM	ORIG
B	---	ADDED YEL WIRE FOR VACUUM	04/30/01	1118	1118
C	SHT1	ANNOTATION CHANGES	06/13/01	1612	1118
D	---	ADD CHANGES FOR DISHWASHER	06/21/01	1612	1118
E	S2,C1	ADD CALLOUT FOR CONNECTOR	07/17/01	1612	1118
F	S1,2	MULTIPLE CHANGES	08/22/01	2245	1118
G	S1B7	-125 USED TO BE -100	09/17/01	2245	1118
H	SHT1	ADD ANNOTATION FOR L36W	09/27/01	1612	3904
J	SHT2	ADD ANNOTATION CHANGES	10/12/01	1612	1118
K	S1,2	L36W LENGTH CHANGES	11/19/01	2245	1118
L	S3	ADDED NEW LOAD CENTER	11/19/01	1728	1118
M	S1	ANNOTATION CHANGES	12/21/01	1728	3904
N	S3C5	8355-02-000 WAS 108861-01-000	01/29/02	2245	5843
P	S1B8	136151-03-018 WAS -030	01/31/02	1612	5843

- (21N) DISHWASHER/BUILT-IN
- (22T) VACUUM SYSTEM-CENTRAL
- (13X) INVERTER/CHARGER-2,000 WATT
- (7BJ) ELECTRICAL SYSTEM-50 AMP
- (54E) WASHER/DRYER
- (285) CODES/STANDARDS - CSA/CMVSS
- (21M) WASHER/DRYER - PREP
- (1B2) WTR HTR - 10GAL/ELEC/LP/MTR/1D
- (1B1) CODES/STANDARDS - USA

WINNERAGO

DTM: 03/20/01
 ORIG. DATE: 03/20/01
 DIM: ALL DIMENSIONS ARE IN MILLIMETERS
 P.E.:
 V.E.: FIRST USED
 DIM: 02 L-SERIES

UNSPECIFIED TOLERANCES ARE:
 HOLE DIA (X) ± .1
 ONE-PLACE (X,XX) ± 1.5
 TWO-PLACE (X,XX) ± 0.50
 FINISH ± .1

THIRD ANGLE PROJECTION





DO NOT SCALE DRAWING

TITLE: LOAD CENTER/ATS ASM
 SHEET 1 of 3 PART NO 138633

REF: 1 PAGE 74

		L36W	L39T	
RED	12-UL	136135-07-088	136135-07-085	
	12-CA	136136-07-088	136136-07-085	
MAIN	6-3 UL	136139-01-040	136139-01-038	
	6-3 CA	136140-01-040	136140-01-038	
GRN	12-UL	136135-08-088	136135-08-085	
	12-CA	136136-08-088	136136-08-085	
INVERTER CHARGER MAIN	10-UL	136137-01-122	136137-01-100	
	10-CA	136138-01-122	136138-01-100	
YEL	14-UL	136131-05-096	136131-05-095	(22T)
	14-CA	136134-05-096	136134-05-095	(22T)
YEL-2	14-UL	136131-05-100	136131-05-100	
	14-CA	136134-05-100	136134-05-100	
GLD	12-UL	136135-10-107	136135-10-037	(21M) (54E)
	12-CA	136136-10-107	136136-10-037	(21M) (54E)
WHT	12-UL	136135-09-187	136135-09-220	(1B2)
	12-CA	136136-09-187	136136-09-220	(1B2)
INVERTER CHARGER SUB MAIN	10-UL	136137-01-122	136137-01-100	
	10-CA	136138-01-122	136138-01-100	
BLU	14-UL	136131-02-183	136131-02-176	
	14-CA	136134-02-183	136134-02-176	
BRN	14-UL	136131-03-144	136131-03-110	
	14-CA	136134-03-144	136134-03-110	
PUR	14-UL	136131-04-093	136131-04-125	
	14-CA	136134-04-093	136134-04-125	
BLK	14-UL	136131-06-103	136131-06-077	
	14-CA	136134-06-103	136134-06-077	
SIL	14-UL		136131-11-077	(21N)
GROUND MAIN		136145-01-059	136145-01-067	
GROUND SUB MAIN		136145-01-059	136145-01-067	
ATS GROUND		136145-01-019	136145-01-050	
FRONT SLIDE		136151-03-051		
REAR SLIDE		136151-03-018		
THROW IN WIRE #1	14-UL	136131-03-082		
	14-CA	136134-03-082		
THROW IN WIRE #2	14-UL	136131-04-021		
	14-CA	136134-04-021		
THROW IN WIRE #3	14-UL	136131-04-032		
	14-CA	136134-04-032		
THROW IN WIRE #4	14-UL	136131-04-013		
	14-CA	136134-04-013		

NOTES:





FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 21339-01-000

- (22T) VACUUM SYTEM-CENTRAL
- (21N) DISHWASHER/BUILT-IN
- (22T) VACUUM SYSTEM-CENTRAL
- (13X) INVERTER/CHARGER-2,000 WATT
- (7BJ) ELECTRICAL SYSTEM-50 AMP
- (1B1) CODES/STANDARDS USA
- (1B1) 265 7BJ 13X

- 5 PRIOR TO 01-07-02.
 - 4 INSTALL BY LINE.
 - 3 SECURE WIRES TO BACK SIDE OF LOAD CENTER WITH WIRE TIE 116873-01-000.
 - 2 WIRE MUST BE 400 LONG INSIDE BOX.
1. ALL GROUND WIRES TO BE COVERED WITH TUBING 8041-02-000.




- NOTES:
1. ALL GROUND WIRES TO BE COVERED WITH TUBING 8041-02-000.
 2. ALL WIRES ARE NOT SHOWN FOR CLARITY.
 3. ALL 110V STRANDED WIRE W/O TERMINALS TO BE STRIPPED 10MM AND SOLDER DIPPED.
 4. ATTACH WIRES TO BACKSIDE OF LOAD CENTER, USE EXISTING HOLES AND TIE-WIRE 116673-01-000.
 5. ALL WIRES ARE TO BE 500MM INSIDE OF BOX.
 6. AFTER 01-07-02.

- (22T) VACUUM SYSTEM-CENTRAL
- (78J) ELECTRICAL SYSTEM-50 AMP
- (13X) INVERTER/CHARGER-2,000 WATT
- (21N) DISHWASHER/BUILT-IN
- (265) CODES/STANDARDS-CSA/CMVSS
- (181) CODES/STANDARDS USA
- (181) (265) (78J) (13X)

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

(X-X) FOR ELECTRICAL CALLOUTS SEE DWG NO. 121338-01-000

FIRST USED	02 L-SERIES
TITLE	DO NOT SCALE DRAWING
LOAD CENTER/ATS ASM	
SHEET 3	PART NO 138633



LAMP ASM-MARKER, AMBER
 117826-02-000
 GASKET-MARKER LIGHT
 117826-03-000
 BULB
 36196-01-000
 SCREW
 611-08-12U (EXT) (2)

(IB1)
 (265) ⚠
 LEXT-1
 LEXT-2CA

LAMP ASM-MARKER, AMBER
 117826-02-000
 GASKET-MARKER LIGHT
 117826-03-000
 BULB
 36196-01-000
 SCREW
 611-08-12U (EXT) (2)

LAMP ASM-MARKER, AMBER
 117826-02-000
 GASKET-MARKER LIGHT
 117826-03-000
 BULB
 36196-01-000
 SCREW
 611-08-12U (EXT) (2)

(IB1)
 (265) ⚠
 LEXT-1
 LEXT-2CA

LAMP ASM-MARKER, RED
 117826-01-000
 GASKET-MARKER LIGHT
 117826-03-000
 BULB
 36196-01-000
 SCREW
 611-08-12U (EXT) (2)

LAMP ASM-MARKER, AMBER
 117826-02-000
 GASKET-MARKER LIGHT
 117826-03-000
 BULB
 36196-01-000
 SCREW
 611-08-12U (EXT) (2)

(265) CODES/STANDARDS- CSA/CMVSS
 (IB1) CODES/STANDARDS USA

(IB1) (265)

WINNEBAGO

DTM	ORIG. DATE	04/09/01
DWR	ALL DIMENSIONS ARE IN MILLIMETERS	
P.E.	FIRST USED	
M.E.	02 L-SERIES	
DWM		


UNSPECIFIED TOLERANCES ARE:	MATERIAL:
HOLES DIA (X) : + .1	
ONE-PLACE (X,XX) : + 1.5	
TWO-PLACE (X,XX) : + 0.50	
ANGLE : ± 1°	
THIRD ANGLE PROJECTION	

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128793-01-000

X-X FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

DO NOT SCALE DRAWING
 TITLE: WIRING INSTL-EXTERIOR LAMPS
 SHEET 1 of 2 PART NO: 138634

⚠ INSTALL WITH WIRES TOWARDS ROOF.
 NOTES:



NOTES:
 1 CONNECTOR-PLUG, TRAILER (113589-01-000) TO BE SUPPLIED IN COACH WITH (240)



- (ITA) ITASCA ONLY
- (WIN) WINNEBAGO ONLY
- (240) TRAILER HITCH
- (265) CODES/STANDARDS-CSA/CMVSS
- (1B1) CODES/STANDARDS USA

FIGURE NO	02 L-SERIES
DO NOT SCALE DRAWING	
TITLE	WIRING INSTL-EXTERIOR LAMPS
SHEET	2
PART NO	138634



FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

X-X FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000



(1B1) (265)



WIRING DIAGRAM-TANK , WATER
(WIRE ASM 96449)



WIRING DIAGRAM-TANK ,MAIN HOLDING
(WIRE ASM 96450)



WIRING DIAGRAM-TANK ,AUX HOLDING
(WIRE ASM 96451)

WINNEBAGO 93 MOTORHOMES


DPTR	DATE	UNSPECIFIED TOLERANCES ARE:	MATERIAL:
CHR	DATE	WHOLE DIM (XX)	*
P E	DATE	ONE-PLACE (X.XX)	*
M E	DATE	TWO-PLACE (X.XXX)	*
QMR	DATE	ANGLE	*
	DATE	TWO-ANGLE	*
	DATE	PROJECTION	⊕ ←

LAYOUT NO. _____ TITLE: **WIRING DIAGRAM-HOLDING TANKS**

DIA # SCALE: NONE DO NOT SCALE DRAWING SHEET 1 OF 1 SIZE DWG NO 110664

ALL DIMENSIONS ARE IN MILLIMETERS


⚠ SEE WIRING DIAGRAM-BODY FOR ADDITIONAL INFORMATION.



- NOTES:
- ③ CABLE ROUTED IN ROOF
 - ② NOT USED ON SHELL.
 - ① CABLE ASM MARKED WITH COLORED TAPE.

- ③⑤P VIDEO SELECTION SYSTEM
- ②0F DELUXE SOUND SYSTEM-WITHOUT
- ⑦2H VCR
- ④2R TV-25" COLOR
- ④0F INVERTER-DC/AC-130 WATT
- ④0B INVERTER-DC/AC. 300 WATT

TITLE		WIRING INSTL-TV/VCR_FRONT	
DO NOT SCALE DRAWING	SHEET NO	137576	
SHEET 6 OF 10	IF NO		



- 20C SOUND SYS. DLX. W/O-SURROUND
- 25F DIGITAL VIDEO DISC PLAYER
- 7BK SATELLITE DISH-AUTOMATIC
- 72M VCR-STEREO
- 79H ENTERTAINMENT CENTER-INTERIOR
- 35P VIDEO SELECTION SYSTEM
- 193 TV ANTENNA

WINNEBAGO

DTB: _____ ORG. DATE: 09/21/01

DWR: _____ ALL DIMENSIONS ARE IN MILLIMETERS

P.E.: _____

W.E.: _____ FIRST USED

DWG: _____ 02 L39T

UNSPECIFIED TOLERANCES ARE: MATERIAL:

WHOLE DIM (X) : _____

ONE-PLACE (X.X) : _____

TWO-PLACE (X.XXX) : _____

THREE : _____

THIRD ANGLE PROJECTION

DO NOT SCALE DRAWING



TITLE: WIRING INSTL.-TV/VCR

SHEET 1 of 4 PART NO 140200

NOTES:
1. SEE WIRING INSTALLATION-BODY, 110V FOR ADDITIONAL INFORMATION

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128793-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000



DETAIL BA

- (20C) SWITCH
89308-01-CHT
PLATE-SWITCH
88351-16-CHT
SCREW
611-06-10J (2)
(SEE DETAIL BA)

- (35P) CONTROL CENTER SWITCHING
86757-04-000
FASTENER-DUAL LOCK
85774-01-000 (220) (2)
85774-02-000 (220) (2)

- (72M) VCR, STEREO
FASTENER-DUAL LOCK
124073-11-000
85774-01-000
85774-02-000


- (20C) SOUND SYS. DLX. W/O SURROUND
- (42E) TV-27" COLOR, STEREO W/REMOTE
- (25F) DIGITAL VIDEO DISC PLAYER
- (78K) SATILLITE DISH-AUTOMATIC
- (72M) VCR-STEREO
- (35P) VIDIO SELECTION SYSTEM
- (193) TV ANTENNA

(42E)

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO 128793-01-000

(X-X) FOR ELECTRICAL CALLOUTS SEE DWG NO 121339-01-000

FIRST USED	02 L39T
DO NOT SCALE DRAWING	
TITLE	WIRING INSTL.-TV/VCR
SHEET 2	PART NO 140200



- 4 CONNECTION IS MADE AT ROOF ABOVE FRONT OVERHEAD CABINET.
- 3 CONNECTION IS MADE AT ROOF ABOVE SIDE TV CABINET.
- 2 CABLE ROUTED IN ROOF.
- 1 CABLE ASM MARKED WITH COLORED TAPE.

NOTES:

- 79H ENTERTAINMENT CTR-INTERIOR
- 72M VCR-STEREO
- 35P VIDEO SELECTION SYSTEM


79H

FIRST USED	
02 L39T	
DO NOT SCALE DRAWING	
TITLE: WIRING INSTL.-TV/VCR	
SHEET 3	PART NO 140200

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128793-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000





- NOTES:
- 5 CONNECTION IS MADE AT ROOF ABOVE OVERHEAD CABINET.
 - 4 CONNECTION IS MADE AT ROOF ABOVE SIDE TV CABINET.
 - 3 SUPPLIED WITH DVD PLAYER
 - 2 CABLE ROUTED IN ROOF.
 - 1 CABLE ASM MARKED WITH COLORED TAPE.


- 79H ENTERTAINMENT CTR-INTERIOR
- 72M VCR-STEREO
- 25F DIGITAL VIDEO DISC PLAYER
- 35P VIDEO SELECTION SYSTEM

FIRST USED	
02 L39T	
DO NOT SCALE DRAWING	
TITLE: WIRING INSTL.-TV/VCR	
SHEET 4	PART NO 140200

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128793-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

FILTER-GROUND LOOP 123324-01-000





- NOTES:
- ② BEND TABS ON ALL 4 SIDES TO SECURE MOUNTING BRACKET TO DASH OPENING.
 - ① SUPPLIED WITH MOUNTING KIT 135420-07-000

(55L) RADIO-AM/FM CASSETTE/CD
L SERIES


TITLE:		RADIO INSTL	
DO NOT SCALE DRAWING	SHEET 4 OF 7	SIZE 1/8"	DWG NO 137566

DWG NO	SHEET	DESCRIPTION
I33004-01	1	W/O SOLAR PANEL LIGHT
I33004-02	2	WITH SOLAR PANEL LIGHT
I33004-03	3	WITH SOLAR PANEL LIGHT

RELEASE	REV A	DATE	DPTR	ADM	DWG NO	133004
REV ZONE	REVISION RECORD		DATE	DTR-ORIG		




- NOTES:
1. SUGGESTED VENDOR: VENTLINE.
 2. BLACK PANEL WITH WHITE GRAPHICS.
 3. LETTERS ON MAIN HEADING TO BE 5MM HIGH.
 4. CUTOUT FOR PANEL TO BE 135 X 350 MIN/ 140 X 380 MAX.
 5. SWITCH RATING SHALL BE EMBOSSED ON THE SIDE OF THE 12V SWITCHES.



SEE CHART
FOR COLOR VARIATIONS
OF THIS PART

DTR		DATE	UNSPECIFIED TOLERANCES ARE:	MATERIAL:
CHR	DATE	DATE	WHOLE DIM (X)	+
P E	DATE	DATE	ONE-PLACE (X.X)	+
M E	DATE	DATE	TWO-PLACE (X.XX)	+
DNR	DATE	DATE	ANGLE	+
	DATE	DATE	THIRD ANGLE PROJECTION	+
LAYOUT NO	NONE	TITLE:	PANEL-MONITOR	
DIA #	SCALE: 0:8	DO NOT SCALE DRAWING	SHEET	DWG NO
ALL DIMENSIONS ARE IN MILLIMETERS		SHEET 1 OF 3	1	133004




- PIN #
- 1. 16 RED GENERATOR METER (+)
 - 2. 16 YEL GENERATOR START
 - 3. 16 BRN GENERATOR STOP
 - 4. 16 BLK GENERATOR (-)

HOUSING-AMP
(UNIVERSAL MATE-N-LOK)
1-480702-0
CONTACT-PIN
350538-1

- PIN #
- 1. 14 BLK (HOUSE +12VDC)
 - 2. 14 (CHASSIS +12VDC)
 - 3. 14 WHT (GROUND)
 - 4. 20 RED (WATER TANK)
 - 5. 20 BRN (BLACK TANK)
 - 6. 20 GRY (GRAY TANK)
 - 7. 12 RED/WHT (REMOTE WATER PUMP SWITCH)
 - 8. 12 RED (WATER PUMP SWITCH)
 - 9. 12 WHT/RED (REMOTE WATER PUMP)
 - 10. BLANK
 - 11. BLANK
 - 12. 20 WHT/GRN (LP TANK SENSOR)
 - 13. 16 YEL (WATER HEATER IGNITION)
 - 14. BLANK
 - 15. 20 WHT/BLU (WATER HEATER INDICATOR)

HOUSING-AMP
(UNIVERSAL MATE-N-LOK)
1-480710-0
CONTACT-PIN
350538-1

TITLE		PANEL-MONITOR	
DO NOT SCALE DRAWING	SHEET	SIZE	DWG NO
2 OF 3	2	1/2"	133004



- PIN #
- 1. 16 RED GENERATOR METER (+)
 - 2. 16 YEL GENERATOR START
 - 3. 16 BRN GENERATOR STOP
 - 4. 16 BLK GENERATOR (-)

HOUSING-AMP
(UNIVERSAL MATE-N-LOK)
1-480702-0
CONTACT-PIN
350538-1

- PIN #
- 1. 14 BLK (HOUSE +12VDC)
 - 2. 14 (CHASSIS +12VDC)
 - 3. 14 WHT (GROUND)
 - 4. 20 RED (WATER TANK)
 - 5. 20 BRN (BLACK TANK)
 - 6. 20 GRY (GRAY TANK)
 - 7. 12 RED/WHT (REMOTE WATER PUMP SWITCH)
 - 8. 12 RED (WATER PUMP SWITCH)
 - 9. 12 WHT/RED (REMOTE WATER PUMP)
 - 10. BLANK
 - 11. BLANK
 - 12. 20 WHT/GRN (LP TANK SENSOR)
 - 13. 16 YEL (WATER HEATER IGNITION)
 - 14. BLANK
 - 15. 20 WHT/BLU (WATER HEATER INDICATOR)

HOUSING-AMP
(UNIVERSAL MATE-N-LOK)
1-480710-0
CONTACT-PIN
350538-1

HOUSING-AMP
UNIVERSAL-MATE-N-LOK
1-480698-0
PIN
350538-0

PIN#
1-16 BLK
2-16 RED

HOUSING-AMP
UNIVERSAL-MATE-N-LOK
1-480699-0
PIN
350537-0


PIN#
1-16 GRN
2-16 RED

TITLE:		PANEL-MONITOR	
DO NOT SCALE DRAWING	SHEET 3 OF 3	SIZE I D	OWG NO 133004


WITH HEAT PUMP

VENDOR SUPPLIED HARNESS

ORG WIRE IS REMOVED FROM TERMINAL AND CONNECTED TO ORG/BLK WIRE THEN WHT/BLK WIRE IS CONNECTED TO THE TERMINAL WHERE TH ORG WIRE WAS.




WINNEBAGO SUPPLIED HARNESS




THERMOSTAT


- 1-GRY (FREEZE SWITCH & EXCLUSION RELAY)
- 2-RED (+12VDC)
- 3-GRY (FREEZE SWITCH & EXCLUSION RELAY)
- 4-BLU (-12VDC)
- 5-YEL (COOLING COMPRESSOR #1)
- 6-ORG (COOLING COMPRESSOR #2)
- 7-BLK (FAN HIGH)
- 8-WHT (HEAT PUMP)
- 9-PUR (FAN LOW)



FURNACE



LOAD SHEDDER BOARD



WIRING DIAGRAM-THERMOSTAT, EXT
(WIRE ASM 138131)
(WITH HEAT PUMP)

NOTES: 1 RLC FOR 2001 THIS RESET WAS DELETED.

TERMINALS

NO.	PART NUMBER	DESCRIPTION
B-1	50003-01	TERMINAL-PIN, 16-14 GA., .156 DIA
B-2	50004-01	TERMINAL-RECP, 16-14 GA., .156 DIA
B-11	50003-02	TERMINAL-PIN, 16-14 GA., .180 DIA
B-12	50004-02	TERMINAL-RECP, 16-14 GA., .180 DIA
WP-1	106950-01	TERMINAL-PIN, 16-14 GA
WP-2	106950-02	TERMINAL-PIN, 10-12 GA
WP-3	106950-03	TERMINAL-PIN, 8 GA
R-1	35416-01	TERMINAL-RING, 8 GA, #10 STUD
R-2	35416-02	TERMINAL-RING, 6 GA, #10 STUD
R-3	35416-03	TERMINAL-RING, 12-10 GA, #10 STUD
R-4	35416-04	TERMINAL-RING, 16-14 GA, #10 STUD
R-5	37018-01	TERMINAL-RING, 12-10 GA, 5/16 STUD
R-6	102777-01	TERMINAL-RING, #6 STUD, 14 GA
R-7	102777-02	TERMINAL-RING, #6 STUD, 10 GA
R-8	102777-03	TERMINAL-RING, #6 STUD, 8 GA
R-9	33787-01	TERMINAL-RING, 14 GA, #10 STUD
R-60	8325-01	TERMINAL-RING, 16-14 GA, 1/4 STUD
R-61	8326-01	TERMINAL-RING, 16-14 GA, 3/8 STUD
R-62	8327-01	TERMINAL-RING, 16-14 GA, #10 STUD
R-63	8328-01	TERMINAL-RING, 12-10 GA, #10 STUD
R-64	8328-02	TERMINAL-RING, 12-10 GA, 3/8 STUD
R-65	8329-01	TERMINAL-RING, 8 GA, 3/8 STUD
R-66	8331-01	TERMINAL-RING, 4 GA, 3/8 STUD
R-67	8332-01	TERMINAL-RING, 6 GA, 1/4 STUD
R-68	8332-02	TERMINAL-RING, 10 GA, 1/4 STUD
R-69	8350-01	TERMINAL-RING, 6 GA, 3/8 STUD
R-70	99275-02	TERMINAL-RING, 8 GA, 7/16 STUD
R-71	101397-01	TERMINAL-RING, 16-14 GA, #10 STUD
R-91	88791-01	TERMINAL-RING, 1/0 GA, 3/8, 90 DEG.
R-92	88791-02	TERMINAL-RING, 2 GA, 3/8, 90 DEG
R-93	8348-01	TERMINAL-RING, 2 GA, 3/8 STUD
R-94	99275-01	TERMINAL-RING, 1/0 GA, 7/16 STUD
RF-51	7944-01	TERMINAL-RING, 12-10 GA, #8 STUD
RF-52	7945-01	TERMINAL-RING, 16-14 GA, #8 STUD
TR-1	47443-01	TERMINAL-RECP, 16-14 GA, .25, INS
TR-2	47443-02	TERMINAL-RECP, 12-10 GA, .25, INS
TR-11	47443-03	TERMINAL-RECP, 16-14 GA, .19, INS
TR-12	47443-04	TERMINAL-RECP, 16-14 GA, .11, INS
TR-21	80015-01	TERMINAL-RECP, 22-18 GA, .250, 90 DEG
TR-22	80015-02	TERMINAL-RECP, 16-14 GA, .190, 90 DEG
TR-23	80015-03	TERMINAL-RECP, 16-14 GA, .250, 90 DEG
TR-51	7940-01	TERMINAL-RECP, 16-14 GA, .25, UNINS
TR-52	23809-01	TERMINAL-RECP, 16-14 GA, .19, UNINS
TR-53	23809-02	TERMINAL-RECP, 18-20 GA, .25, UNINS
TR-54	49270-01	TERMINAL-RECP, 18-20 GA, .19, UNINS
TT-1	85745-02	TERMINAL-TAB, 16-14 GA., .25, INS
TT-51	7942-01	TERMINAL-TAB, 16-14 GA., .25, UNINS
TT-52	7943-01	TERMINAL-TAB, 12-10 GA., .25, UNINS

SPLICES

NO.	PART NUMBER	DESCRIPTION
BS-1	31876-01	SPLICE-BUTT, 16-14 GA, BLUE
BS-2	31876-02	SPLICE-BUTT, 12-10 GA, YELLOW
BS-3	31876-03	SPLICE-BUTT, 22-18 GA, RED
BS-SB	100070-01	SPLICE-BUTT, 14-16 GA, SHRINK, BLUE
BS-RB	112823-01	SPLICE-BUTT, 14-22 GA, REDUCER
S-1	7946-01	SPLICE, 4000-10000 CMA
S-2	23808-01	SPLICE, 12000-18000 CMA
SH-1	58028-01	SPLICE-HAT
S-10	101173-01	SPLICE-BARREL, 26300 CMA

NO.	PART NUMBER	DESCRIPTION
SP-1	90986-02	PLUG ASM-ELECTRIC STEP
SP-2	142524-01-000	HOUSING-4 PIN
	098261-01-000	SOCKET-CONNECTOR
	098262-07-000	SEAL-CONNECTOR
	098261-02-000 (3)	SOCKET-CONNECTOR
098262-01-000 (3)	SEAL-CONNECTOR	
HR-1	63910-01	HOUSING-RELAY
MP-8	125323-02	HOUSING-PIN, 8 CAVITY
MP-10	125323-01	HOUSING-PIN, 10 CAVITY
MPP	125324-01	TERMINAL-MALE, M/P, 150
CAV-1	125325-01	SEAL-CAVITY, 150-SERIES M/P
CON-3	98262-03	SEAL-CONNECTOR
LS-8	125323-03	LOCK-SECONDARY 8 POSITION
LS-10	125323-04	LOCK-SECONDARY 10 POSITION
H-8	108355-01	HOUSING-SWITCH
I-2	7956-02	SHRINK WRAP .375 DIA
I-5	7956-05	SHRINK WRAP .25 DIA

NO.	PART NUMBER	DESCRIPTION
GEN-1	125323-02-000	HOUSING-8 POSN, MALE, 150 SERIES
	125324-01-000 (4)	TERMINAL-MALE, M/P, 150
	098262-03-000 (4)	SEAL-CONNECTOR
	125325-01-000 (4)	SEAL-CAVITY, 150 SERIES M/P
	125323-03-000	LOCK-SECONDARY 8 POSITION
GEN-2	125323-01-000	HOUSING-10 POSN, MALE, 150 SERIES
	125324-01-000 (5)	TERMINAL-MALE, M/P, 150
	098262-03-000 (5)	SEAL-CONNECTOR
	125325-01-000 (5)	SEAL-CAVITY, 150 SERIES M/P
	125323-04-000	LOCK-SECONDARY 10 POSITION

HOUSINGS AND TERMINALS

NO.	PART NUMBER	DESCRIPTION
HS-2	88474-10	HOUSING-SOCKET, 2 CAVITY
HS-3	88474-09	HOUSING-SOCKET, 3 CAVITY
HS-4	88474-08	HOUSING-SOCKET, 4 CAVITY
HS-5	88474-07	HOUSING-SOCKET, 5 CAVITY
HS-6	88474-06	HOUSING-SOCKET, 6 CAVITY
HS-7	88474-05	HOUSING-SOCKET, 6 CAVITY
HS-9	88474-03	HOUSING-SOCKET, 9 CAVITY
HS-12	88474-01	HOUSING-SOCKET, 12 CAVITY
HS-15	88474-02	HOUSING-SOCKET, 15 CAVITY
HP-2	88473-10	HOUSING-PIN, 2 CAVITY
HP-3	88473-09	HOUSING-PIN, 3 CAVITY
HP-4	88473-08	HOUSING-PIN, 4 CAVITY
HP-5	88473-07	HOUSING-PIN, 5 CAVITY
HP-6	88473-06	HOUSING-PIN, 6 CAVITY
HP-7	88473-05	HOUSING-PIN, 6 CAVITY
HP-8	88473-04	HOUSING-PIN, 8 CAVITY
HP-9	88473-03	HOUSING-PIN, 9 CAVITY
HP-12	88473-01	HOUSING-PIN, 12 CAVITY
HP-15	88473-02	HOUSING-PIN, 15 CAVITY
HS2HA	137208-01	HOUSING-SOCKET, 2 CAVITY-HIGH AMP
HP2HA	137207-01	HOUSING-PIN, 2 CAVITY-HIGH AMP
TS-1	88476-01	SOCKET-CONNECTOR, 16-14 GA
TS-2	88476-02	SOCKET-CONNECTOR, 12-10 GA
TP-1	88475-01	PIN-CONNECTOR, 16-14 GA
TP-2	88475-02	PIN-CONNECTOR, 12-10 GA
TS-HA	137210-01	SOCKET-CONNECTOR, 10AWG HIGH AMP
TP-HA	137209-01	PIN-CONNECTOR, 10AWG HIGH AMP

RELEASE A 10/19/95
 REVISION RECORD
 DATE 12/3/99
 PART NO 121339

BALLOON CALLOUT LEGEND

110 V WIRE	TERMINALS/SPLICES	RECEPTACLES
<p>PART NUMBER: XX-XX-XX COLOR: XXXXX LENGTH: XXXXX</p>	<p>PART NUMBER: XX-X QUANTITY: X</p>	<p>PART NUMBER: XX-XX-XX CIRCUIT COLOR: XXXXX LOCATION: X</p>
POWER CORD	CONDUIT	12 V WIRE
<p>WIRE GAUGE: PC XX LENGTH IN FEET: XX-XX</p>	<p>TYPE: XX-XX DIA IN 1/16" INCREMENTS: XXXXX LENGTH (mm): XXXXX</p>	<p>CIRCUIT: XX-XX COLOR & WIRE GAUGE: XX-X HOUSING POSITION/TERMINATION: X</p>

WINNEBAGO

DATE: 10/17/95
 ALL DIMENSIONS ARE IN MILLIMETERS
 FIRST USED: 96 MH'S

UNSPECIFIED TOLERANCES ARE:
 HOLE DIA: .015
 ONE-PLACE: .015
 TWO-PLACE: .015
 HOLE: .015

THIRD ANGLE PROJECTION

DO NOT SCALE DRAWING

TITLE: PART LISTING-ELECT. TERMS

SHEET 1 of 7 PART NO 121339

REF: 1 PAGE A-1

FOR RECP-BLANK, DET-X DENOTES DETAIL VIEW.

WIRE-SINGLE INS CONDUCTOR, STRANDED

NO.	PART NUMBER	DESCRIPTION
16-Y 16-W	89360-01 89360-02	WIRE, 16 GA. YELLOW WIRE, 16 GA. WHITE
14-Y 14-W	48554-02 48554-04	WIRE, 14 GA. YELLOW WIRE, 14 GA. WHITE
12-Y 12-W	48555-02 48555-04	WIRE, 12 GA. YELLOW WIRE, 12 GA. WHITE
10-Y 10-W	8000-03 8000-05	WIRE, 10 GA. YELLOW WIRE, 10 GA. WHITE
8-B 8-G	8005-01 8005-03	WIRE, 8 GA. BLACK WIRE, 8 GA. GREEN
6-B 6-G	70065-01 70065-03	WIRE, 6 GA. BLACK WIRE, 6 GA. GREEN
18-WX	121015-01	WIRE, 18 GA. WHITE, XLPE
16-YX 16-WX	116675-01 116675-02	WIRE, 16 GA. YELLOW, XLPE WIRE, 16 GA. WHITE, XLPE
14-YX 14-WX	98586-01 98586-02	WIRE, 14 GA. YELLOW, XLPE WIRE, 14 GA. WHITE, XLPE
12-YX 12-WX	98609-01 98609-02	WIRE, 12 GA. YELLOW, XLPE WIRE, 12 GA. WHITE, XLPE
10-YX 10-WX	116676-03 116676-04	WIRE, 10 GA. YELLOW, XLPE WIRE, 10 GA. WHITE, XLPE
8-BX 8-GX	116674-01 116674-02	WIRE, 8 GA. BLACK, XLPE WIRE, 8 GA. GREEN, XLPE
6-BX 6-GX	116687-01 116687-02	WIRE, 6 GA. BLACK, XLPE WIRE, 6 GA. GREEN, XLPE

RECEPTACLES

NO.	PART NUMBER	DESCRIPTION
RCP-1	86738-02-CHT	RECEPTACLE-SINGLE, FLUSH MOUNT
RCP-2	86738-01-CHT	RECEPTACLE-DOUBLE, FLUSH MOUNT
RCP-3	58707-01-000	RECEPTACLE-SINGLE, SURFACE MOUNT
RCP-B	58707-02-000	RECEPTACLE-BLANK, JUNCTION
RCP-E	131826-01-CHT	INCLUDES COVER & GASKET

WIRE-NM SHEATHED CABLE

NO.	PART NUMBER	DESCRIPTION
14 UL	8027-01-000	WIRE 14-2 ROMEX W/GROUND (UL)
14 CA	8023-02-000	WIRE 14-2 ROMEX W/GROUND (CAN)
12 UL	8026-01-000	WIRE 12-2 ROMEX W/GROUND (UL)
12 CA	8023-01-000	WIRE 12-2 ROMEX W/GROUND (CAN)
12-3 UL	8026-03-000	WIRE 12-3 ROMEX W/GROUND (UL)
12-3 CA	8023-03-000	WIRE 12-3 ROMEX W/GROUND (CAN)
10 UL	8022-01-000	WIRE 10-2 ROMEX W/GROUND (UL)
10 CA	24743-01-000	WIRE 10-2 ROMEX W/GROUND (CAN)
6-3 UL	108914-01-000	WIRE 6-3 ROMEX W/GROUND (UL)
6-3 CA	113136-01-000	WIRE 6-3 ROMEX W/GROUND (CAN)
6-2 UL	108914-02-000	WIRE 6-2 ROMEX W/GROUND (UL)
4-3 UL	128375-01-000	WIRE 4-3 ROMEX W/GROUND (UL)
4-3 CA	128375-01-000	WIRE 4-3 ROMEX W/GROUND (CAN)

POWER CORDS

NO.	PART NUMBER	DESCRIPTION
PC-10 28	8054-01-000	POWER CORD 10 GA, 30 AMP, 28 FT. (UL/CA)
PC-10 35	8054-02-000	POWER CORD 10 GA, 30 AMP, 35 FT. (UL/CA)
PC-10 30-CA	8052-01-000	SUPERCEDED BY 8054-01-000
PC-6 36	108934-01-000	POWER CORD 6 GA, 50 AMP, 36 FT. (UL/CA)
PC-6 36-FX	108934-02-000	POWER CORD 6 GA, 50 AMP, 36 FT. (UL/CSA) SUPERFLEX
PC-6 36-CA	113096-01-000	SUPERCEDED BY 108934-02-000

CIRCUIT COLOR LEGEND

110V CIRCUIT	WIRE COLOR	COAXIAL CIRCUIT
A/C CIRCUIT 1	RED	CABLE INPUT W/O SPLITTER
A/C CIRCUIT 2	GRN	REAR TV W/O SPLITTER
GENERAL RECPS 1	BLU	ANTENNA
GENERAL RECPS 2	BRN	FRONT TV
GENERAL RECPS 3	PUR	VCR INPUT
GENERAL RECPS 4	GRY	
REFRIGERATOR/ CONVERTER	YEL	EXT ENT CTR
MICROWAVE	BLK	AUX INPUT
WATER HEATER	WHT	
WASHER/DRYER	GLD	
DISHWASHER	SIL	
	ORG	SATELLITE PLATE INPUT
	ORG/ORG	SATELLITE PLATE OUTPUT
	RED/RED	CABLE INPUT W/SPLITTER
	GRN/GRN	REAR TV W/SPLITTER
	PUR/PUR	VCR OUTPUT

CONDUIT

NO.	PART NUMBER	DESCRIPTION	TEMP.
C-4	41953-07-000	CONDUIT-CONVOLUTE,SLIT .25"ID	190°
C-6	41953-06-000	CONDUIT-CONVOLUTE,SLIT .38"ID	190°
C-8	41953-01-000	CONDUIT-CONVOLUTE,SLIT .50"ID	190°
C-10	41953-02-000	CONDUIT-CONVOLUTE,SLIT .63"ID	190°
C-16	41953-03-000	CONDUIT-CONVOLUTE,SLIT 1.0"ID	190°
CX-8	41953-09-000	CONDUIT-CONVOLUTE,SLIT .50"ID	370°
CX-12	41953-10-000	CONDUIT-CONVOLUTE,SLIT .75"ID	370°
CX-16	41953-11-000	CONDUIT-CONVOLUTE,SLIT 1.0"ID	370°
CX-20	41953-13-000	CONDUIT-CONVOLUTE,SLIT 1.25"ID	370°
CX-24	41953-14-000	CONDUIT-CONVOLUTE,SLIT 1.50"ID	370°
CN-10	41953-05-000	CONDUIT-CONVOLUTE,NOT SLIT .63"ID	190°
CN-16	41953-12-000	CONDUIT-CONVOLUTE,NOT SLIT 1.0"ID	190°








BATTERY CABLE LEGEND

COLOR	DESCRIPTION
PURPLE	CHASSIS BATTERY TO SOLENOID
BLUE	HYDRAULIC JACKS PUMP
RED	BATTERY TO STARTER
GREEN	BATTERY TO GENERATOR
YELLOW	COACH BATTERY TO SOLENOID



121339

FIRST USED
96 MH'S
DO NOT SCALE DRAWING
TITLE:
PART LISTING-ELECT. TERMS
SHEET 2 PART NO 121339







LAMP ASM-PACKAGE ,PANCAKE

NO	PART NUMBER	DESCRIPTION
LF1-1	LAMP 98024-01-CHT SCREW G11-08-16U (4) CONNECTOR 58028-01-000 (2)	LAMP ASM, FROSTED LENS, 1 BULB W/SWITCH PROGRESSIVE DYNAMICS INC. 
LF2-1	LAMP 98024-03-CHT SCREW G11-08-16U (6) CONNECTOR 58028-01-000 (2)	LAMP ASM, FROSTED LENS, 2 BULB W/SWITCH PROGRESSIVE DYNAMICS INC. 
LO1-1	LAMP 98024-05-CHT SCREW G11-08-16U (4) CONNECTOR 58028-01-000 (2)	LAMP ASM, OPTI CLEAR LENS, 1 BULB W/SWITCH PROGRESSIVE DYNAMICS INC. 
LO2-1	LAMP 98024-06-CHT SCREW G11-08-16U (6) CONNECTOR 58028-01-000 (2)	LAMP ASM, OPTI CLEAR LENS, 2 BULB W/SWITCH PROGRESSIVE DYNAMICS INC. 
LF1N1	LAMP 98024-07-CHT SCREW G11-08-16U (4) CONNECTOR 58028-01-000 (2)	LAMP ASM, FROSTED LENS, 1 BULB W/O SWITCH PROGRESSIVE DYNAMICS INC. 
LF2N1	LAMP 98024-08-CHT SCREW G11-08-16U (6) CONNECTOR 58028-01-000 (2)	LAMP ASM, FROSTED LENS, 2 BULB W/O SWITCH PROGRESSIVE DYNAMICS INC. 
LFSN1	LAMP 98024-09-CHT SCREW G11-08-16U (6) CONNECTOR 58028-01-000 (2)	LAMP ASM, SINGLE FROSTED LENS, 2 BULB W/O SWITCH PROGRESSIVE DYNAMICS INC. 




LAMP ASM-PACKAGE ,HALOGEN

NO	PART NUMBER	DESCRIPTION
HAL	LAMP 123775-01-CHT SCREW (SUPPLIED) CONNECTOR 58028-01-000 (2)	LAMP ASM-HALOGEN, READING 1 BULB 
HAL-S	LAMP 123775-01-CHT SPACER 123775-02-CHT SCREW G13-06-16U (3) CONNECTOR 58028-01-000 (2)	LAMP ASM-HALOGEN, READING WITH 3/4" SPACER 1 BULB 


LAMP ASM-PACKAGE ,PANCAKE

NO	PART NUMBER	DESCRIPTION
LF1-2	LAMP 137417-01-CHT SCREW G11-08-16U (4) CONNECTOR 58028-01-000 (2)	LAMP ASM, FROSTED LENS, 1 BULB W/SWITCH PROGRESSIVE DYNAMICS INC. 
LF2-2	LAMP 137417-04-CHT SCREW G11-08-16U (6) CONNECTOR 58028-01-000 (2)	LAMP ASM, FROSTED LENS, 2 BULB W/SWITCH PROGRESSIVE DYNAMICS INC. 
LO1-2	LAMP 137417-02-CHT SCREW G11-08-16U (4) CONNECTOR 58028-01-000 (2)	LAMP ASM, OPTI CLEAR LENS, 1 BULB W/SWITCH PROGRESSIVE DYNAMICS INC. 
LO2-2	LAMP 137417-05-CHT SCREW G11-08-16U (6) CONNECTOR 58028-01-000 (2)	LAMP ASM, OPTI CLEAR LENS, 2 BULB W/SWITCH PROGRESSIVE DYNAMICS INC. 
LF1N2	LAMP 137417-03-CHT SCREW G11-08-16U (4) CONNECTOR 58028-01-000 (2)	LAMP ASM, FROSTED LENS, 1 BULB W/O SWITCH PROGRESSIVE DYNAMICS INC. 
LFSN2	LAMP 137417-06-CHT SCREW G11-08-16U (6) CONNECTOR 58028-01-000 (2)	LAMP ASM, SINGLE FROSTED LENS, 2 BULB W/O SWITCH PROGRESSIVE DYNAMICS INC. 

LAMP ASM-PACKAGE ,PORCH

NO	PART NUMBER	DESCRIPTION
LEXT-1	LAMP 97917-01-CHT SCREW G67-10-129 (4) CONNECTOR 58028-01-000 (2)	LAMP ASM-PORCH, SURFACE MOUNT BARGMAN 
LEXT-2UL	LAMP 8089-01-000 SCREW G68-06-10E (2) CONNECTOR 58028-01-000 (2)	LAMP ASM-PORCH, RECESSED UL LIST JRV PROD 
LEXT-2CA	LAMP 8089-02-000 SCREW G68-06-10E (2) CONNECTOR 58028-01-000 (2)	LAMP ASM-PORCH, RECESSED CAN LIST JRV PROD 










LEGEND









FIRST USED 96 MH'S
DO NOT SCALE DRAWING
TITLE: PART LISTING-ELECT. TERMS
SHEET 3 PART NO 121339




LAMP ASM-PACKAGE, FLUORESCENT

LAMP ASM-PACKAGE, MAKEUP LAMP


NO	PART NUMBER	DESCRIPTION
FLU-1	LAMP 91936-02-CHT SCREW G11-08-12U (4) CONNECTOR 58028-01-000 (2)	LAMP ASM-FLUORESCENT 12" 2 BULB W/SWITCH THIN-LITE 
FLU-2	LAMP 91936-01-CHT SCREW G11-08-12U (4) CONNECTOR 58028-01-000 (2)	LAMP ASM-FLUORESCENT 18" 2 BULB W/SWITCH THIN-LITE 
FLU-3	LAMP 127327-01-CHT SCREW G11-08-12U (2) CONNECTOR 58028-01-000 (2)	LAMP ASM-FLUORESCENT 18" 1-1/2" BULB W/SWITCH THIN-LITE 
FLU-4	LAMP 130338-01-CHT SCREW G11-08-12U (4) CONNECTOR 58028-01-000 (2)	LAMP ASM-FLUORESCENT 18" 2 BULB SURFACE MOUNT W/SWITCH THIN-LITE 
FLU-5	LAMP 91936-06-CHT SCREW G11-08-12U (4) CONNECTOR 58028-01-000 (2)	LAMP ASM-FLUORESCENT 12" 2 BULB W/SWITCH THIN-LITE  CUTOUT-122 X 336
FLUN1	LAMP 91936-04-CHT SCREW G11-08-12U (4) CONNECTOR 58028-01-000 (2)	LAMP ASM-FLUORESCENT 12" 2 BULB W/O SWITCH THIN-LITE 
FLUN2	LAMP 91936-03-CHT SCREW G11-08-12U (4) CONNECTOR 58028-01-000 (2)	LAMP ASM-FLUORESCENT 18" 2 BULB W/O SWITCH THIN-LITE 
FLUN3	LAMP 91936-07-CHT SCREW G11-08-12U (4) CONNECTOR 58028-01-000 (2)	LAMP ASM-FLUORESCENT 12" 2 BULB W/O SWITCH THIN-LITE  CUTOUT-122 X 336
FLUN4	LAMP 91936-05-CHT SCREW G11-08-12U (6) CONNECTOR 58028-01-000 (2)	LAMP ASM-FLUORESCENT 18" 2 BULB W/O SWITCH THIN-LITE  CUTOUT-122 X 480

NO	PART NUMBER	DESCRIPTION
LMU3-1	LAMP 110235-01-CHT SCREW W/SPACER (SUPPLIED) CONNECTOR 58028-01-000 (2)	LAMP ASM-MAKEUP (W/O MIRROR) 3 BULB (SUPPLIED) PROGRESSIVE DYNAMICS 
LMM3-2	LAMP 123774-03-CHT SCREW (SUPPLIED) CONNECTOR 58028-01-000 (2)	LAMP ASM-MAKEUP (W/MIRROR) 3 BULB GUSTOFSON 
LMU3-2	LAMP 138116-01-CHT SCREW (SUPPLIED) BULB 123918-01-000 (3) CONNECTOR 58028-01-000 (2)	LAMP ASM-MAKEUP (W/O MIRROR) 3 BULB GUSTOFSON 
LMU4-1	LAMP 110235-02-CHT SCREW G11-08-16U (2) BULB 123918-01-000 (4) CONNECTOR 58028-01-000 (2)	LAMP ASM-MAKEUP (W/O MIRROR) 4 BULB PROGRESSIVE DYNAMICS 
LMU4-2	LAMP 138116-02-CHT SCREW (SUPPLIED) BULB 123918-01-000 (4) CONNECTOR 58028-01-000 (2)	LAMP ASM-MAKEUP (W/O MIRROR) 4 BULB GUSTOFSON 
LMM4-2	LAMP 123774-01-CHT SCREW G11-08-16U (2) BULB 123918-01-000 (4) CONNECTOR 58028-01-000 (2)	LAMP ASM-MAKEUP (W/MIRROR) 4 BULB GUSTOFSON 

LAMP ASM-PACKAGE, OTHER






NO	PART NUMBER	DESCRIPTION
LSH-1	LAMP 121935-01-CHT SCREW G11-08-16U (4) CONNECTOR 58028-01-000 (2)	LAMP ASM-SHOWER PROGRESSIVE DYNAMICS INC. 
LCR-1	LAMP 61424-01-000 SCREW G11-08-12U (4) CONNECTOR 58028-01-000 (2)	LAMP ASM-COURTESY, AISLE RAMCO (RECTANGULAR) 
LCS-1	LAMP 108354-01-CHT SCREW G11-08-12U (4) CONNECTOR 58028-01-000 (2)	LAMP ASM-COURTESY, AISLE ITC MARINE (SQUARE) 

LEGEND





FIRST USED 96 MH'S
DO NOT SCALE DRAWING
TITLE: PART LISTING-ELECT. TERMS
SHEET 4 PART NO 121339


ANTENNA ASM-PACKAGE

NO	PART NUMBER	DESCRIPTION
ANT-1	ANTENNA 76319-24-000 HARDWARE - INTERIOR 76319-25-000 BUMPER 69726-02-000 (2) CLIP 80734-02-000	ROOF MOUNT TV ANTENNA ASM 25.5" MAST  600 MAX COAX LENGTH
ANT-2	ANTENNA 76319-23-000 HARDWARE - INTERIOR 76319-25-000 BUMPER 69726-02-000 (2) ADAPTER SUPPLIED W/ANTENNA	ROOF MOUNT TV ANTENNA ASM 44.5" MAST  600 MAX COAX LENGTH
ANT-2W	ANTENNA 76319-23-000 HARDWARE - INTERIOR 76319-25-000 BUMPER 69726-02-000 (2) ADAPTER SUPPLIED W/ANTENNA WEDGE 76319-26-000	ROOF MOUNT TV ANTENNA ASM 44.5" MAST  600 MAX COAX LENGTH
ANTEXT-1	CABLE ASM-EXTENS 77069-02-000	RADIO ANTENNA CABLE EXTENSION 2400MM USABLE LENGTH 
ANTKIT-1	ADAPTER-PLATE 76319-06-000 SCREW G11-08-0BT (6) CLIP-WIRE 80734-02-000 SCREW G11-08-0BT	PLATE ASM-ADAPTERS CABLE ROOF MOUNTING PLATE W/ CABLE-CABLE ADAPTER, FITTINGS, AND CABLE RETAINING CLIP 

SATELLITE DISH INSTL

NO	PART NUMBER	DESCRIPTION
DM-1	SATELLITE DISH 137135-02-000 SCREW G67-10-12B (8) PLATE & BRACKET (SUPPLIED) SCREW G67-10-12B (10)	SATELLITE DISH ANTENNA ASM MANUAL SETUP 
DA-1	SATELLITE DISH 141454-01-CHT SCREW G67-10-12B (16) PLATE & BRACKET (SUPPLIED) SCREW G67-10-12B (10)	SATELLITE DISH ANTENNA ASM AUTOMATIC SETUP 



LEGEND





FIRST USED	96 MH'S
DO NOT SCALE DRAWING	
TITLE: PART LISTING-ELECT. TERMS	
SHEET 5	PART NO 121339






SPACERS

RECEPTACLE PACKAGE - GF I

NO	PART NUMBER	DESCRIPTION
GF1 US	RECEPTACLE 84100-01-CHT BOX 91910-02-000 COVER SUPPLIED W/ RECEPTACLE WIRE-BONDING 133678-03-000 SCREW G13-07-12B (4) CONNECTOR 8313-01-000	GF1 RECEPTACLE WITH COVER AND BOX FOR US APPLICATION 
GF1 CAN	RECEPTACLE 84100-01-CHT BOX 91910-01-000 COVER SUPPLIED W/ RECEPTACLE WIRE-BONDING 133678-03-000 SCREW G13-07-12B (4) CONNECTOR 8313-01-000	GF1 RECEPTACLE WITH COVER AND BOX FOR CANADA APPLICATION 

RECEPTACLE PACKAGE - GF I

NO	PART NUMBER	DESCRIPTION
GF1-L US	RECEPTACLE 84100-01-CHT BOX 133070-01-000 COVER SUPPLIED W/ RECEPTACLE WIRE-BONDING 133678-03-000 SCREW G13-07-12B (4) CONNECTOR 8313-01-000	GF1 RECEPTACLE WITH COVER AND BOX FOR US APPLICATION 
GF1-L CAN	RECEPTACLE 84100-01-CHT BOX 133070-02-000 COVER SUPPLIED W/ RECEPTACLE WIRE-BONDING 133678-03-000 SCREW G13-07-12B (4) CONNECTOR 8313-01-000	GF1 RECEPTACLE WITH COVER AND BOX FOR CANADA APPLICATION 

NO	PART NUMBER	DESCRIPTION
SP-01	SPACER 102568-01-XXX	STANDARD 110V RECEPTACLE SPACER (WOOD) 
SP-02	SPACER 102568-02-XXX	WOOD SPACER FOR CEILING MOUNTED A/C PREP BOX (US) 
SP-03	SPACER 102568-03-XXX	WOOD SPACER FOR CEILING MOUNTED A/C PREP BOX (CANADA) 
SP-04	SPACER 133713-01-XXX	STANDARD 110V RECEPTACLE SPACER (WOOD) 
SP-21	SPACER 126052-01-XXX	WOOD SPACER FOR 1 - 110V RECEPTACLE AND 1 - REAR TV (12V) JACK 


LEGEND

MISC.	SPACER
PART NUMBER XXXX LISTING XXX	XXXX PART NUMBER

FIRST USED 96 MH'S
DO NOT SCALE DRAWING
TITLE: PART LISTING-ELECT. TERMS
SHEET 6 PART NO 121339
PAGE A-6


PREP-A/C, RECESSED (W/OUT FACTORY A/C)

NO	PART NUMBER	DESCRIPTION
PREP A/C-US	BOX 91910-02-000	BOX AND EQUIPMENT USED FOR A/C PREP (W/OUT FACTORY A/C). US APPLICATION (RECESSED IN ROOF)
	COVER 84099-02-CHT	
	LABEL 91243-01-000	
	SCREW G67-10-12B (4)	
	CONNECTOR 8313-01-000 (3)	
PREP A/C-CAN	BOX 91910-01-000	BOX AND EQUIPMENT USED FOR A/C PREP (W/OUT FACTORY A/C). CANADA APPLICATION (RECESSED IN ROOF)
	COVER 84099-02-CHT	
	LABEL 91243-01-000	
	SCREW G67-10-12B (4)	
	CONNECTOR 8313-01-000 (3)	




CONNECTION BOX, GENERATOR SERVICE FEED

NO	PART NUMBER	DESCRIPTION
J-GEN 30	BOX 8289-01-000	BOX AND EQUIPMENT USED FOR CONNECTING THE GENERATOR LEADS TO THE SERVICE ENTRANCE WIRES (US & CA APPLICATION)
	COVER 8294-01-000	
J-GEN 30-US	SCREW G67-10-10B (2)	
	WIRE ASM-GROUND 133678-02-000	
J-GEN 30-CA	WIRE NUT-GREY 8314-01-000 (3)	
	SCREW-GRND 103291-01-000	
	CONNECTOR-WIRE 8356-01-000	




PREP-A/C, SURFACE (W/OUT FACTORY A/C)

NO	PART NUMBER	DESCRIPTION
PREP SURF	BOX 93603-01-000	SURFACE MOUNT, US AND CANADA, BOX AND EQUIPMENT FOR A/C PREP (W/OUT FACTORY A/C). TYPICALLY LOCATED ON OVERHEAD CABINET INNER WALL OR ON CEILING.
	COVER 53337-01-000	
	LABEL 91243-01-000	
	SCREW-GRND 103291-01-000	
	WIRE-BONDING 8019-01-000	
	SCREW G11-08-12B (2)	
	TERMINAL 8328-01-000	
	CONNECTOR 8313-01-000 (2)	
	CONNECTOR 8311-01-000	



CONNECTION BOX-POWER CORD

NO	PART NUMBER	DESCRIPTION
J-PC 30	BOX 8289-01-000	CONNECTION BOX IN POWER CORD COMPT FOR POWER CORD (US & CA APPLICATION)
	COVER 8294-01-000	
J-PC 30-US	SCREW G67-10-10B (2)	
	WIRE ASM-GROUND 133678-02-000	
J-PC 30-CA	CONNECTOR 8314-01-000 (3)	
	SCREW-GRND 103291-01-000	
	CONNECTOR 8356-02-000	
	CONNECTOR (PC) 8355-01-000	




CONNECTION BOX-GENERATOR RECEPTACLE

NO	PART NUMBER	DESCRIPTION
J-RCP 30	BOX 8289-01-000	CONNECTION BOX IN POWER CORD COMPT FOR THE GENERATOR RECEPTACLE (US & CA APPLICATION)
	RECEPTACLE 24924-02-000	
J-RCP 30-US	COVER 69238-01-000	
	SCREW G67-10-10B (2)	
J-RCP 30-CA	WIRE ASM-GROUND 133678-02-000	
	SCREW-GRND 103291-01-000	
	CONNECTOR 8314-01-000	



LEGEND



FIRST USED	96 MH'S
TITLE:	DO NOT SCALE DRAWING
PART LISTING-ELECT. TERMS	
SHEET 7	PART NO 121339

CODE GA/COLOR	FROM	TO
A 14 YEL	GALLEY CEILING LAMP SWITCH	GALLEY CEILING LAMP
B 12 YEL	OVERCURRENT PROTECTION (30A BREAKER TYPICAL)	POWER PASSENGER SEAT ("BUDDY SEAT")
C 12 WHT	POWER PASSENGER SEAT	GROUND
D 14 YEL	SHOWER OVHD LAMP SWITCH SEE WIRE PF, START OF 97	SHOWER OVHD LAMP
E 095038-01-	PHONE INPUT JACK	REAR PHONE JACK
F 095038-01-	PHONE INPUT JACK	EXTERIOR PHONE JACK
G 12/ 10 YEL	OVERCURRENT PROTECTION (30A BREAKER TYPICAL)	HIGH SPEED HEATER FAN (USE 10 IF OVER 6' RUN)
H 095038-01-	PHONE INPUT JACK	FRONT PHONE JACK
J 6 BLK	OVERCURRENT PROTECTION (45 OR 55A BREAKER TYP)	COACH 12V PANEL/ CONVERTER BATTERY CHARGE
K 6 BLK	OVERCURRENT PROTECTION (45 OR 55A BREAKER TYP)	COACH 12V PANEL
L 6 GRN	CONVERTER 45 OR 55 AMP	GROUND
M 6 BLK	OVERCURRENT PROTECTION (45 OR 50A BREAKER)	CONVERTER BATTERY CHARGE
N 10 WHT	REFRIGERATOR	GROUND
P 10YEL(BLK)	OVERCURRENT PROTECTION (20A FUSE TYPICAL)	REFRIGERATOR (3 WAY)
R 8 GRN	REFRIGERATOR CHASSIS	GROUND
S 8 OR 6 GRN	GROUND BAR (LEFT SIDE)	CHASSIS GROUND

CODE GA/COLOR	FROM	TO
T 8 OR 6 GRN	GROUND BAR (RIGHT SIDE)	CHASSIS GROUND
U 6 GRN	CONVERTER CHASSIS	GROUND
W 8 GRN	- GROUND STUD	- GROUND STUD
X 14 YEL	- CHASSIS BRAKE LAMP CIRCUIT	- CENTER MOUNT BRAKE LAMP
Y 16 YEL	VOLUME CONTROL	RADIO/TV SPEAKER
AA 16 WHT	SERVICE ENGINE SOON LAMP	VEHICLE SERVICE ENGINE SOON LAMP CIRCUIT
AB 16 WHT	WATER TANK LEVEL SENSORS	GROUND
AC 16 WHT	MAIN HOLDING TANK SENSORS (BLACK WATER)	GROUND
AD 16 WHT	AUXILIARY HOLDING TANK #1 (GRAY WATER)	GROUND
AE 16 WHT	AUXILIARY HOLDING TANK #2 (GRAY WATER)	GROUND
AF 12 YEL	WATER PUMP SWITCH #1	MONITOR PANEL WATER PUMP SWITCH
AG 12 YEL	WATER PUMP SWITCH #1	MONITOR PANEL WATER PUMP SWITCH
AH 14 YEL	OVERCURRENT PROTECTION (10A FUSE TYPICAL)	BRAKE LAMP SWITCH WARNING LAMP (IGNITION RUN/START FED)
AJ 12 WHT	CHASSIS GROUND	BODY GROUND
AK 12 WHT	CHASSIS GROUND	BODY GROUND
AL 12 YEL	HEATER CONTROL (LOW SPEED)	BLOWER MOTOR (LOW SPEED)

CODE GA/COLOR	FROM	TO
AM 12YEL(WHT)	HEATER CONTROL (MEDIUM/LOW SPEED)	BLOWER MOTOR (MEDIUM/LOW SPEED)
AN 12 YEL	HEATER CONTROL (MEDIUM/HIGH SPEED)	BLOWER MOTOR (MEDIUM/HIGH SPEED)
AP 14 YEL	IGNITION SWITCH ACCESSORY FEED	OVERCURRENT PROTECTION (15A FUSE TYPICAL)
AR 14 WHT	HORN, FOG LAMPS	GROUND
AS 16 WHT	DASH RADIO	RIGHT FRONT SPEAKER (NEGATIVE)
AT 16 WHT	DASH RADIO	LEFT FRONT SPEAKER (NEGATIVE)
AU 16 YEL	OVERCURRENT PROTECTION (15A BREAKER TYPICAL)	FRONT CARGO LAMP SWITCH (IGNITION ACCESSORY FED)
AW 16 YEL	FRONT CARGO LAMP SWITCH	REAR CARGO LAMP SWITCH
AX 16 YEL	FRONT CARGO LAMP SWITCH	REAR CARGO LAMP SWITCH
AY 16 YEL	REAR CARGO LAMP SWITCH	CARGO LAMPS
BA 14 WHT	WINDSHIELD WIPER MOTOR	GROUND
BB 16 YEL	OVERCURRENT PROTECTION (6A BREAKER TYPICAL)	INSTRUMENT PANEL GAUGES (IGNITION ACCESSORY FED)
BC 14 WHT	INDICATOR LAMPS	GROUND
BD 14 YEL	OVERCURRENT PROTECTION (10A FUSE TYPICAL)	BRAKE LAMP SWITCH
BE 12 WHT	BLOWER MOTOR	GROUND
BF 14 WHT	WASHER BOTTLE PUMP/HORN	GROUND

CODE GA/COLOR	FROM	TO
BG 14 YEL	FUEL SENDER	FUEL GAUGE
BH 14 YEL	RUN ONLY POWER RELAY	ENGINE WIRING
BJ 16 YEL	OVERCURRENT PROTECTION (10A FUSE TYPICAL)	ENGINE WIRING (IGNITION RUN/START FED)
BK 14 YEL	OVERCURRENT PROTECTION (10A FUSE TYPICAL)	HORN RELAY FEED
BL 16 WHT	CIGAR LIGHTER	GROUND
BM 16 YEL	CHASSIS BATTERY POWER	CIGAR LIGHTER
BN 16 YEL	ACCESSORY POWER	SPOTLAMP
BP 14 WHT	POWER MIRROR	GROUND
BR 14 YEL	POWER MIRROR (RIGHT SIDE)	POWER MIRROR CONTROL SWITCH
BS 14 YEL	POWER MIRROR HEAT SWITCH	POWER MIRRORS
BT 14 YEL	POWER MIRROR (LEFT SIDE)	POWER MIRROR CONTROL SWITCH
BU 14 YEL	RUN ONLY POWER	POWER MIRROR HEAT/ CONTROL SWITCHES
BW 12 YEL	IGNITION SWITCH	ACCESSORY CIRCUIT FEED
BX 12YEL(ORN)	IGNITION SWITCH RUN ONLY SOURCE	GENERAL(TURN, BACK UP,DASH IGNITION CIRCUIT,ETC)
BY 12YEL/8BLK	OVERCURRENT PROTECTION (16GA FUSELINK)(8GA PASSTHRU)	CHASSIS BATTERY SOURCE(AUTO AC BLOWER,POWER DRIVER SEAT,ETC)
CA 12 YEL	OVERCURRENT PROTECTION (16GA FUSELINK TYPICAL)	CHASSIS BATTERY SOURCE

CODE GA/COLOR	FROM	TO
CB 12 YEL	IGNITION SWITCH START SOURCE	START CIRCUIT SOURCE
CC 16 YEL	ALTERNATOR	ALTERNATOR WARNING LAMP
CD 16 YEL	OIL PRESSURE WARNING SENDER	OIL PRESSURE WARNING LAMP
CE 16 YEL	WATER TEMPERATURE WARNING SENDER	WATER TEMPERATURE WARNING LAMP
CF 14 YEL	REAR TV JACK	POWER FEED SWITCH
CG 14 YEL	CLUTCH/NEUTRAL SWITCH	START ISOLATION RELAY
CH 14 YEL	START RELAY	ENGINE WIRING
CJ 14 YEL	WINDSHIELD WIPER/WASHER CONTROL SWITCH	WINDSHIELD WASHER PUMP
CK 16 YEL	TELEVISION	SPEAKER (POSITIVE)
CL 16 WHT	TELEVISION	SPEAKER (NEGATIVE)
CM 10 YEL	OVERCURRENT PROTECTION (15A BREAKER TYPICAL)	INVERTER FEED
CN 10 WHT	INVERTER	GROUND
CP 12 WHT	INVERTER CHASSIS	GROUND
CR 16 WHT	VEHICLE CHECK ENGINE LAMP CIRCUIT	CHECK ENGINE LAMP
CS 16 WHT	REMOTE THERMOSTAT (RC TERM/ORG EXPORT AIR)	GROUND
CT 16 YEL	DAYTIME RUNNING LAMP MODULE OUTPUT(PIN 30)	LOW BEAM HEADLAMP CIRCUIT

CODE GA/COLOR	FROM	TO
CU 16 YEL	DAYTIME RUNNING LAMP MODULE ENABLE(PIN 85)	RUN/START CIRCUIT
CW 14 YEL	DAYTIME RUNNING LAMP MODULE POWER(PIN 87A)	CHASSIS BATTERY POWER
CX 16 WHT	DAYTIME RUNNING LAMP MODULE GROUND(PIN 87)	GROUND
CY 16 YEL	DAYTIME RUNNING LAMP MODULE HIGH BEAM DISABLE(PIN 86)	HIGH BEAM HEADLAMP CIRCUIT
DA 12 YEL	SHOWER SUMP SYSTEM PUMP SWITCH	SHOWER SUMP SYSTEM PUMP
DB 12 WHT	SHOWER SUMP SYSTEM PUMP	GROUND
DC 16 YEL	REAR ROOF AIR CONDITIONER EXHAUST CIRCUIT	THERMOSTAT
DD 16 YEL	REAR ROOF AIR CONDITIONER COOL CIRCUIT	THERMOSTAT (Y TERM-EXPORT AIR/YEL)
DE 16 YEL	REAR ROOF AIR CONDITIONER HIGH SPEED FAN CIRCUIT	THERMOSTAT (H TERM-EXPORT AIR/BLU)
DF 16 YEL	REAR ROOF AIR CONDITIONER LOW SPEED FAN CIRCUIT	THERMOSTAT (G TERM-EXPORT AIR/RED)
DG 12YEL(GRY)	IGNITION SWITCH	ACCESSORY/RUN FEED
DH 14 YEL	EMERGENCY SHUTDOWN GAUGE	FUEL SOLENOID (DIESEL ENGINE)
DJ 16 YEL	TV/RADIO SPEAKER SWITCHING RELAY OUTPUT	LEFT REAR SPEAKER POSITIVE
DK 16 WHT	TV/RADIO SPEAKER SWITCHING RELAY OUTPUT	LEFT REAR SPEAKER NEGATIVE
DL 16 YEL	TV/RADIO SPEAKER SWITCHING RELAY OUTPUT	RIGHT REAR SPEAKER POSITIVE
DM 16 WHT	TV/RADIO SPEAKER SWITCHING RELAY OUTPUT	RIGHT REAR SPEAKER NEGATIVE

CODE GA/COLOR	FROM	TO
DN 10 YEL	BATTERY DISCONNECT RELAY	CIRCUIT BREAKER SLIDEOUT ROOM CIRCUIT BRKR
DP 14 YEL	TV/RADIO SPEAKER FEED SELECT SWITCH	TV/RADIO SPEAKER SWITCHING RELAY COIL INPUT OR AMPLIFIER
DR 16 YEL	SLIDEOUT ROOM SWITCH (ROOM ONE EXTEND)	HWH WIRING (ROOM ONE EXTEND)
DS 10 WHT	SLIDEOUT ROOM CONTROL SWITCH	GROUND
DT 16 YEL	SLIDEOUT ROOM RELAY (PIN 30)	SLIDEOUT ROOM CONTROL SWITCH
DJ 16 YEL	SLIDEOUT ROOM SWITCH(G OR M) (ROOM ONE RETRACT)	HWH WIRING (ROOM ONE RETRACT)
DW 16 WHT	SLIDEOUT ROOM SWITCH (G) (SWITCHED GROUND TO PUMP)	HWH WIRING (SWITCHED GROUND TO PUMP)
DX 16 WHT	HWH WIRING (G) (GROUND)	SLIDEOUT ROOM SWITCH (GROUND)
DY 16 WHT	HWH WIRING (G) (JACK SENSE)	SLIDEOUT ROOM RELAY SWITCHED GROUND)
EA 16 YEL	HWH WIRING (G) (ACCESSORY POWER)	SLIDEOUT ROOM RELAY (ACCESSORY POWER)
EB 16 YEL	SLIDEOUT ROOM RELAY (G) (SWITCHED ACCESSORY POWER)	FRT/RR SLIDEOUT ROOM SWITCH (SWITCHED EXTEND/RETRACT PWR)
EC 10 YEL	CHASSIS BATTERY POWER SOURCE (BATTERY MODE SOLENOID POST)	THRU FUSE TO AMP SOURCE SELECT RELAY(PIN 87)(OPTION 21V,95 Q)
ED 10 YEL	COACH BATTERY POWER SOURCE (BATTERY MODE SOLENOID POST)	THRU FUSE TO AMP SOURCE SELECT RELAY(PIN 87A)(OPTION 21V,95Q)
EE 16 YEL	AIR RIDE SUSPENSION LEFT DOWN SWITCH POSITION	AIR RIDE SUSPENSION LEFT HEIGHT CONTROL BOX
EF 16 YEL	AIR RIDE SUSPENSION LEFT UP SWITCH POSITION	AIR RIDE SUSPENSION LEFT HEIGHT CONTROL BOX
EG 16 WHT	AIR RIDE SUSPENSION WIRE ASM GROUND	AIR RIDE SUSPENSION CONTROL LAMP GROUNDS

CODE GA/COLOR	FROM	TO
EH 16 YEL	AIR RIDE SUSPENSION RIGHT DOWN SWITCH POSITION	AIR RIDE SUSPENSION RIGHT HEIGHT CONTROL BOX
EJ 16 YEL	AIR RIDE SUSPENSION RIGHT UP SWITCH POSITION	AIR RIDE SUSPENSION RIGHT HEIGHT CONTROL BOX
EK 16 YEL	AIR RIDE SUSPENSION AUTO MODE SWITCH POSITION	AIR RIDE SUSPENSION HEIGHT CONTROL BOXES
EL 16 YEL	RUN ONLY POWER	AIR RIDE SUSPENSION AUTO/MANUAL MODE SWITCH
EM 16 YEL	AIR RIDE SUSPENSION COMPRESSOR	COMPRESSOR ON WARNING LAMP
EN 16 YEL	AIR RIDE SUSPENSION MANUAL MODE SWITCH POSITION	LEVEL CONTROL SWITCHES AND INDICATOR LAMP
EP 14 YEL	OVERCURRENT PROTECTION (15A BREAKER TYPICAL)	SPOTLAMP
ER 16 YEL	OVERCURRENT PROTECTION (6A BREAKER TYPICAL)	ELECTRIC STEP KILL SWITCH
ES 16 YEL	ELECTRIC STEP KILL SWITCH	ELECTRIC STEP
ET 16 YEL	OVERCURRENT PROTECTION (6A BREAKER TYPICAL)	REFRIGERATOR (2 WAY)
EU 16 WHT	REFRIGERATOR (2 WAY)	GROUND
EW 14 YEL	FUEL HEATER SWITCH	FUEL HEATER (DIESEL ENGINE)
EX 14 YEL	TELEVISION POWER SWITCH	TELEVISION WALL PLATE
EY 12YELLTBLU	OVERCURRENT PROTECTION (16GA FUSELINK TYPICAL)	IGNITION SWITCH FEED #2
FA 14 YEL	DRIVER'S DOOR PASSENGER SIDE POWER WINDOW SWITCH(DOWN,PIN2)	PASSENGER'S POWER WINDOW SWITCH(PIN 2)
FB 14 YEL	DRIVER'S DOOR PASSENGER SIDE POWER WINDOW SWITCH(UP,PIN 4)	PASSENGER'S POWER WINDOW SWITCH(PIN 4)

CODE GA/COLOR	FROM	TO
FC 14 YEL	PASSENGER'S DOOR POWER WINDOW SWITCH(DOWN,PIN 1)	PASSENGER'S DOOR POWER WINDOW MOTOR(DOWN)
FD 14 YEL	PASSENGER'S DOOR POWER WINDOW SWITCH(UP,PIN 5)	PASSENGER'S DOOR POWER WINDOW MOTOR(UP)
FG 10 YEL	AMPLIFIER POWER SOURCE SELECT RELAY (PIN 30)	AMPLIFIER POWER FEED (DELUXE SOUND SYSTEM,95 LUXOR)
FH 10 WHT	AMPLIFIER (DELUXE SOUND SYSTEM,95 LUXOR)	GROUND
FJ 12 YEL	WATER PUMP SWITCH #2 (THREE SWITCH SYSTEM)	WATER PUMP SWITCH #1 (THREE SWITCH SYSTEM)
FK 12 YEL	WATER PUMP SWITCH #2 (THREE SWITCH SYSTEM)	WATER PUMP SWITCH #1 (THREE SWITCH SYSTEM)
FL 14 YEL	SECOND PORCH LAMP SWITCH	SECOND PORCH LAMP
FM 14 WHT	SOLENOID MOUNTING BOLT	GROUND
FN 16 YEL	SOURCE SELECTOR SWITCH (DELUXE SOUND SYSTEM,95 LUXOR)	AMP & EQUALIZER REMOTE TRIGGER (DELUXE SOUND SYSTEM,95 LUXOR)
FP 16 YEL	EXHAUST BRAKE SWITCH (DIESEL PUSHER CHASSIS)	CHASSIS EXHAUST BRAKE HARNESS & BRAKE ON DASH INDICATOR LAMP
FR 14 YEL	FORD RUN/ACCESSORY IGNITION CIRCUIT(WHT/PUR,10A FUSED)	DOCKING LAMPS, RELAY TRIGGER, REAR MONITOR CAMERA FEED
FS 14 YEL	DOCKING LAMPS RELAY(PIN 87)	DOCKING LAMPS
FT 14 WHT	DOCKING LAMPS	GROUND
FU 14 YEL	AUTOMOTIVE AIR WIRING	FORD A/C COMPRESSOR CLUTCH SWITCH CIRCUIT
FW 14 YEL	DOCKING LAMPS SWITCH	DOCKING LAMPS RELAY(PIN 30)
FX 12YELLTBLU	OVERCURRENT PROTECTION (30A BRKR OR FUSE)	POWER DRIVER SEAT (I E ,6 WAY)

CODE GA/COLOR	FROM	TO
FY 12 WHT	POWER DRIVER SEAT (I E ,6 WAY)	GROUND
GA 14 YEL	WATER SYSTEM WINTERIZATION SWITCH	WINTERIZATION VALVE
GB 14 YEL	WATER HEATER BYPASS SWITCH	WATER HEATER BYPASS VALVE
GC 16 YEL	SLIDEOUT ROOM SPDT SWITCH (M) (SWITCHED WIRE)	HWH WIRING (SWITCHED WIRE)
GD 16 YEL	WIPER CONTROL MODULE	WIPER MOTOR (S TERMINAL)
GE 16 YEL	SWITCHED DOME LAMP FEED	DOME LAMP
GF 16 WHT	COMMON REAR CHANNEL SPEAKER RETURN	REAR SPEAKERS
GG 16 YEL	RADIO REMOTE TRIGGER (DELUXE SOUND OPTION)	SOURCE SELECTOR SWITCH (LUXOR)
GH 14 WHT	GLOW PLUG WAIT LAMP (DIESEL ENGINE)	ENGINE SENDER
GJ 16 YEL	COACH BATTERY POWER (UPSTREAM OF DISCONNECT)	LP DETECTOR AND/OR SOLAR PANEL WIRING OVERCURRENT PROTECTION
GK 14 YEL	AIR HORN SWITCH	CHASSIS HORN
GL 16 WHT	WATER/HOLDING TANKS LEVEL SENSORS	GROUND
GM 16 YEL	JET AIR RIDE SUSPENSION PRESSURE SENSORS	CHECK REAR AIR SUSPENSION DASH WARNING LAMP
GN 16 YEL	REAR TV SPEAKER OUTPUT (POSITIVE)	REAR TV SPEAKER (POSITIVE)
GP 16 WHT	REAR TV SPEAKER OUTPUT (NEGATIVE)	REAR TV SPEAKER (NEGATIVE)
GR 14 YEL	THERMOSTATICALLY CONTROLLED ROOF VENT (SEND)	THERMOSTAT (RETURN)

CODE GA/COLOR	FROM	TO
GS 14 YEL	THERMOSTATICALLY CONTROLLED ROOF VENT (RETURN)	THERMOSTAT (RETURN)
GT 16 YEL	RADIO POWER SWITCH (MEMORY FEED)	RADIO (MEMORY FEED)
GU 16 YEL	DEFOG MODULE OUTPUT	DEFOG RELAY, INDICATOR LAMP
GW 16 WHT	DEFOG SWITCH ON/OFF	DEFOG MODULE ON/OFF
GX 16/12 WHT	STEP COVER SWITCH (REF AAA-16/KA-12)	GROUND
GY 12 YEL	DEFOG RELAY	DEFOG UNIT
HA 14 YEL	READING LAMPS SWITCH (93 VANS)	READING LAMPS
HB 14 YEL	MOOD LAMPS SWITCH (93 VANS)	MOOD LAMPS
HC 14 YEL	12V POWER SOURCE (93 VANS)	OVERCURRENT PROTECTION (15A FUSE TYPICAL)
HD 14 YEL	SOFA SLIDE MOTOR POSITIVE (94 VANS)	SOFA MONOPLEX CONTROLLER
HE 14 WHT	SOFA SLIDE MOTOR NEGATIVE (94 VANS)	SOFA MONOPLEX CONTROLLER
HF 14 YEL	SOFA RECLINE MOTOR POSITIVE (94 VANS)	SOFA MONOPLEX CONTROLLER
HG 14 WHT	SOFA RECLINE MOTOR NEGATIVE (94 VANS)	SOFA MONOPLEX CONTROLLER
HH 16 YEL	SOFA MONOPLEX SWITCH (94 VANS)	SOFA MONOPLEX CONTROLLER
HJ 16 WHT	SOFA MONOPLEX SWITCH (94 VANS)	GROUND
HK 14 WHT	SOFA MONOPLEX CONTROLLER (94 VANS)	GROUND

CODE GA/COLOR	FROM	TO
HL 14 YEL	FLOOD LAMP SWITCH (94 VANS)	FLOOD LAMP
HM 16 YEL	REAR TV SPEAKER OUTPUT (POSITIVE)	REAR TV SPEAKER (POSITIVE)
HN 16 WHT	REAR TV SPEAKER OUTPUT (NEGATIVE)	REAR TV SPEAKER (NEGATIVE)
HP 16 YEL	OVERCURRENT PROTECTION (94 VANS)	REAR AC
HR 14 YEL	SWITCH (94 1200 MODEL VAN)	12VOLT RECEPTACLE
HS 16 YEL	SOLAR PANEL (1HS INDICATOR TO BATTERY)	COACH BATTERY THRU OVERCURRENT PROTECTION
HT 16 WHT	SOLAR PANEL (1HT INDICATOR TO GROUND)	GROUND
HU 16 YEL	GENERATOR SWITCH (LED)	GENERATOR (POSITION B)
HW 16 YEL	LICENSE PLATE LAMP FEED	LICENSE PLATE LAMP
HX 16 YEL	CHASSIS CLEARANCE LAMP CRT #2	CLEARANCE/MARKER LAMPS
HY 12 WHT	DEFOG UNIT	GROUND
JA 14 YEL	OVERCURRENT PROTECTION (15A FUSE/BREAKER TYPICAL)	WATER PUMP, MONITOR PANEL, ETC ("CLEAN CIRCUIT", REF JP)
JB 14 YEL	OVERCURRENT PROTECTION (15A FUSE/BREAKER TYPICAL)	FURNACE, ROOF VENT, ETC (REF JM)
JC 14 YEL	OVERCURRENT PROTECTION (15A FUSE/BREAKER TYPICAL)	COACH LIGHTING, ETC CIRCUIT #1 (REF NC)
JD 14 YEL	OVERCURRENT PROTECTION (15A FUSE/BREAKER TYPICAL)	COACH LIGHTING, ETC CIRCUIT #2 (REF ND)
JE 14 YEL	OVERCURRENT PROTECTION (15A FUSE/BREAKER TYPICAL)	COACH LIGHTING, ETC CIRCUIT #3 (REF NE)

CODE GA/COLOR	FROM	TO
JF 14 YEL	OVERCURRENT PROTECTION (15A FUSE/BREAKER TYPICAL)	COACH LIGHTING, ETC CIRCUIT #4 (REF NF)
JG 14 YEL	OVERCURRENT PROTECTION (15A FUSE/BREAKER TYPICAL)	COACH LIGHTING, ETC(ALT CLEAN) CIRCUIT #5 (REF JN)
JH 14 YEL	MAIN FURNACE (12V POWER)	MAIN FURNACE THERMOSTAT
JJ 14 YEL	MAIN FURNACE (HEAT)	MAIN FURNACE THERMOSTAT
JK 14 YEL	AUXILIARY FURNACE	AUXILIARY FURNACE THERMOSTAT
JL 14 YEL	AUXILIARY FURNACE	AUXILIARY FURNACE THERMOSTAT
JM 14 WHT	MAIN FURNACE	GROUND
JN 14 WHT	COACH LIGHTING CIRCUIT #5 (REF JG)	GROUND(ALTERNATE CLEAN CIRCUIT FOR LINEAR CONVERTER)
JP 14 WHT	CLEAN CIRCUIT DEVICES (REF JA)	GROUND
JR 16 YEL	MONITOR PANEL	LP TANK #2 LEVEL SENSOR
JS 12 YEL	MONITOR PANEL WATER PUMP SWITCH	WATER PUMP
JT 16 YEL	MONITOR PANEL	LP TANK #1 LEVEL SENSOR
JU 14 YEL	MONITOR PANEL WATER HEATER SWITCH	WATER HEATER (BLU)
JW 14 YEL	MONITOR PANEL WATER HEATER SWITCH	WATER HEATER (BRN)
JX 14 WHT	WATER HEATER	GROUND
JY 12 WHT	WATER PUMP	GROUND

CODE GA/COLOR	FROM	TO
KA 10 YEL	OVERCURRENT PROTECTION (25A BREAKER TYPICAL)	ELECTRIC STEP BATTERY POWER
KB 10 YEL	OVERCURRENT PROTECTION (25A BREAKER TYPICAL)	ELECTRIC STEP KILL SWITCH (OLD STEP WIRING STYLE)
KC 10 YEL	ELECTRIC STEP KILL SWITCH (OLD STEP WIRING STYLE)	ELECTRIC STEP
KD 18 WHT	ELECTRIC STEP DOOR JAMB SWITCH	ELECTRIC STEP
KE 14 YEL	RUN ONLY POWER SOURCE	GENERAL PURPOSE(RELAY TRIGGER, REAR AUTO HTR,DRL,MONITOR,ETC)
KF 16 WHT	COACH BATTERY DISCONNECT RELAY SWITCH	GROUND
KG 14 YEL	POWER LIFT VENT (BLU)	POWER LIFT SWITCH(UP)
KH 14 YEL	POWER LIFT VENT (RED)	POWER LIFT SWITCH(DOWN)
KJ 14 YEL	POWER LIFT VENT (BLK)	FAN SWITCH
KK 16 YEL	REAR STEREO	RIGHT SPEAKER (POSITIVE)
KL 16 WHT	REAR STEREO	RIGHT SPEAKER (NEGATIVE)
KM 14 YEL	POWER LIFT VENT LAMP	LAMP SWITCH
KN 16 YEL	REAR STEREO	LEFT SPEAKER (POSITIVE)
KP 16 WHT	REAR STEREO	LEFT SPEAKER (NEGATIVE)
KR 14 WHT	REAR STEREO ANTENNA	GROUND
KS 14 YEL	REAR AUTO HEATER SWITCH (HIGH SPEED)	REAR AUTO HEATER

CODE GA/COLOR	FROM	TO
KT 14 YEL	REAR AUTO HEATER SWITCH (MEDIUM SPEED)	REAR AUTO HEATER
KU 14 YEL	REAR AUTO HEATER SWITCH (LOW SPEED)	REAR AUTO HEATER
KW 16 YEL	DASH RADIO	RIGHT FRONT SPEAKER (POSITIVE)
KX 16 YEL	DASH RADIO	RIGHT REAR SPEAKER (POSITIVE)
KY 16 YEL	DASH RADIO	LEFT FRONT SPEAKER (POSITIVE)
LA 16 YEL	DASH RADIO	LEFT REAR SPEAKER (POSITIVE)
LB 16 WHT	DASH RADIO	RIGHT REAR SPEAKER (NEGATIVE)
LC 16 WHT	DASH RADIO	LEFT REAR SPEAKER (NEGATIVE)
LD 14 YEL	IGNITION SWITCH ACCESSORY POWER SOURCE	GENERAL PURPOSE(AUX FANS,RELAY TRIGGER,ETC)
LE 14 YEL	AUXILIARY DEFROST FANS SWITCH (HIGH SPEED)	AUXILIARY DEFROST FANS (BLK)
LF 14 YEL	AUXILIARY DEFROST FANS SWITCH (LOW SPEED)	AUXILIARY DEFROST FANS (RED)
LG 16 YEL	COACH BATTERY DISCONNECT RELAY (TERMINAL I)	COACH BATTERY DISCONNECT RELAY SWITCH
LH 16 YEL	COACH BATTERY DISCONNECT RELAY (TERMINAL S)	COACH BATTERY DISCONNECT RELAY SWITCH
LJ 16 YEL	COACH BATTERY DISCONNECT RELAY BATTERY SIDE FUSE FEED	COACH BATTERY DISCONNECT RELAY SWITCH
LK 16 YEL	COACH BATTERY DISCONNECT RELAY LOAD SIDE FUSE FEED	COACH BATTERY DISCONNECT RELAY SWITCH/INDICATOR LAMP
LL 16 WHT	GENERATOR SWITCH (START)	GENERATOR (RED)

CODE GA/COLOR	FROM	TO
LM 16 WHT	GENERATOR SWITCH (STOP)	GENERATOR (ORN)
LN 16 WHT	GENERATOR SWITCH/INDICATOR (GROUND)	GENERATOR (GRN)
LP 16 YEL	GENERATOR SWITCH/INDICATOR (RUN)	GENERATOR (BLU)
LR 14 YEL	BATTERY MODE SWITCH (AUX START SWITCH)	BATTERY MODE SOLENOID (AUX START SOLENOID)
LS 12 YEL	OVERCURRENT PROTECTION 20A BREAKER TYPICAL,COACH FEED	GENERAL PURPOSE(BATTERY MODE, RADIO POWER,BATTERY CONDITION)
LT 16 YEL	BATTERY CONDITION SWITCH	VOLTMETER (POWER FEED)
LU 14 YEL	CHASSIS BRAKE LAMP CIRCUIT	VEHICLE BRAKES, TAG AXLE CONTROL MODULE,ETC
LW 14 YEL	WIPER CONTROL MODULE (PARK)	WINDSHIELD WIPER MOTOR (FRONT)
LX 14 YEL	WIPER CONTROL MODULE (LOW SPEED)	WINDSHIELD WIPER MOTOR (FRONT)
LY 14 YEL	WIPER CONTROL MODULE (HIGH SPEED)	WINDSHIELD WIPER MOTOR (FRONT)
MA 14 YEL	WIPER CONTROL MODULE (WASHER BOTTLE PUMP)	WINDSHIELD WASHER BOTTLE PUMP (FRONT)
MB 14 YEL	CHASSIS WINDSHIELD WIPER FEED CIRCUIT	OVERCURRENT PROTECTION (6A BREAKER TYPICAL)
MC 16 WHT	INSTRUMENT PANEL LAMPS	GROUND
MD 14 YEL	OVERCURRENT PROTECTION (15A BREAKER TYPICAL)	REMOTE MIRROR RELAY/POWER WINDOW FEED
ME 14 YEL	OVERCURRENT PROTECTION (15A BREAKER TYPICAL)	AIR HORN RELAY FEED/ MARKER LAMPS RELAY FEED
MF 14 YEL	OVERCURRENT PROTECTION (15A BREAKER TYPICAL)	FOG LAMP RELAY FEED/ SPOT LAMP FEED

CODE GA/COLOR	FROM	TO
MG 14 WHT	GENERAL PURPOSE(RELAYS,DASH DEVICES,ETC)	GROUND
MH 16 WHT	CHASSIS CHOKE LAMP INDICATOR CIRCUIT	CHOKE LAMP
MJ 14 YEL	CHASSIS WINDSHIELD WIPER FEED CIRCUIT	WIPER CONTROL MODULE (POWER FEED)
MK 14 YEL	CHASSIS BATTERY POWER FEED CIRCUIT	GENERAL PURPOSE(CIGAR LIGHTER, DOME/COURTESY LAMPS,ETC)
ML 16 YEL	CHASSIS INSTRUMENT PANEL LAMPS FEED CIRCUIT	INSTRUMENT PANEL LAMPS
MM 14 YEL	CHASSIS CLEARANCE LAMP CRT #1 (BRN TYPICAL)	CLEARANCE/MARKER LAMPS
MN 14 WHT	DOME LAMP SWITCHED GROUND	DOME LAMP SWITCH(DOOR JAMB, INSTRUMENT PANEL SWITCH,ETC)
MP 18/16 WHT	ELEC STEP DOOR JAMB SWITCH, LP TANK SENDER, ETC	GROUND
MR 14 YEL	REAR WINDOW WIPER SWITCH (LOW SPEED)	REAR WINDOW WIPER MOTOR (LOW SPEED)
MS 14 WHT	CLEARANCE/MARKER LAMPS	GROUND
MT 8 WHT	ELECTRIC STEP	GROUND
MU 14 WHT	GENERAL PURPOSE(CIGAR LIGHTER, DOME LAMPS,12 V OUTLETS,ETC)	GROUND
MW 16 YEL	VEHICLE CHECK ENGINE LAMP CIRCUIT	CHECK ENGINE LAMP
MX 16 YEL	WINDSHIELD WIPER SWITCH	WIPER RELAY
MY 14 YEL	VEHICLE HEADLAMP FEED CIRCUIT	DIMMER MODULE
NA 14 YEL	VEHICLE HEADLAMP LOW BEAM CIRCUIT	DIMMER MODULE

CODE GA/COLOR	FROM	TO
NB 14 YEL	VEHICLE HEADLAMP HIGH BEAM CIRCUIT	DIMMER MODULE
NC 14 WHT	COACH LIGHTING CIRCUIT #1 (REF JC)	GROUND
ND 14 WHT	COACH LIGHTING CIRCUIT #2 (REF JD)	GROUND
NE 14 WHT	COACH LIGHTING CIRCUIT #3 (REF JE)	GROUND
NF 14 WHT	COACH LIGHTING CIRCUIT #4 (REF JF)	GROUND
NG 16 YEL	FOG LAMPS SWITCH	FOG LAMPS RELAY
NH 14 YEL	FOG LAMPS RELAY	FOG LAMPS
NJ 16 YEL	CHASSIS HORN FEED CIRCUIT	AIR HORN SWITCH
NK 14 YEL	AIR HORN SWITCH	AIR HORN AIR TANK AIR RELEASE VALVE
NL 14 YEL	AR HORN RELAY	AIR HORN AIR COMPRESSOR
NM 14 YEL	OVERCURRENT PROTECTION (15A FUSE TYPICAL)	COACH LIGHTING CIRCUIT #6 (REF PM)
NN 16 YEL	LEFT POWER MIRROR MOTOR (HORIZONTAL CONTROL, YEL)	POWER MIRROR CONTROL SWITCH
NR 16 YEL	LEFT POWER MIRROR (VERTICAL CONTROL, WHT)	POWER MIRROR CONTROL SWITCH
NS 14 YEL	POWER MIRROR HEATER SWITCH	POWER MIRRORS (RED)
NT 14 YEL	POWER MIRROR RELAY	POWER MIRROR CONTROL SWITCH
NU 14 YEL	AISLE LAMPS SWITCH #1	AISLE LAMPS SWITCH #2

CODE GA/COLOR	FROM	TO
NW 14 YEL	FRONT COMPARTMENT LAMPS SWITCH	COMPARTMENT LAMPS
NX 14 YEL	INTERSTATE COMMERCE COMMITTEE COURTESY BLINK SWITCH	CLEARANCE LAMPS
NY 14 YEL	AISLE LAMPS SWITCH #1	AISLE LAMPS SWITCH #2
PA 14 WHT	REAR AUTO HEATER	GROUND
PB 14 WHT	REAR WINDOW WIPER MOTOR	GROUND
PC 14 YEL	BEDROOM CEILING LAMP SWITCH	BEDROOM CEILING LAMP
PD 14 YEL	MAKE UP LAMP #1 SWITCH	MAKE UP LAMP #1
PE 14 YEL	BATH CEILING LAMP SWITCH	BATH CEILING LAMP
PF 14 YEL	SHOWER LAMP SWITCH WIRE D WAS FIRST USED ON C'S	SHOWER LAMP
PG 14 YEL	WARDROBE LAMP SWITCH	WARDROBE LAMP
PH 14 YEL	AISLE LAMPS SWITCH	AISLE LAMPS
PJ 14 YEL	PORCH LAMP SWITCH	PORCH LAMP
PK 14 YEL	STRIP LAMP SWITCH	STRIP LAMP
PL 14 YEL	FRONT CEILING LAMP SWITCH	FRONT CEILING LAMP
PM 14 WHT	COACH LIGHTING CIRCUIT #6 (REF NM)	GROUND
PN 16 WHT	RIGHT POWER MIRROR (COMMON,BLK)	POWER MIRROR CONTROL SWITCH

CODE GA/COLOR	FROM	TO
PP 16 YEL	RIGHT POWER MIRROR (HORIZONTAL CONTROL, YEL)	POWER MIRROR CONTROL SWITCH
PR 16 YEL	RIGHT POWER MIRROR (VERTICAL CONTROL, WHT)	POWER MIRROR CONTROL SWITCH
PS 14 YEL	MAP LAMP SWITCH	MAP LAMP
PT 14 YEL	BEVERAGE TRAY LAMP SWITCH	BEVERAGE TRAY LAMP
PU 14 YEL	DUMP LAMP SWITCH	DUMP LAMP
PW 14 YEL	OVERCURRENT PROTECTION (15A BREAKER TYPICAL)	POWER DOOR LOCK/UNLOCK RELAY (PIN 30)
PX 16 YEL	POWER DOOR LOCK SWITCH (LOCK) (PIN 1)	POWER DOOR LOCK RELAY (PIN 86)
PY 16 WHT	POWER DOOR LOCK SWITCH (UNLOCK) (PIN 5)	POWER DOOR UNLOCK RELAY (PIN 86)
RA 14 YEL	VEHICLE LEFT FRONT TURN SIGNAL CIRCUIT	LEFT FRONT TURN SIGNAL/MARKER LAMP
RB 14 YEL	VEHICLE RIGHT FRONT TURN SIGNAL CIRCUIT	RIGHT FRONT TURN SIGNAL/MARKER LAMP
RC 14 WHT	FRONT AUTOMOTIVE LAMPS(TURN, MARKER,ETC)	GROUND
RD 14 YEL	OVERCURRENT PROTECTION (15 A FUSE TYPICAL)	HAZARD FLASHER, HORN RELAY
RE 12 YEL	RADIATOR FAN RELAY#1 (COMMON)	RADIATOR FAN #1
RF 12 YEL	RADIATOR FAN RELAY #2 (COMMON)	RADIATOR FAN #2
RG 14 WHT	RADIATOR FAN THERMOSTAT SWITCH	RADIATOR FAN RELAYS (COILS, TRIGGER)
RH 12YEL(BLK)	OVERCURRENT PROTECTION (25A BREAKER TYPICAL)	RADIATOR FAN RELAY #1 (NORMALLY OPEN)

CODE GA/COLOR	FROM	TO
RJ 12YEL(BLK)	OVERCURRENT PROTECTION (25A BREAKER TYPICAL)	RADIATOR FAN RELAY #2 (NORMALLY OPEN)
RK 12 WHT	RADIATOR FAN #1	GROUND
RL 12 WHT	RADIATOR FAN #2	GROUND
RM 14 WHT	VEHICLE IGNITION SWITCH GROUND DURING START CIRCUIT	BULB CHECK(LOW TAG AIR,PARK BRAKE,ETC)
RN 14 YEL	AUTOMOTIVE AIR CONDITIONER THERMOSTAT CUTOFF SWITCH	AUTOMOTIVE AIR CONDITIONER COMPRESSOR CLUTCH
RP 14 YEL	AUTOMOTIVE AIR CONDITIONER COOLANT FAN CONTROL	COOLANT FAN RELAY
RR 14 YEL	BRAKE LAMP SWITCH	TURN SIGNAL SWITCH
RS 14 YEL	HEADLAMP SWITCH INSTRUMENT PANEL LAMP FEED SWITCH	OVERCURRENT PROTECTION (5A FUSE TYPICAL)
RT 14 YEL	HORN RELAY (COMMON)	HORN
RU 14 YEL	HORN RELAY (COIL)	HORN SWITCH
RW 14 YEL	HAZARD FLASHER	TURN SIGNAL SWITCH
RX 14 YEL	EUL WARNING LAMP	EUL MODULE
RY 14 WHT	INSTRUMENT CLUSTER/ EUL MODULE	GROUND
SA 14 YEL	ENGINE WATER TEMPERATURE SENDER	ENGINE WATER TEMPERATURE GAUGE
SB 14 YEL	ENGINE OIL PRESSURE SENDER	ENGINE OIL PRESSURE GAUGE
SC 14 YEL	VEHICLE RIGHT REAR TURN SIGNAL/BRAKE LAMP CIRCUIT	RIGHT REAR TURN SIGNAL/ BRAKE LAMPS

CODE GA/COLOR	FROM	TO
SD 14 YEL	VEHICLE LEFT REAR TURN SIGNAL/BRAKE LAMP CIRCUIT	LEFT REAR TURN SIGNAL/ BRAKE LAMPS
SE 16YEL(WHT)	SPEED SENSOR (TWISTED PAIR)	SPEEDOMETER AND SPEED CONTROL MODULE
SF 16WHT(BLK)	SPEED SENSOR (TWISTED PAIR)	SPEEDOMETER AND SPEED CONTROL MODULE
SG 14 YEL	IGNITION SWITCH START FEED	GENERAL(NEUTRAL SAFETY SWITCH, FUEL PUMP RELAY COIL,ETC)
SH 14 YEL	IGNITION SWITCH RUN/START FEED	GENERAL(IGNITION COIL RELAY NORMALLY OPEN CONTACT,ETC)
SJ 12YEL(BLK)	OVERCURRENT PROTECTION (16GA FUSELINK TYPICAL)	CHASSIS BATTERY FEED
SK 12YEL(WHT)	OVERCURRENT PROTECTION (16GA FUSELINK TYPICAL)	CHASSIS BATTERY HEADLAMP SWITCH FEED #1
SL 12YEL(BLU)	OVERCURRENT PROTECTION (16GA FUSELINK TYPICAL)	CHASSIS BATTERY IGNITION SWITCH FEED #1
SM 12YEL(BLK)	OVERCURRENT PROTECTION (16GA FUSELINK TYPICAL)	RADIATOR FAN #1 CIRCUIT BREAKER FEED
SN 12YEL(BLK)	OVERCURRENT PROTECTION (16GA FUSELINK TYPICAL)	RADIATOR FAN #2 CIRCUIT BREAKER FEED
SP 14 YEL	HEADLAMP SWITCH MARKER CIRCUIT FEED	OVERCURRENT PROTECTION (15A FUSE TYPICAL)
SR 12YEL(BRN)	IGNITION SWITCH RUN ONLY FEED	OVERCURRENT PROTECTION (15A FUSE TYPICAL)
SS 12YEL(WHT)	IGNITION SWITCH ACCESSORY FEED	OVERCURRENT PROTECTION (15A FUSE TYPICAL)
ST 14 YEL	OVERCURRENT PROTECTION (15A FUSE TYPICAL)	TURNS/BACK UP CIRCUIT FEED
SU	STARTER SOLENOID BATTERY TERMINAL	ALTERNATOR BATTERY TERMINAL
SW 14 YEL	TURN SIGNAL FLASHER	TURN SIGNAL SWITCH

CODE GA/COLOR	FROM	TO
SX 14 YEL	REAR WINDOW WASHER SWITCH	REAR WINDOW WASHER BOTTLE PUMP
SY 14 YEL	IGNITION COIL	TACHOMETER
TA 14 YEL	OVERCURRENT PROTECTION (15A FUSE TYPICAL)	IGNITION RUN ONLY GENERAL FEED (RADIATOR FAN RELAY COIL,ETC)
TB 12 YEL	OVERCURRENT PROTECTION (25A FUSE TYPICAL)	IGNITION RUN ONLY GENERAL FEED (AUTO AC BLOWER(NOT HIGH),ETC)
TC 14 YEL	OVERCURRENT PROTECTION (15A FUSE TYPICAL)	IGNITION RUN ONLY GENERAL FEED (DOOR LOCKS,REAR WIPER,ETC)
TD 14 YEL	OVERCURRENT PROTECTION (15A FUSE TYPICAL)	CHASSIS BATTERY GENERAL FEED
TE 16 WHT	GENERATOR	GENERATOR LOW OIL INDICATOR LAMP
TF 16 YEL	GENERATOR	GENERATOR LOW OIL INDICATOR LAMP
TG 16 YEL	TELEVISION	SPEAKER RIGHT (POSITIVE)
TH 16 WHT	TELEVISION	SPEAKER RIGHT (NEGATIVE)
TJ 16 YEL	TELEVISION	SPEAKER LEFT (POSITIVE)
TK 16 WHT	TELEVISION	SPEAKER LEFT (NEGATIVE)
TL 16 YEL	FRONT RIGHT TV SPEAKER NEGATIVE,SERIES CONNECTION	FRONT LEFT TV SPEAKER POSITIVE,SERIES CONNECTION
TM 16 WHT	STEP COVER SWITCH	STEP COVER SOLENOID MOVES STEP OUT
TN 14 YEL	STARTER SOLENOID BATTERY TERMINAL	ALTERNATOR REGULATOR
TP 14 WHT	REAR AUTOMOTIVE LAMPS(TURN, MARKER,ETC)	GROUND

CODE GA/COLOR	FROM	TO
TR 14 YEL	VEHICLE BACK UP CIRCUIT FEED	BACK UP LAMPS
TS 14 YEL	STARTER SOLENOID (I TERMINAL)	ENGINE WIRING (IGNITION MODULE)
TT 14 YEL	NEUTRAL SAFETY SWITCH	STARTER SOLENOID (S TERMINAL)
TU 14 WHT	IGNITION COIL RELAY (COIL)	GROUND
TW 14 YEL	IGNITION SWITCH START/RUN FEED	IGNITION COIL
TX 14 YEL	IGNITION COIL RELAY (COMMON)	IGNITION COIL
TY 14 YEL	ALTERNATOR (T TERMINAL)	CHOKE HEATER
UA 14 YEL	FUEL PUMP FUSE	OIL PRESSURE CUTOOUT SWITCH/ FUEL PUMP RELAY(NO),ETC
UB 14 YEL	INERTIA SWITCH (FUEL PUMP SHUTOFF)	FUEL PUMP RELAY (NORMALLY CLOSED)
UC 14 YEL	FUEL PUMP RELAY (COMMON)	FUEL PUMP
UD 16 WHT	FUEL GAUGE	FUEL SENDER
UE 14 YEL	INERTIA SWITCH (FUEL PUMP SHUTOFF)	OIL PRESSURE CUTOFF SWITCH
UF 14 WHT	FUEL PUMP	GROUND
UG 14 WHT	FUEL PUMP RELAY (COIL)	GROUND
UH 16 YEL	LP DETECTOR (SHUTOFF SYSTEM,YEL)	LP SAFETY VALVE
UJ 16 YEL	LP DETECTOR (SHUTOFF SYSTEM,YEL)	LP SAFETY SWITCH

CODE GA/COLOR	FROM	TO
UK 16 WHT	LP DETECTOR (BLK)(REF WB)	GROUND
UL 16 WHT	EUL LAMP	EUL MODULE
UM 16 WHT	DOOR JAMB DOME LAMP SWITCH	GROUND
UN 16 WHT	SEAT BELT LAMP	EUL MODULE
UP 16 YEL	SEAT BELT LAMP	SEAT BELT BUZZER
UR 16 WHT	PARK BRAKE SWITCH	PARK BRAKE LAMP
US 16 YEL	OVERCURRENT PROTECTION (6A BREAKER TYPICAL)	COACH BATTERY FEED TO BATTERY CONDITION SWITCH
UT 14 YEL	DOOR JAMB DOME LAMP SWITCH (SWITCH POSITIVE)	DOME LAMP
UU 16 YEL	WATER HEATER	VACUUM VALVE SOLENOID
UW 16 WHT	VACUUM VALVE SOLENOID	GROUND
UX 16 YEL	LP DETECTOR #2 (SHUTOFF SYSTEM,YEL)	LP SAFETY VALVE
UY 16 YEL	LP DETECTOR #2 (SHUTOFF SYSTEM,YEL)	LP SAFETY VALVE
WA 14 YEL	EXTERIOR SERVICE LAMP SWITCH	EXTERIOR SERVICE LAMP
WB 16 YEL	OVERCURRENT PROTECTION (6A BREAKER TYPICAL)	LP DETECTOR (REF UK)
WC 14 YEL	OVERCURRENT PROTECTION (15A BREAKER TYPICAL)	COMPARTMENT LAMPS (REF WE)
WD 14 WHT	AISLE LAMPS	GROUND

CODE GA/COLOR	FROM	TO
WE 14 WHT	COMPARTMENT LAMPS (REF WC)	GROUND
WF 12YEL(WHT)	OVERCURRENT PROTECTION (30A BREAKER TYPICAL)	PARK BRAKE COMPRESSOR SOENOID
WG 12YEL(BLK)	OVERCURRENT PROTECTION (30A BREAKER TYPICAL)	IGNITION RELAY
WH 14 YEL	OVERCURRENT PROTECTION (15A BREAKER TYPICAL)	IGNITION SWITCH RUN ONLY FEED
WJ 12 YEL	OVERCURRENT PROTECTION (20A BREAKER TYPICAL)	IGNITION SWITCH ACCESSORY FEED RELAY
WK 14 YEL	OVERCURRENT PROTECTION (15A BREAKER TYPICAL)	IGNITION SWITCH ACCESSORY FEED
WL 14 YEL	POWER DOOR LOCK RELAY (PIN 30)	POWER DOOR LOCK MOTOR(S) (LOCK)
WM 14 WHT	POWER DOOR UNLOCK RELAY (PIN 30)	POWER DOOR LOCK MOTOR(S) (UNLOCK)
WN 16 YEL	RADIO POWER SWITCH (ACCESSORY POWER)	DASH RADIO (ACCESSORY POWER)
WP 10 YEL	OVERCURRENT PROTECTION (25A BREAKER TYPICAL)	FRONT PANEL LOADS(INVERTER, RADIO)(96 M-SERIES)
WR 14 YEL	OVERCURRENT PROTENTION (15A BREAKER TYPICAL)	POWER SEAT LIFT SWITCH
WS 14 WHT	POWER SEAT LIFT SWITCH	GROUND
WT 14 YEL	POWER SEAT LIFT SWITCH (UP)	MOTOR (POSITIVE UP)
WU 14 WHT	POWER SEAT LIFT SWITCH (DOWN)	MOTOR (POSITIVE DOWN)
WW 14 WHT	SPOT LAMP SWITCH	GROUND
WX 14 YEL	HALLWAY CEILING LAMP SWITCH	HALLWAY CEILING LAMP

CODE GA/COLOR	FROM	TO
WY 10 WHT	AUTOMOTIVE AIR CONDITIONER MOTOR	GROUND
XA 12/10 YEL	VEHICLE AUTOMOTIVE AIR FEED CIRCUIT	AUTOMOTIVE AIR CONDITIONER BLOWER (USE 10 IF OVER 6')
XB 14 YEL	DRIVER'S DOOR POWER WINDOW SWITCH(PIN 5)	DRIVER'S DOOR POWER WINDOW MOTOR(POSITIVE UP)
XC 14 WHT	DRIVER'S DOOR POWER WINDOW SWITCH(PIN 1)	DRIVER'S DOOR POWER WINDOW MOTOR(POSITIVE DOWN)
XD 16 WHT	MONITOR PANEL	HOLDING TANK LEVEL SENSOR (FULL)
XE 16 WHT	MONITOR PANEL	HOLDING TANK LEVEL SENSOR (3/4)
XF 16 WHT	MONITOR PANEL	HOLDING TANK LEVEL SENSOR (1/2)
XG 16 WHT	MONITOR PANEL	HOLDING TANK LEVEL SENSOR (1/4)
XH 16 YEL	MONITOR PANEL	WATER TANK LEVEL SENSOR
XJ 16 YEL	MONITOR PANEL	BLACK HOLDING LEVEL SENSOR (MAIN TANK)
XK 16 YEL	MONITOR PANEL	GRAY AUXILIARY HOLDING TANK #1 LEVEL SENSOR (AUX TANK #1)
XL 16 YEL	MONITOR PANEL	GRAY AUXILIARY HOLDING TANK #2 LEVEL SENSOR (AUX TANK #2)
XM 14 YEL	OVERCURRENT PROTECTION (18GA FUSELINK TYPICAL)	IGNITION START RELAY
XN 16 YEL	FRONT ROOF AIR CONDITIONER (EXHAUST)	THERMOSTAT (EX TERMINAL)
XP 16 YEL	FRONT ROOF AIR CONDITIONER (COOL)	THERMOSTAT (Y TERMINAL)(Y EXPORT AIR)
XR 16 YEL	FRONT ROOF AIR CONDITIONER (HIGH SPEED BLOWER)	THERMOSTAT (GH TERMINAL)(H EXPORT AIR)

CODE GA/COLOR	FROM	TO
XS 16 YEL	FRONT ROOF AIR CONDITIONER (LOW SPEED BLOWER)	THERMOSTAT (GL TERMINAL)(G EXPORT AIR)
XT 14 YEL	IGNITION START RELAY #1 (NORMALLY CLOSED CONTACT)	IGNITION START RELAY #2 (COMMON CONTACT)
XU 14 YEL	DINETTE OVHD LAMP SWITCH	DINETTE OVHD LAMP
XW 14 WHT	IGNITION SWITCH ACCESSORY FEED RELAY CIRCUIT	GROUND
XX 14 YEL	GALLEY LAMP SWITCH	GALLEY LAMP
XY 14 YEL	MAKE UP LAMP #2 SWITCH	MAKE UP LAMP #2
YA 14 YEL	TAG AXLE PRESSURE CONTROL SWITCH	COMPRESSOR SOLENOID/ SOLENOID AIR VALVE
YB 14 WHT	LOW AIR PRESSURE SWITCH	GROUND
YC 10YEL(BLU)	OVERCURRENT PROTECTION (30A BREAKER TYPICAL)	TAG AXLE COMPRESSOR SOLENOID
YD 14 WHT	TAG AXLE MOUNTING PLATE SCREW	GROUND
YE 10 WHT	TAG AXLE COMPRESSOR	GROUND
YF 12 WHT	TAG AXLE BRAKE CONTROL MODULE/BRAKE MAGNET	GROUND
YG 12YEL(BLK)	OVERCURRENT PROTECTION (20A BREAKER TYPICAL)	TAG AXLE BRAKE CONTROL MODULE
YH 12YEL(BLU)	TAG AXLE BRAKE CONTROL MODULE	TAG AXLE BRAKE MAGNET
YJ 10YEL(WHT)	TAG AXLE COMPRESSOR SOLENOID	TAG AXLE COMPRESSOR
YK 14 YEL	BEDROOM CEILING LAMP SWITCH#1 (2 SWITCH SYSTEM)	BEDROOM CEILING LAMP SWITCH #2 (2 SWITCH SYSTEM)

CODE GA/COLOR	FROM	TO
YL 14 YEL	BEDROOM CEILING LAMP SWITCH #1 (2 SWITCH SYSTEM)	BEDROOM CEILING LAMP SWITCH #2 (2 SWITCH SYSTEM)
YM 14 YEL	HALLWAY CEILING LAMP SWITCH #1 (2 SWITCH SYSTEM)	HALLWAY CEILING LAMP SWITCH #2 (2 SWITCH SYSTEM)
YN 14 YEL	HALLWAY CEILING LAMP SWITCH #1 (2 SWITCH SYSTEM)	HALLWAY CEILING LAMP SWITCH #2 (2 SWITCH SYSTEM)
YP 14 YEL	VALANCE LAMP SWITCH #1 (2 SWITCH SYSTEM)	VALANCE LAMP SWITCH #2 (2 SWITCH SYSTEM)
YR 14 YEL	VALANCE LAMP SWITCH #1 (2 SWITCH SYSTEM)	VALANCE LAMP SWITCH #2 (2 SWITCH SYSTEM)
YS 14 YEL	VALANCE LAMP SWITCH	VALANCE LAMP
YT 14 YEL	FRONT VALANCE LAMP SWITCH	FRONT VALANCE LAMP
YU 14 YEL	REAR VALANCE LAMP SWITCH	REAR VALANCE LAMP
YW 14 WHT	DOOR BELL SWITCH	DOOR BELL
YX 14 YEL	IGNITION SWITCH RUN/START FEED	ALTERNATOR WARNING LAMP
YY 14 YEL	ALTERNATOR VOLTAGE REGULATOR	ALTERNATOR WARNING LAMP
AAA 16 WHT	STEP COVER SWITCH (REF GX)	STEP COVER SOLENOID MOVES STEP IN
AAB 14 YEL	DINETTE READING LAMPS	DINETTE READING LAMP SWITCH
AAC 14 YEL	LOUNGE READING LAMPS	LOUNGE READING LAMP SWITCH
AAD 14 YEL	FORD CHASSIS TRAILER MARKER LAMP CIRCUIT (BR/WHT)	TRAILER CONNECTOR SOCKET MARKER LAMPS
AAE 14 YEL	FORD CHASSIS TRAILER BACKUP LAMP CIRCUIT (BLK/LT GRN)	TRAILER CONNECTOR SOCKET BACKUP LAMPS

CODE GA/COLOR	FROM	TO
AAF 14 YEL	FORD CHASSIS TRAILER LEFT TURN/BRAKE LAMP CIRCUIT (YEL)	TRAILER CONNECTOR SOCKET LEFT TURN/BRAKE LAMP
AAG 14 YEL	FORD CHASSIS TRAILER RIGHT TURN/BRAKE LAMP CIRCUIT (DKG)	TRAILER CONNECTOR SOCKET RIGHT TURN/BRAKE LAMP
AAH 14 YEL	BATH-VENT,POWER	BATH-VENT, THERMOSTAT
AAJ 14 YEL	BATH-VENT,POWER	BATH-VENT, THERMOSTAT
AAK 16 WHT	SWITCH-WATER PUMP (MULTIPLEX SYSTEM)	LATCHING RELAY (WITH 4 OR MORE SWITCHES)
AAL 16 WHT	SWITCH-WATER PUMP (MULTIPLEX SYSTEM)	GROUND
AAM 14 YEL	CHASSIS SUPPLIED WIRE ASM (DARK BLUE)(GM)	RIGHT TAIL LAMP PARK (WIE)
AAN 14 YEL	CHASSIS SUPPLIED WIRE ASM (PURPLE) (GM)	LEFT TAIL LAMP PARK (WIE)
AAP 10 YEL	55 AMP BREAKER JUMPER WIRE	30 AMP BREAKER
AAR 14 YEL	TV/RADIO SPEAKER FEED SELECTOR SWITCH	TV SPEAKER AMPLIFIER
AAS 16 YEL	TV SPEAKER (NEGATIVE) BEDROOM SPEAKERS IN SERIES	TV SPEAKER (POSITIVE)
AAT 16 YEL	AMPLIFIER POSITIVE OUT (AAU NEGATIVE)	FRONT WOOFER (WITH DELUXE SOUND SYSTEM)
AAU 16 WHT	AMPLIFIER NEGATIVE OUT (AAT POSITIVE)	FRONT WOOFER (WITH DELUXE SOUND SYSTEM)
AAW 16 YEL	AMPLIFIER POSITIVE OUT (AAX NEGATIVE)	REAR WOOFER (WITH DELUXE SOUND SYSTEM)
AAX 16 WHT	AMPLIFIER NEGATIVE OUT (AAW POSITIVE)	REAR WOOFER (WITH DELUXE SOUND SYSTEM)
AAZ 10 YEL	SLIDEOUT ROOM CONTROL SWITCH	SLIDEOUT DRIVE MOTOR LEAD #1

CODE GA/COLOR	FROM	TO
AAZ 10 YEL	SLIDEOUT ROOM CONTROL SWITCH	SLIDEOUT DRIVE MOTOR LEAD #2
BBA 16 WHT	SLIDEOUT WIRING (PARK BRAKE SW)(SWITCHED GRD)	SLIDEOUT ROOM RELAY (GROUND TERMINAL)
BBB 16 YEL	SLIDEOUT ROOM CIRCUIT BREAKER (6 AMP)	SLIDEOUT ROOM RELAY (PIN 86 & 87)
BBC 16 YEL	LOAD SHEDDER MONITOR PANEL (RED WIRE)	LOAD SHEDDER CONTROL BOARD (RED WIRE)
BBD 16 YEL	LOAD SHEDDER MONITOR PANEL (BLUE WIRE)	LOAD SHEDDER CONTROL BOARD (BLUE WIRE)
BBE 16 YEL	LOAD SHEDDER MONITOR PANEL (BLACK WIRE)	LOAD SHEDDER CONTROL BOARD (BLACK WIRE)
BBF 16 YEL	LOAD SHEDDER MONITOR PANEL (GRAY WIRE)	LOAD SHEDDER CONTROL BOARD (GRAY WIRE)
BBG 14 YEL	DINETTE CEILING LAMP SWITCH	DINETTE CEILING LAMP
BBH 16 YEL	REAR COMPRESSOR SIGNAL REAR THERMOSTAT	LOAD SHEDDER CONTROL BOARD
BBJ 16 YEL	LOAD SHEDDER CONTROL BOARD	REAR A/C (COOL)
BBK 12 WHT	JET AIR/TAG AXLE WIRING	GROUND, CHASSIS
BBL 14 YEL	OVHD SWITCH	OVHD HALOGEN LAMPS
BBM 16 YEL	SLIDEOUT ROOM SWITCH (ROOM TWO EXTEND)	HWH WIRING (ROOM TWO EXTEND)
BBN 16 YEL	SLIDEOUT ROOM SWITCH (ROOM TWO RETRACT)	HWH WIRING (ROOM TWO RETRACT)
BBP 14 YEL	ICC COURTESY BLINK SWITCH	ICC COURTESY BLINK RELAY
BBR 14 YEL	ICC COURTESY BLINK RELAY	CLEARANCE LAMPS

CODE GA/COLOR	FROM	TO
BBS 14 YEL	CHASSIS FUSE PANEL	ICC COURTESY BLINK RELAY
BBT 14 YEL	DOCKING LAMP SWITCH TRIGGER RELAY	DOCKING LAMP SWITCH
BBU 12 YEL	DOCKING LAMP CIRCUIT BREAKER	DOCKING LAMP RELAY
BBW 14 YEL	FORD LEFT HAND LOW BEAM CIRCUIT	LEFT HAND LOW BEAM
BBX 14 YEL	FORD RIGHT HAND LOW BEAM CIRCUIT	RIGHT HAND LOW BEAM
BBY 14 YEL	SWITCH-MONITOR PANEL (IN EXT WATER CENTER)	EXTERIOR MONITOR PANEL (IN EXT WATER CENTER)
BBZ 14 YEL	OVERCURRENT PROTECTION (15A FUSE/BREAKER TYPICAL)	AUXILIARY FURNACE (CCA)
CCA 14 WHT	AUXILIARY FURNACE	GROUND
CCB 16 YEL	EXTERIOR MONITOR PANEL	WATER TANK LEVEL SENSOR
CCC 16 YEL	EXTERIOR MONITOR PANEL	MAIN HOLDING TANK LEVEL SENSOR
CCD 16 YEL	EXTERIOR MONITOR PANEL	AUX HOLDING TANK LEVEL SENSOR
CCE 14 YEL	COMPARTMENT LAMP SWITCH	COMPARTMENT LAMP
CCF 14 YEL	COMPARTMENT LAMP SWITCH	COMPARTMENT LAMP
CCG 14 YEL	COMPARTMENT LAMP SWITCH	COMPARTMENT LAMP
CCH 14 YEL	COMPARTMENT LAMP SWITCH	COMPARTMENT LAMP
CCJ 14 YEL	COMPARTMENT LAMP SWITCH	COMPARTMENT LAMP

CODE GA/COLOR	FROM	TO
CCK 14 YEL	COMPARTMENT LAMP SWITCH	COMPARTMENT LAMP
CCL 14 YEL	COMPARTMENT LAMP SWITCH	COMPARTMENT LAMP
CCM 14 YEL	COMPARTMENT LAMP SWITCH	COMPARTMENT LAMP
CCN 16 YEL	THERMOSTATE LOW SPEED FAN SIGNAL	CENTRAL AIR AND LOAD SHEDDER
CCP 16 YEL	LOAD SHEDDER COMPRESSOR TWO CONTROL RELAY	CENTRAL A/C COMPRESSOR TWO
CCR 14 YEL	SWITCH-MONITOR PANEL (IN EXT WATER CENTER)	EXTERIOR MONITOR PANEL (IN EXT WATER CENTER)
CCS 16 YEL	NOISE FILTER	RADIO POWER INPUT
CCT 16 YEL	REAR RIGHT TV SPEAKER NEGATIVE,SERIES CONNECTION	REAR LEFT TV SPEAKER POSITIVE,SERIES CONNECTION
CCU 16 YEL	GM DOME LAMP POWER	DOME LAMP
CCW 12 YEL	DUAL MODE SOLENOID (CHASSIS SIDE)	FUSE HOLDER (30 AMP)
CCX 16 YEL	ORG WIRE ON AIR COMPRESSOR	AIR PRESSURE SWITCH ON AIR TANK
CCY 16 YEL	HWH WIRING (BATTERY POWER)	SLIDEOUT ROOM SWITCH (POSITIVE)
CCZ 16 YEL	HWH WIRING (SWITCHED BATTERY POWER)	FRT/RR SLIDEOUT ROOM SWITCH (SWITCHED EXTEND/RETRACT PWR)
DDA 16 YEL	HWH WIRING (PUMP RELAY CONTROL)	SLIDEOUT ROOM SWITCH (POSITIVE)
ddb 14 YEL	REAR AUTO HEATER CIRCUIT BREAKER	REAR AUTO HEATER RELAY (POWER)
DDC 14 YEL	REAR AUTO HEATER RELAY (SWITCHED POWER)	REAR AUTO HEATER SWITCH (COMMON TERMINAL)

CODE GA/COLOR	FROM	TO
DDD 14 YEL	MODULE-CHARGE CONTROL RELAY OUTPUT	AUX-START SOLENOID RELAY
DDE 14 YEL	AUX-START SOLENOID RELAY	AUX-START SOLENOID
DDF 10 YEL	HEATER BLOWER CIRCUIT BREAKER	HEATER BLOWER RELAY
DDG 10 YEL	CIRCUIT BREAKER BUSS BAR	CHASSIS BATTERY FEED CIRCUIT BREAKER
DDH 14 YEL	FREIGHTLINER RUN ONLY TRIGGER CIRCUIT	HEATER BLOWER RELAY
DDJ 14 YEL	FREIGHTLINER PARKING BRAKE TRIGGER CIRCUIT	HWH WIRE ASM-PARKING BRAKE SENSOR WIRE
DDK 16 YEL	HWH WIRING (PUMP RELAY CONTROL)	REAR SLIDEOUT ROOM SWITCH (POSITIVE)
DDL 14 WHT	FRONT LEFT AUTOMOTIVE LAMPS	GROUND
DDM 14 WHT	FRONT RIGHT AUTOMOTIVE LAMPS	GROUND
DDN 16 YEL	TIMER MODULE	CHECK ANTENNA LIGHT
DDP 12 YEL	OVERCURRENT PROTECTION (20A BREAKER TYPICAL)	INVERTER FEED (INVERTER NUMBER 2)
DDR 12 WHT	INVERTER (INVERTER NUMBER 2)	GROUND
DDS 12 WHT	INVERTER CHASSIS (INVERTER NUMBER 2)	GROUND
DDT 12 YEL	POWER COMPT DOOR LOCK RELAY (RIGHT SIDE)	POWER COMPT DOOR LOCK MOTOR(S) (RIGHT SIDE)
DDU 12 WHT	POWER COMPT DOOR UNLOCK RELAY (RIGHT SIDE)	POWER COMPT LOCK MOTOR(S) (UNLOCK) (RIGHT SIDE)
DDV 12 YEL	POWER COMPT DOOR LOCK RELAY (LEFT SIDE)	POWER COMPT LOCK MOTOR(S) (LOCK) (LEFT SIDE)

CODE GA/COLOR	FROM	TO
DDW 12 WHT	POWER COMPT DOOR UNLOCK RELAY (LEFT SIDE)	POWER COMPT LOCK MOTOR(S) (UNLOCK) (LEFT SIDE)
DDX 12 YEL	OVERCURRENT PROTECTION (20A BREAKER TYPICAL)	POWER COMPT DOOR LOCK/ UNLOCK RELAY (RIGHT SIDE)
DDY 12 YEL	OVERCURRENT PROTECTION (20A BREAKER TYPICAL)	POWER COMPT DOOR LOCK/ UNLOCK RELAY (LEFT SIDE)
DDZ 12 YEL	POWER COMPT DOOR LOCK SWITCH (LOCK) (PIN 1)	POWER COMPT DOOR LOCK RELAY (PIN 86)
EEA 12 WHT	POWER COMPT DOOR LOCK SWITCH (UNLOCK) (PIN 5)	POWER COMPT DOOR UNLOCK RELAY (PIN 86)
EEB 12 WHT	POWER COMPT DOOR LOCK RELAYS (LEFT SIDE)	GROUND
EEC 12 YEL	25 AMP BREAKER IN 12 VOLT PANEL	SOFA RECLINER SWITCH SOFA 4-WAY RECLINER
EED 12 WHT	SOFA RECLINER SWITCH SOFA 4-WAY RECLINER	GROUND
EEE 14 YEL	OVERCURRENT PROTECTION (15A BREAKER TYPICAL)	12V POWER JACK
EEF 14 WHT	12V POWER JACK	GROUND
EEG 12 WHT	POWER COMPT DOOR LOCK RELAYS (RIGHT SIDE)	GROUND
EEH 12 YEL	SOFA RECLINER SWITCH EXTEND	SOFA RECLINER MOTOR SOFA 4-WAY
EEJ 12 YEL	SOFA RECLINER SWITCH RETRACT	SOFA RECLINER MOTOR SOFA 4-WAY
E EK 16 YEL	AUDIO AMPLIFIER	LH FRT SPKR (+)
EEL 16 WHT	AUDIO AMPLIFIER	LH FRT SPKR (-)
EEM 16 YEL	AUDIO AMPLIFIER	RH FRT SPKR (+)

CODE GA/COLOR	FROM	TO
EEN 16 WHT	AUDIO AMPLIFIER	RH FRT SPKR (-)
E EP 16 YEL	AUDIO AMPLIFIER	LH RR SPKR (+)
EER 16 WHT	AUDIO AMPLIFIER	LH RR SPKR (-)
EES 16 YEL	AUDIO AMPLIFIER	RH RR SPKR (+)
EET 16 WHT	AUDIO AMPLIFIER	RH RR SPKR (-)
E EU 16 YEL	AUDIO AMPLIFIER	CTR CHANNEL SPKR (+)
E EW 16 WHT	AUDIO AMPLIFIER	CTR CHANNEL SPKR (-)
E EX 12/10 YEL	PASSENGER AUTO A/C FEED CIRCUIT	PASSENGER AUTO A/C BLOWER (USE 10 IF OVER 6')
E EY 10 WHT	PASSENGER AUTO A/C MOTOR	GROUND
E EZ 12/10 YEL	OVERCURRENT PROTECTION (30A BREAKER TYPICAL)	PASSENGER HI-SPEED HEATER FAN (USER 10 IF OVER 6')
E FA 10 YEL	PASSENGER HEATER BLOWER CIRCUIT BREAKER	PASSENGER HEATER BLOWER RELAY
E FB 10 YEL	OVERCURRENT PORTECTION (30A BREAKER TYPICAL)	POWER LOUNGE CHAIR
E FC 10 WHT	POWER LOUNGE CHAIR	GROUND
E FD 12 YEL	OVERCURRENT PROTECTION (30A BREAKER TYPICAL)	AWNING CONTROL BOX (12V POSITIVE)
E FE 12 WHT	AWNING CONTROL BOX	GROUND
E FF 12 YEL	AWNING CONTROL BOX	DOOR AWNING (MOTOR POSITIVE)

CODE GA/COLOR	FROM	TO
FFG 12 WHT	DOOR AWNING (MOTOR GROUND)	AWNING CONTROL BOX
FFH 12 YEL	AWNING CONTROL BOX	PATIO AWNING (MOTOR POSITIVE)
FFJ 12 WHT	PATIO AWNING (MOTOR GROUND)	AWNING CONTROL BOX
FFK 16 YEL	AWNING CONTROL BOX	DOOR AWNING SWITCH (EXTEND)
FFL 16 YEL	DOOR AWNING SWITCH (COMMON)	AWNING CONTROL BOX
FFM 16 YEL	AWNING CONTROL BOX	DOOR AWNING SWITCH (RETRACT)
FFN 16 YEL	AWNING CONTROL BOX	PATIO AWNING SWITCH (EXTEND)
FFP 16 YEL	PATIO AWNING SWITCH (COMMON)	AWNING CONTROL BOX
FFR 16 YEL	AWNING CONTROL BOX	PATIO AWNING SWITCH (RETRACT)
FFS 14 WHT	RELAY (PIN 30)	AWNING CONTROL BOX
FFT 14 WHT	PATIO AWNING SWITCH	AWNING CONTROL BOX
FFU 16 YEL	AWNING SELECTOR SWITCH (DOOR AWNING)	AWNING CONTROL SWITCH (DOOR AWNING)
FFV 16 YEL	AWNING SELECTOR SWITCH (PATIO AWNING)	AWNING CONTROL SWITCH (PATIO AWNING)
FFW 14 YEL	LOUNGE LAMPS SWITCH #1	LOUNGE LAMPS SWITCH #2
FFX 14 YEL	LOUNGE LAMPS SWITCH #1	LOUNGE LAMPS SWITCH #2
FFY 14 YEL	CEILING FAN SWITCH	CEILING FAN

CODE GA/COLOR	FROM	TO
FFZ 14 YEL	OVERCURRENT PROTECTION (15A FUSE/BREAKER TYPICAL)	COACH LIGHTING, ETC CIRCUIT #7 (REF GGA)
GGA 14 WHT	COACH LIGHTING (REF-FFZ)	GROUND
GGB 14 YEL	POWER LIFT VENT	POWER LIFT SWITCH (UP)
GGC 14 YEL	POWER LIFT VENT	POWER LIFT SWITCH (DOWN)
GGD 16 YEL	CONTROL MODULE	OPERATOR PANEL (STOP)
GGE 16 YEL	CONTROL MODULE	OPERATOR PANEL (GRN LED)
GGF 16 YEL	CONTROL MODULE	OPERATOR PANEL (RED LED)
GGG 16 YEL	CONTROL MODULE	FRONT ENCODER (SIGNAL)
GGH 16 YEL	CONTROL MODULE	FRONT ENCODER (+)
GGJ 16 WHT	CONTROL MODULE	FRONT ENCODER (-)
G GK 16 YEL	CONTROL MODULE	REAR ENCODER (SIGNAL)
GGL 16 YEL	CONTROL MODULE	REAR ENCODER (+)
GGM 16 WHT	CONTROL MODULE	REAR ENCODER (-)
GGN 12 YEL	CONTROL MODULE	SLIDEOUT ACTUATOR DRIVE LEAD #1
GGP 12 YEL	CONTROL MODULE	SLIDEOUT ACTUATOR DRIVE LEAD #2
GGR 16 YEL	FRONT ROOF HEAT PUMP	THERMOSTAT (W TERMINAL)

CODE GA/COLOR	FROM	TO
GGG 16 YEL	REAR ROOF HEAT PUMP	THERMOSTAT (W TERMINAL)
GGT 12 YEL	SOFA RECLINER SWITCH EXTEND	SOFA RECLINER MOTOR SOFA 4-WAY
GGU 12 YEL	SOFA RECLINER SWITCH RETRACT	SOFA RECLINER MOTOR SOFA 4-WAY
GGV 14 WHT	GPS (BLACK WIRE)	GROUND
GGW 16 YEL	GPS (GREEN/WHITE WIRE)	VEHICLE SPEED SENSOR (CHASSIS SUPPLIED)
GGX 14 YEL	10 OHM RESISTOR *	BEDROOM CEILING FAN (LOW SPEED)
GGY 14 YEL	BATHROOM VENT SWITCH	BATHROOM VENT
GGZ 14 YEL	BEDROOM VENT SWITCH	BEDROOM VENT
HHA 14 YEL	OVERCURRENT PROTECTION (15A FUSE/BREAKER TYPICAL)	COACH VENTS/LAMPS (REF HHB)
HHB 14 WHT	COACH VENTS/LAMPS (REF HHA)	GROUND
HHC 12 YEL	STEP COVER SWITCH	STEP COVER MOTOR
HHD 12 YEL	STEP COVER SWITCH	STEP COVER MOTOR
HHE 16 YEL	SLIDEOUT ROOM SWITCH (ROOM THREE EXTEND)	HWH WIRING (ROOM THREE EXTEND)
HHF 16 YEL	SLIDEOUT ROOM SWITCH (ROOM THREE RETRACT)	HWH WIRING (ROOM THREE RETRACT)
HHG 16 YEL	SLIDEOUT ROOM SWITCH (ROOM FOUR EXTEND)	HWH WIRING (ROOM FOUR EXTEND)
HHH 16 YEL	SLIDEOUT ROOM SWITCH (ROOM FOUR RETRACT)	SLIDEOUT ROOM SWITCH (ROOM FOUR RETRACT)

CODE GA/COLOR	FROM	TO
HHJ 14 YEL	110V WATER HEATER TRIGGER SWITCH	WATER HEATER RELAY
HHK 16 YEL	DRIVER'S POWER SUNVISOR SWITCH	DRIVER'S POWER SUNVISOR
HHL 16 YEL	DRIVER'S POWER SUNVISOR SWITCH	DRIVER'S POWER SUNVISOR
HHM 16 YEL	PASS POWER SUNVISOR SWITCH	PASS POWER SUNVISOR
HHN 16 YEL	PASS POWER SUNVISOR SWITCH	PASS POWER SUNVISOR
HHP 14 YEL	HOT WATER HEAT CONTROL BOARD (F1)	ZONE 1 FAN SPEED SWITCH
HHR 14 YEL	ZONE 1 FAN SPEED SWITCH	ZONE 1 AIR FAN HEATER
HHS 16 YEL	HOT WATER HEAT CONTROL BOARD (TC)	ZONE 2 & 3 THERMOSTAT
HHT 16 YEL	HOT WATER HEAT CONTROL BOARD (T2)	ZONE 2 THERMOSTAT
HHU 14 YEL	HOT WATER HEAT CONTROL BOARD (F2)	ZONE 2 FAN SPEED SWITCH
HHV 14 YEL	ZONE 2 FAN SPEED SWITCH	ZONE 2 AIR FAN HEATER
HHW 16 YEL	HOT WATER HEAT CONTROL BOARD (T3)	ZONE 3 THERMOSTAT
HHX 14 YEL	HOT WATER HEAT CONTROL BOARD (F3)	ZONE 3 AIR FAN HEATER
HHY 16 WHT	AWNING CONTROL BOX	WIND SENSOR (NEGATIVE)
HHZ 16 YEL	AWNING CONTROL BOX	WIND SENSOR (POSITIVE)
JJA 16 YEL	AWNING CONTROL BOX	WIND SENSOR TEMPERATURE OUTPUT

CODE GA/COLOR	FROM	TO
JJB 16 YEL	AWNING CONTROL BOX	WIND SENSOR SPEED OUTPUT