

# TABLE OF CONTENTS

## 2002 JOURNEY/HORIZON "P-SERIES" WIRING DIAGRAM BOOK

Wiring Diagram – Automotive.....	Page 1-6
Wiring Diagram – Auto Lamps .....	7-8
Wiring Installation – Front End .....	9-18

### **P32T**

Wiring Diagram – Body, 12 Volt .....	19-32
Wiring Diagram – Body, 110 Volt .....	33-36
Wiring Installation – Body, 12 Volt.....	37-43
Wiring Installation – Body, 110 Volt.....	44-47
Wiring Installation – Chassis .....	48-49

### **P34H/HD**

Wiring Diagram – Body, 12 Volt .....	50-64
Wiring Diagram – Body, 110 Volt .....	65-68
Wiring Installation – Body, 12 Volt.....	69-74
Wiring Installation – Body, 110 Volt.....	75-78
Wiring Installation – Chassis .....	79-80

### **P36C**

Wiring Diagram – Body, 12 Volt .....	81-90
Wiring Diagram – Body, 110 Volt .....	91-94
Wiring Installation – Body, 12 Volt.....	95-101
Wiring Installation – Body, 110 Volt.....	102-106
Wiring Installation – Chassis .....	192-193

### **P36L**

Wiring Diagram – Body, 12 Volt .....	107-119
Wiring Diagram – Body, 110 Volt .....	120-123
Wiring Installation – Body, 12 Volt.....	124-129
Wiring Installation – Body, 110 Volt.....	130-133
Wiring Installation – Chassis .....	192-193

### **P36LD**

Wiring Diagram – Body, 12 Volt .....	134-147
Wiring Diagram – Body, 110 Volt .....	148-151
Wiring Installation – Body, 12 Volt.....	152-157
Wiring Installation – Body, 110 Volt.....	158-161
Wiring Installation – Chassis .....	192-193

### **P36GD**

Wiring Diagram – Body, 12 Volt .....	162-176
Wiring Diagram – Body, 110 Volt .....	177-180
Wiring Installation – Body, 12 Volt.....	181-187
Wiring Installation – Body, 110 Volt.....	188-191
Wiring Installation – Chassis .....	192-193


### **P39QD**

Wiring Diagram – Body, 12 Volt .....	194-205
Wiring Diagram – Body, 110 Volt .....	206-209
Wiring Installation – Body, 12 Volt.....	210-216
Wiring Installation – Body, 110 Volt.....	217-220
Wiring Installation – Chassis .....	221-222

110 Volt Load Center/Auto Transfer Switch.....	223-228
Wiring Installation – Exterior Lamps.....	229-230
Holding Tank Wiring Diagram .....	231
Wiring Installation – TV/VCR.....	232
Dash Radio Installation .....	233
Holding Tank Monitor Panel .....	234-236
Wiring Diagram – AC/Heat/EMS .....	237-238

### **Appendix**

Electrical Parts Identification List.....	A1-A7
Wiring Identification Guide .....	B1-B41




WIRING DIAGRAM IP, MAIN  
 (WIRE ASM 138562-011)

<b>WINNEBAGO</b>	
DTB	DATE: TODAY'S DATE
CHR	ALL DIMENSIONS ARE IN MILLIMETERS
P.E.	
M.E.	FIRST USED
DDN	02 P-SER
UNSPECIFIED TOLERANCES ARE:	MATERIAL:
WIDE DIM .010	
ONE-PLACE .15(.01)	
THO-PLACE .15(.001)	
ANGLE	
THIRD ANGLE PROJECTION	
<b>DO NOT SCALE DRAWING</b>	
<b>WIRING DIAGRAM-AUTO</b>	
SHEET 1 OF 3	PART NO 140736
REF: NONE	PAGE 1


SIF1



















WIRE DIAGRAM IP, RIGHT  
(WIRE ASM 130159-011)

FIRST USED	02 P-SERIES
DO NOT SCALE DRAWING	
TITLE:	WIRING DIAGRAM-AUTO
SHEET 2	PART NO 140736



FIRST USED	02 P-SERIES
DO NOT SCALE DRAWING	
TITLE:	WIRING DIAGRAM-AUTO
SHEET 3	PART NO 140736



NOTES:  
 1 SEE WIRING DIAGRAM-AUTO FOR ADDITIONAL INFORMATION.

**WINNEBAGO**

DATE 10/17/01  
 DWG  
 P.E.  
 V.E.  
 DWG


UNSPECIFIED TOLERANCES ARE:  
 HOLE DIA .10  
 ONE-PLACE .15, .21  
 TWO-PLACE .15, .20  
 HOLE .10

THIRD ANGLE PROJECTION


DO NOT SCALE DRAWING

TITLE:  
 WIRING DIAGRAM-AUTO LAMPS

SHEET 1 of 2 PART NO 140737




WIRING DIAGRAM-BACKWALL, FL  
WIRE ASM 132673-01



FIRST USED		02 P-SERIES	
DO NOT SCALE DRAWING			
TITLE:			
WIRING DIAGRAM-AUTO LAMPS			
SHEET 2	PART NO		140737










- NOTES:
- (3) CHASSIS SUPPLIED. VIEW BC-BC
  - (4) COIL WIRE ASM UP OUTSIDE ELECTRICAL BOX. TO BE ROUTED WITH WIRE ASM-CHASSIS.
  - (5) REMOVE 10 AMP FUSE AND REPLACE WITH NOTED BREAKER.
  - (6) MOUNT LATCHES WITH TABS TOWARD CENTER OF DOOR.
  - (7) TRIM LABEL AS NECESSARY.

- (64J) SEAT PED-6-WAY DR/PASS POWER
- (64O) SEAT PED-6-WAY POWER DRIVER




- NOTES:
- ③ ADD LOCKWASHER OME02B-04-071 1 PER SCREW
  - ② SEE SHTS 1 AND 2 FOR ROUTING INFORMATION
  - ① SEE SHT 2 FOR ROUTING INFORMATION


- ⑥3F AWNING-ENTRANCE DOOR
- ⑨C1 AWNING-ELECTRIC PACKAGE
- ⑥4J SEAT PED-6-WAY DR/PASS POWER
- ⑥4D SEAT PED-6-WAY POWER DRIVER
- ⑤7M LAMPS-FOG
- ④0B INVERTER-DC/AC, 300 WATT
- ②8X MIRRORS-EXTERIOR W/DEFROST

02 P-SERIES

TITLE:	WIRING INSTL-FRONT END
DO NOT SCALE DIMENSIONS	SHEET NO 138561
SHEET 3 OF 10	PAGE 11



VIEW DA  
(WINNEBAGO WIRING SHOWN)



VIEW DA  
(FREIGHTLINER WIRING SHOWN) (2)


- (6) PUT 1 SEAL IN FRONT OF HOLE AT CAB PREP.
- (5) SEE WIPER CONTROL INFORMATION FOR INSTALLATION INSTRUCTION
- (4) ROUTE PARK BRAKE VALVE AND AIR LINES FOR DASH GAUGES THRU HERE. COVER WITH CONVOLUTE TUBING 41963 WHERE VISIBLE.
- (3) DO NOT USE SEAT BELT 2 PIN HOUSING
- (2) FL IP WIRE ASM SHOULD BE TIED PRIOR TO INSTALLATION. SEE DETAIL HA FOR TYING INSTRUCTIONS.

1. BUNDLE AND SECURE ALL EXCESS WIRE.

(265) CODES/STANDARDS-CSA/CMVSS

02 P-SERIES


TITLE		WIRING INSTL-FRONT END	
DO NOT SCALE DRAWING	SIZE	138561	
SHEET 4 OF 10	IF NO		




DETAIL EA

1. USE WIRE TIES TO FORM FREIGHTLINER IP WIRE INTO THIS CONFIGURATION.


NOTES:




VIEW FA-FA



VIEW FB-FB  
(SWITCH MOUNTING ORIENTATION)



VIEW FC-FC  
(SWITCH ACTUATOR ORIENTATION)




DETAIL FD

- ⑨ DRILL 19.0 DIAMETER HOLE AT LOWER DIMPLE LOCATION.
- ⑧ SEE DETAIL MA FOR INSTRUMENT CLUSTER ASSEMBLY INSTRUCTIONS.
- ⑦ COVER CLEAR LEGEND ON BEZEL WITH FILM 77031-01-000 (BLANK) OR 77031-03-000 (W/OPTION).
- ⑥ WITHOUT (360).
- ⑤ WITHOUT (36N).
- ④ SWITCHES SHOWN WITHOUT WIRE ASM-HOUSING CONNECTED.
- ③ SAME FOR ALL DASH SWITCHES EXCEPT FOG LAMPS, DOCKING LAMPS AND GENERATOR SWITCHES.
- ② SAME FOR ALL SWITCHES.
- ① CHASSIS SUPPLIED.

- (57M) LAMPS-FOG
- (360) AIR HORNS-CHROME
- (36N) FANS-DEFROSTER, AUXILIARY
- (WIN) WINNEBAGO ONLY
- (ITA) ITASCA ONLY

02 P-SERIES


TITLE: WIRING INSTL-FRONT END  
 DO NOT SCALE DIMENSIONS  
 SHEET 6 OF 10 I.F. NO. 138561



- NOTES:
- (7) ON P32T ONLY
  - (A) MOUNT ON TOP LEFT REAR CORNER OF PANEL-COVER,RADIATOR.
  - (3) UNHOUSE EXHAUSE BRAKE SWITCH HOUSING ON FREIGHTLINER IP WIRE ASM, THEN REHOUSE TERMINALS IN HOUSING AS SHOWN.
  - (4) SEE ANTENNA INSTL-CB.
  - (3) GATHER RED AND BLK WIRES ON WIRE ASM IP,MAIN AND CB ANTENNA CABLE AND WRAP WITH LABEL (SEE DETAIL NB).
  - (2) CUT TERMINALS OFF FL WIRE ASSEMBLY AND BUTT SPLICE.
  - (1) CHASSIS SUPPLIED.

- (64J) SEAT PED-6-WAY DR/PASS POWER
- (WIN) WINNEBAGO ONLY
- (ITA) ITASCA ONLY
- (57M) LAMPS-FOG
- (36D) AIR HORNS-CHROME
- (36N) FANS-DEFROSTER, AUXILIARY
- (20F) DELUXE SOUND SYSTEM-WITHOUT

02 P-SERIES






DETAIL HA

- Ⓜ ANY PLUG ON CLUSTER WIRE ASM WILL FIT ANY GAUGE
- 1. ALL GAUGES, RETAINER CLIPS AND FASTENERS ARE CHASSIS SUPPLIED UNLESS NOTED.


(27E) CODES/STANDARDS-CMVSS  
 (26S) CODES/STANDARDS-CSA/CMVSS

02 P-SERIES

TITLE		WIRING INSTL-FRONT END	
DO NOT SCALE DRAWING	SIZE	138561	
SHEET 8 OF 10	IF NO		



VIEW JC-JC (20F)



WIRE ASM-AMPLIFIER.MTS  
124882-08-000 (21V)  
124882-08-000 (20C)



AMPLIFIER  
124881-01-000 (21V)  
124881-02-000 (20C)  
SCREW  
639-08-10U(4)

VIEW JA (21V/20C)

- NOTES:
- ④ PLUG RCA CABLES INTO PORTS MARKED STEREO TV INPUT.
  - ③ RUN DELUXE SOUND RCA CABLES AND 2 PIN HOUSING UP THE LEFT A-PILLAR TO TV AND CENTER CHANNEL SPEAKER.
  - ② MOUNT ON TOP LEFT REAR CORNER OF PANEL-COVER,RADIATOR.
  - ① CONNECT HOUSINGS TOGETHER.

- (20C) SOUND SYS. DLX. W/O-SURROUND
- (20F) DELUXE SOUND SYSTEM-WITHOUT
- (21V) SOUND SYSTEM DELUXE





VIEW KA-KA

- ① DRILL 4.8 DIA HOLE AND MOUNT ON LOWER FLANGE OF FRONT END.
- ② LAMP TO BE ASSEMBLED TO BRACKET-HEADLAMP BEFORE IT IS SCREWED TO THE FRONT END.
- ③ MOUNT ON GROUND BOLT.


NOTES:

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128763-01-000

FOR ELECTRICAL CALL-OUTS SEE DWG NO. 121339-01-000

(28X) MIRRORS-EXTERIOR W/DEFROST  
02 P-SERIES

TITLE: WIRING INSTL-FRONT END  
DO NOT SCALE DIMENSIONS SHEET NO. 10 OF 10 I.F. NO. 138561



WIRING DIAGRAM-CIRCUIT BREAKER POWER  
 (WIRE ASM 103991-05)

**WINNEBAGO**

DTR DATE 12/03/01

DRR ALL DIMENSIONS ARE IN MILLIMETERS

P.E. FIRST USED

M.E. 02 P32T

UNSPECIFIED TOLERANCES ARE:

INSIDE DIM	±	MATERIAL:	
ONE-PLACE (X.X)	±		*
TWO-PLACE (X.XX)	±		*
ANGLE	±		*

THIRD ANGLE PROJECTION


DO NOT SCALE DRAWING

TITLE: WIRING DIAGRAM-BODY, 12V

SHEET 1 OF 7 PART NO 139180

REF: 1 PAGE 19

ISOLATED STUD  
(LOCATED IN BASE OF  
GALLEY CABT.1)



ELECTRIC  
STEP SWITCH



CONNECTS TO  
WIRE ASM-COACH  
(SHT 2, D-34)  
(LOCATED IN BASE OF  
GALLEY CABT.1)



- 1-NW 14 YEL
- 2-JT 16 YEL
- 3-WC 14 YEL
- 4-WE 14 WHT
- 5-DL 16 YEL
- 6-DR 16 YEL
- 7-DU 16 YEL
- 8-
- 9-


COMP LAMP  
SWITCH



FRONT LEFT  
COMP LAMP



ENGINE  
COMP LAMP



- DL
- GX
- DR
- DU
- FFE
- FFL
- FFP
- FFN
- FFR
- FFK
- FFM
- FFJ
- FFH
- FFG
- FFF

- 1-FFF 12 YEL
- 2-FFG 12 WHT
- 3-FFH 12 YEL
- 4-FFJ 12 WHT


CONNECTS TO  
WIRE ASM-SIDEWALL  
(SHT 4, B-4)  
(LOCATED IN  
PASSENGER CONSOLE)

- 1-FFM 16 YEL
- 2-FFU 16 YEL
- 3-FFK 16 YEL
- 4-FFR 16 YEL
- 5-FFV 16 YEL
- 6-FFN 16 YEL
- 7-
- 8-

CONNECTS TO  
AWNING CONTROL  
SWITCH

- 1-
- 2-FFP 16 YEL
- 3-FFV 16 YEL
- 4-FFU 16 YEL
- 5-FFL 16 YEL
- 6-
- 7-
- 8-

CONNECTS TO  
AWNING SELECTOR  
SWITCH



- 1-RE 12 YEL
- 2-RK 12 WHT

CONNECTS TO  
COOLING FAN #1  
(LOCATED IN REAR  
OUTSIDE COMP)

CONNECTS TO  
COOLING FAN #2  
(LOCATED IN REAR  
OUTSIDE COMP)


CONNECTS TO  
WIRE ASM-IP MAIN  
(LOCATED IN  
FRONT ELECT BOX)

GROUND  
(LOCATED IN POWER  
CORD COMPT.)

WIRING DIAGRAM-CHASSIS  
(WIRE ASM 139852)

- A1-AAX 16 WHT
- A2-
- A3-
- B1-
- B2-
- B3-
- B4-
- C1-
- C2-TM 16 WHT
- D1-LL 16 WHT
- D2-LM 16 WHT
- D3-LN 16 WHT
- D4-HJ 16 YEL
- E1-MM 16 YEL
- E2-HS 16 YEL
- F1-
- F2-
- G1-DL 16 YEL
- G2-DM 16 WHT
- G3-DJ 14 YEL
- G4-DK 16 WHT
- H1-AAA 16 WHT
- H2-
- J1-
- J2-WH 16 YEL
- J3-ER 16 YEL
- J4-
- K1-FFD 12 YEL
- K2-
- K3-AAW 16 YEL

CONNECTS TO WIRE ASM-IP MAIN (LOCATED IN FRONT LEFT COMP) 1



RIGHT SUBWOOFER

STEP COVER SWITCH


ELECTRIC STEP SWITCH

CONNECTS TO ELECTRIC STEP 2

WIRE ASM-CRT BRK POWER IN FRONT ELECTRICAL BOX (SHT 1, D91) (LOCATED IN FRONT ELECT BOX)




CONNECTS TO WIRE ASM-GENERATOR ADAPT (SHT 7, B-3/B-7) (LOCATED ON TOP OF GENERATOR)



CONNECTS TO WIRE ASM-COACH (SHT 2, A-38) (LOCATED IN BASE OF GALLEY CABT.1)



CONNECTS TO HWH WIRING 2



CONNECTS TO WIRE ASM-IP MAIN (LOCATED UNDER DASH LEFT OF DRIVER) 1



CONNECTS TO AWNING CONTROL BOX 2

D

C

B

A


NOTES:


2

SEE MANUFACTURER'S DIAGRAM FOR ADDITIONAL INFORMATION.

1


SEE WIRING DIAGRAM-AUTO FOR ADDITIONAL INFORMATION.







JY  
GL  
WC  
NM  
JG  
PM  
PL  
DK  
NE  
JE  
DJ  
HT  
WE  
JX  
JC  
JP  
JA  
NC  
MM

U  
EU  
ET  
JD  
JM  
MS  
JY  
GL  
WC  
NM  
JG  
PM  
PL  
NE  
JE  
HT  
WE  
JX  
JC  
JP  
JA  
NC  
ND  
JN  
JB  
FFY










- 4 SEE WIRING DIAGRAM HOLDING TANKS FOR ADDITIONAL INFORMATION.
- 3 SEE WIRING DIAGRAM-AC/HEAT/EMS FOR ADDITIONAL INFORMATION.
- 2 SEE MANUFACTURER'S DIAGRAM FOR ADDITIONAL INFORMATION.
- 1 SEE WIRING DIAGRAM-AUTO FOR ADDITIONAL INFORMATION.


NOTES:






WIRING DIAGRAM-ROOF  
(WIRE ASM 139261)

FIRST USED	02 P32T/TD	
TITLE	DO NOT SCALE DRAWING	
	WIRING DIAGRAM-BODY, 12V	
SHEET	3	PART NO 139261

S3F1







WIRING DIAGRAM-SIDEWALL,RIGHT  
 (WIRE ASM 139265)

NOTES:  
 1 SEE MANUFACTURER'S DIAGRAM FOR ADDITIONAL INFORMATION.


FIRST USED	02 P32T/TD	
TITLE:	DO NOT SCALE DRAWING	
	WIRING DIAGRAM-BODY,12V	
SHEET 4	PART NO	139180




WIRING DIAGRAM-REAR STEREO  
(WIRE ASM 124336-01)



WIRING DIAGRAM-SLIDEOUT, REAR  
(WIRE ASM 137456)




WIRING DIAGRAM-SIDEWALL, LEFT  
(WIRE ASM 139278-01)




NOTES:  
1 SEE MANUFACTURER'S DIAGRAM FOR ADDITIONAL INFORMATION.


FIRST USED	02 P32T/TD	
TITLE:	DO NOT SCALE DRAWING	
	WIRING DIAGRAM-BODY, 12V	
SHEET	5	PART NO 139180




WIRING DIAGRAM-OVHD  
(WIRE ASM 133231-02)




WIRING DIAGRAM-SIDEWALL, RR  
(WIRE ASM 134061-04)



WIRING DIAGRAM-OVHD, LEFT  
(WIRE ASM 132424-05)




WIRING DIAGRAM-ENTERTAINMENT CENTER  
(WIRE ASM 125853-02)



WIRING DIAGRAM-ENTERTAINMENT CENTER  
(WIRE ASM 125853-01)

FIRST USED	02 P32T/TD
TITLE:	DO NOT SCALE DRAWING
	WIRING DIAGRAM-BODY, 12V
SHEET 6	PART NO 139180


NOTES:  
1 SEE MANUFACTURER'S DIAGRAM FOR ADDITIONAL INFORMATION.



- 1-FFY 14 YEL
- 2-GGX 14 YEL

CONNECTS TO WIRE ASM-COACH (SHT 2, D-7) (LOCATED BEHIND FAN SWITCH)

WIRING DIAGRAM-RESISTOR, FAN (WIRE ASM 140195)




- 1-WX 14 YEL
- 2-NC 14 WHT
- 3-WA 14 YEL
- 4-WE 14 WHT

CONNECTS TO WIRE ASM-COACH (SHT 2, D-32) (LOCATED ON TOP OF GENERATOR)

EXTERIOR SERVICE LAMP  
HALL LAMP

WIRING DIAGRAM-SIDEWALL, LEFT (WIRE ASM 137099)




- A-LN 16 WHT
- B-LP 16 YEL
- C-LL 16 WHT
- D-LP 16 YEL
- E-LM 16 WHT

CONNECTS TO WIRE ASM-CHASSIS (SHT 1, A-23) (LOCATED ON TOP OF GENERATOR)

- A-LN 16 WHT
- B-LM 16 WHT
- C-LL 16 WHT
- D-LP 16 WHT
- E-LP 16 YEL
- F-LP 16 YEL
- G-H-

CONNECTS TO GENERATOR

WIRING DIAGRAM-GEN, ADAPTER, LP (WIRE ASM 130332-01)



- A-LN 16 WHT
- B-HU 16 YEL
- C-LL 16 WHT
- D-LP 16 YEL
- E-LM 16 WHT

CONNECTS TO WIRE ASM-CHASSIS (SHT 1, A-23) (LOCATED ON TOP OF GENERATOR)

- A-LN 16 WHT
- B-HU 16 YEL
- C-LL 16 WHT
- D-LP 16 YEL
- E-LM 16 WHT
- F-LP 16 YEL
- G-H-
- I-H-
- J-K-

CONNECTS TO GENERATOR


WIRING DIAGRAM-GEN, ADAPTER, LP (WIRE ASM 130332-02)

FIRST USED	02 P32T/TD	
TITLE:	DO NOT SCALE DRAWING	
SHEET	7	PART NO 139180








LOAD CENTER








SWITCH-WATER HEATER  
(LOCATED IN MICROWAVE OVHD)



CENTRAL AIR UNIT  
(LOCATED IN RIGHT REAR COMPARTMENT BELOW FLOOR)



INVERTER BREAKER PANEL







- NOTES:
- ④ WIRE ROUTED THROUGH FLOOR.
  - ③ WIRE ROUTED IN ROOF.
  - ② WIRE ROUTED IN SIDEWALL.
  - ① ALL OUTLETS DOWN STREAM AND INCLUDING THIS OUTLET ARE GROUND FAULT INTERRUPT PROTECTED.

- (120) ELECTRICAL SYSTEM 30 AMP
- (9A1) ACCESSORY PACKAGE
- (76C) ENTERTAINMENT CTR/EXT CASSETTE
- (265) CODES/STANDARDS-CSA/CMVSS
- (79J) INVERTER/CHARGER-1,500 WATT
- (105) ENTERTAINMENT CENTR/EXT W/CD
- (1B1) CODES/STANDARDS USA








- NOTES:
1. ALL WIRES TO BE CLAMPED WITH CLAMP 10495-01-000 OR CLIP 80734-02-000 EVERY 700. USE SCREW 967-10-12B UNLESS OTHERWISE SPECIFIED.
  2. CLAMP TO FLOOR SUPPORT TUBES AS NECESSARY WITH CLAMP 10497-01-000.
  3. WIRES THAT REST ON WIRE TRAYS ARE TO BE TIED DOWN WITH WIRE TIE B343-02-000.
  4. CONNECT TELEPHONE WIRES TO MATCHING COLORS ON PLATE-TELEPHONE.

- (1D5) ENTERTAINMENT CENTR/EXT W/CD
- (76C) ENTERTAINMENT CTR/EXT CASSETTE
- (265) CODES/STANDARDS-CSA/CMVSS
- (1B1) CODES/STANDARDS USA



**WINNEBAGO**

DATE 02/23/01

DRAWN

P.E.

V.E.

FIRST USED

DRAWN

UNSPECIFIED TOLERANCES ARE:

UNLESS OTHERWISE SPECIFIED	1
ONE-PLACE (EXCEPT)	1.5
TWO-PLACE (EXCEPT)	0.50
THIRD PLACE	0.125

MATERIAL:


THIRD ANGLE PROJECTION

DO NOT SCALE DRAWING


TITLE: WIRING INSTL-BODY, 12V

SHEET 1 of 7 PART NO 139177

REF:136850 1 PAGE 37



DETAIL BA



LIGHT-WARDROBE  
87694-01-000 (2)  
SCREW  
G11-10-12U (4)  
CONNECTOR  
5B02B-01-000 (4)  
JD TO BLACK WIRE  
RD TO WHI WIRE  
PG TO SPADE TERMINAL

SWITCH  
56264-01-000 (2)  
SCREW  
G11-03-16B (4)

LAMP-FLUORESCENT  
113371-02-000  
SCREW  
G87-10-12U (2)  
CONNECTOR  
5B02B-01-000 (2)

(20F) SPEAKER-RADIO, TV  
84097-01-000  
SCREW  
G11-08-08B (2)

LIGHT-READING  
132427-01-CHT (2)  
SCREW  
G13-06-16U (4)  
CONNECTOR  
5B02B-01-000 (4)

WIRE ASM-OVHD  
132424-05-000

(20C) SPEAKER-CUBE, MTS  
1248B3-02-000  
SCREW  
G11-08-08B (3)

LIGHT-READING  
132427-01-CHT  
SCREW  
G13-06-16U (2)  
CONNECTOR  
5B02B-01-000 (2)

(WIN) LAMP-WALL  
11925B-08-CHT  
(WDL) 11925B-22-CHT  
(26L) 065201-08-CHT  
(ITA) 11925B-33-CHT  
119257-16-CHT  
SCREW  
G87-10-24J (2)  
CONNECTOR  
5B02B-01-000 (2)

(25E) RADIO-SPEAKER  
84097-01-000  
GRILLE  
90025-01-CHT  
SCREW  
G11-08-08B (4)

WIRE ASM-OVHD, REAR  
133231-02-000

WIRE ASM-COACH  
(SEE SHT 1)

WIRE ASM-SLIDEOUT, REAR  
137456-01-000

SEE DETAIL BA

WIRE COVER  
80531-04-CHT  
SCREW  
G11-08-12U (2)

CONNECTS TO WIRE ASM-EXT SLIDEOUT  
CONTROL-VOLUME, SPEAKER  
133089-01-000  
(20F)

WIRE ASM-SIDEWALL

- (WDL) WINNEBAGO DELUXE UPGRADE
- (26L) REAR STEREO SYSTEM W/CASSETTE
- (25E) REAR STEREO SYSTEM W/CD
- (ITA) ITASCA ONLY
- (WIN) WINNEBAGO ONLY
- (20C) SOUND SYS. DLX. W/O-SURROUND
- (20F) DELUXE SOUND SYSTEM-WITHOUT
- (265) CODES/STANDARDS-CSA/CMVSS
- (1B1) CODES/STANDARDS USA

(1B1) (265)


FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 126783-01-000

(X-X)

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000


FIRST USED	
02 P32T/TD	
DO NOT SCALE DRAWING	
TITLE: WIRING INSTL-BODY,12V	
SHEET 2	PART NO 139177





SWITCH-FAN  
 135740-04-CHT  
 SWITCH-BDRM CEILING  
 135740-01-CHT  
 SWITCH-COURTESY  
 135740-03-CHT  
 BASE  
 135741-03-CHT  
 BEZEL  
 135742-03-CHT  
 SCREW  
 G11-08-0BU(4)  
 WIRE ASM-RESISTOR, FAN (2)  
 140195-01-000

DETAIL DB (WIN)



SWITCH-DIMMER  
 137889-01-000  
 SCREW  
 G11-08-10U(2)

RED

WHITE

PC CONNECTOR  
 058028-01-000 (2)






PLATE-WALL, TELEPHONE  
 93253-01-CHT

DETAIL DF




SWITCH  
 135740-01-CHT(2)  
 BASE  
 135741-02-CHT  
 BEZEL  
 135742-02-CHT  
 SCREW  
 G11-08-0BU(4)

DETAIL DC




SWITCH-COURTESY  
 135740-03-CHT  
 BASE  
 135741-01-CHT  
 BEZEL  
 135742-01-CHT  
 SCREW  
 G11-08-0BU(2)

DETAIL DB (WDL, ITA)




SWITCH  
 135740-01-CHT(12)  
 135740-03-CHT  
 BASE  
 135741-03-CHT  
 BEZEL  
 135742-03-CHT  
 SCREW  
 G11-08-0BU(4)

DETAIL DG (715)




SWITCH  
 135740-01-CHT(2)  
 BASE  
 135741-02-CHT  
 BEZEL  
 135742-02-CHT  
 SCREW  
 G11-08-0BU(4)



SWITCH  
 132180-01-CHT (3)  
 132180-02-CHT  
 PLATE-SWITCH  
 88351-08-CHT  
 SCREW  
 G11-06-10J (4)


DETAIL DD



SWITCH  
 135740-01-CHT(12)  
 BASE  
 135741-02-CHT  
 BEZEL  
 135742-02-CHT  
 SCREW  
 G11-08-0BU(4)

DETAIL DA


SWITCH-AWNING CONTROL  
 108357-06-000  
 ACTUATOR  
 108359-12-CHT  
 CIRCUITS  
 FFK, FFU, FFM  
 FFN, FFV, FFR



SWITCH-AWNING SELECTOR  
 108357-08-000  
 ACTUATOR  
 108359-13-CHT  
 CIRCUITS  
 FFU, FFF, FFV

PLATE  
 88351-22-CHT

DETAIL DJ (9C1)



WIRE ASM-SIDEWALL, FRONT  
 (PHONE WIRE)

WIRE ASM-SIDEWALL, RR  
 (PHONE WIRE)

DETAIL DE

- (WDL) WINNEBAGO DELUXE UPGRADE
- (ITA) ITASCA ONLY
- (WIN) WINNEBAGO ONLY
- (715) VENT-POWER
- (B3N) AWNING-ENTRANCE DR, ELECTRIC
- (B2N) AWNING - PATIO, ELECTRIC
- (9C1) AWNING-ELECTRIC PACKAGE
- (265) CODES/STANDARDS CSA/CMV55
- (1B1) CODES/STANDARDS USA

(1B1) (265)




- 3. CUT TERMINALS FROM WIRE ASM-COACH AND REPLACE WITH CONNECTOR SHOWN
- 2. CONNECT WIRE ASM-RESISTOR, FAN TO 2-PIN HOUSING LOCATED BY THE SWITCH WIRES.
- 1. CONNECT TELEPHONE WIRES TO MATCHING COLORS ON PLATE-TELEPHONE.

NOTES:

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

(X-X) FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

FIRST USED		02 P32T/TD	
DO NOT SCALE DRAWING			
WIRING INSTL-BODY, 12V			
SHEET 4	PART NO	139177	



NOTES:

1. CONNECT BLUE WIRES FROM RESET TO THE BLUE WIRES WITH SPADE TERMINALS ON A/C CORD WITH (29H) & (SL1).

(265) CODES/STANDARDS-CSA/CMVSS  
 (1B1) CODES/STANDARDS USA  
 (1B1) (265)


FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

(X-X)

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000


FIRST USED		02 P32T/TD	
DO NOT SCALE DRAWING			
TITLE: WIRING INSTL-BODY, 12V			
SHEET 5	PART NO	139177	





LIGHT  
93575-19-CHT  
BULB  
117806-01-000(15)  
SCREW  
G11-08-16B(13)  
CONNECTOR  
58028-01-000(12)

WDL  
ITA



DETAIL FA

CEILING FAN  
139134-01-CHT  
SCREW  
G11-10-16B(13)  
CONNECTOR  
58028-01-000(12)  
(SEE DETAIL FA)

WIN

48V  
FLUN4  
2

LIGHT-FLOURESCENT  
139416-02-000(12)  
BULB, SUPPLIED  
WITH LAMP  
BRACKET  
133077-02-CHT

FLUN4  
WIN  
WDL

LFI-2

(LEFT FRONT)

LFI-2

SWITCH-PUSH BUTTON  
41250-01-000(15)  
BRACKET-SWITCH,LIGHT  
138494-01-CHT  
SCREW  
639-08-16E(12)

LFI-2  
4

WASHER, PLASTIC  
087080-02-CHT(14)

SWITCH-PUSHBUTTON  
41250-01-000(15)  
BRACKET-SWITCH,LIGHT  
138494-01-CHT(15)  
SCREW  
639-08-16E(12)  
WASHER, PLASTIC  
087080-02-CHT(13)

- 48M LIGHTS-INCANDESCENT
- WDL WINNEBAGO DELUXE UPGRADE
- WIN WINNEBAGO ONLY
- ITA ITASCA ONLY
- 48V LIGHTS-FLOURESCENT
- 265 CODES/STANDARDS-CSA/CMVSS
- IB1 CODES/STANDARDS USA


IB1 265

NOTES:  
LAMP TO BE MOUNTED WITH SWITCH  
OUTWARD AND 75:20 FROM EDGE  
OF FLOOR.


FOR ELECTRICAL  
TORQUE  
SPECIFICATIONS  
SEE DWG NO.  
128783-01-000

(X-X)  
FOR  
ELECTRICAL  
CALLOUTS  
SEE DWG NO.  
121339-01-000


FIRST USED		02 P32T/TD	
DO NOT SCALE DRAWING			
TITLE: WIRING INSTL-BODY,12V			
SHEET 6	PART NO	139177	




DETAIL GB 480




VIEW GC-GC




DETAIL GD





PANEL-SOLAR 10 WATT 290



ANTENNA-RADIO 26L 25E



ANTENNA-RADIO 1D5 76C



VIEW GA-GA

FOR WIRING ISEE DETAIL GD1

25 DIA  
SEAL  
SOLAR PANEL

- 2. DRILL HOLE IN REAR CAP FOR WIRE DROP TO SOLAR PANEL FROM WIRE ASM-ROOF.
- 3. WRAP BRACKET LEGS AROUND ANTENNA BASE.

NOTES:

- 26L REAR STEREO SYSTEM W/CASSETTE
- 25E REAR STEREO SYSTEM W/CD
- 290 SOLAR PANEL-10 WATT
- 76C ENTERTAINMNT CTR/EXT CASSETTE
- 1D5 ENTERTAINMENT CTR/EXT W/CD
- 480 SATELLITE DISH & ELEV.SENSOR
- 193 TV ANTENNA-AMPLIFIED SYSTEM
- 26S CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

FIRST DSD

02 P32T/TD

DO NOT SCALE DRAWING

TITLE: WIRING INSTL-BODY,12V

SHEET 7

PART NO

139177



FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

(X-X) FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000



- BOX 8289-01-000
- SCREW 511-08-12B (2)
- COVER 8294-01-000
- CONNECTOR 8356-01-000 (4)
- WIRE 133678-01-000 (2)
- CONNECTOR 8314-01-0000 (3)
- SCREW-GROUND GREEN 103291-01-000

- YEL BLK (2)
- WHT (2) FROM 4X4 BOX
- GRN (3) (SEE DETAIL AB)
- BRN BLK (2)
- WHT (2) FROM 4X4 BOX
- GRN (3) (SEE DETAIL AB)



- 136131-03-070 14-UL (BRN)
- 136134-03-070 14-CA (BRN)

SP-04

- RCP-2 (BRN) DINETTE OVHD
- RCP-2 (BRN) SDW DINETTE

RECP-3 (YEL-2) REFRIGERATOR

RCP-B DET BC BED CABT

SP-04 RCP-2 (PUR) BDRM LH RR

RCP-B (PUR) NIGHTSTAND

LOAD CENTER/ATS 137998-01-000

4X4 BOX (SEE DETAIL BB)

3. ROUTE WIRE IN SIDEWALL DURING INSTALLATION.
2. ALL WIRES ARE TO BE CLAMPED 10497-05-000 WITHIN 200 OF OUTLET BOXES AND SPLICES. USE SCREW 667-10-12B.
1. ALL WIRES TO BE CLAMPED WITH CLAMP 10495-01-000 OR CLIP 80234-02-000 EVERY 700. USE SCREW 667-10-12B UNLESS OTHERWISE SPECIFIED.


- 78J ELECTRICAL SYSTEM-50 AMP
- 12D ELECTRICAL SYSTEM 30 AMP
- 1B2 WTR HTR-10GAL/ELEC/LP/MTRA 1D
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

1B1 265

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

FIRST USED	
02 P32T/TD	
DO NOT SCALE DRAWING	
TITLE: WIRING INSTL-BODY,110V	
SHEET 2	PART NO 139178



- (42A) CLOCK W/ALARM
- (26K) REAR STEREO SYSTEM WITHOUT
- (9A1) ACCESSORY PACKAGE
- (420) TV-19" WITH REMOTE
- (51B) HAIR DRYER
- (49G) FLASHLIGHT
- (22R) VACUUM CLEANER-PORTABLE
- (9A1) ACCESSORY PACKAGE
- (13B) INVERTER/CHARGER-DC/AC W/O
- (26S) CODES/STANDARDS-CSA/CMVSS
- (81B) CODES/STANDARDS-USA
- (26K) REAR STEREO SYSTEM WITHOUT
- (42A) CLOCK W/ALARM
- (420) TV-19" WITH REMOTE
- (26K) REAR STEREO SYSTEM WITHOUT
- (42A) CLOCK W/ALARM

4. ROUTE WIRE IN THE FLOOR DURING INSTALLATION.

3. ROUTE WIRE IN SIDEWALL DURING INSTALLATION.

2. ALL WIRES ARE TO BE CLAMPED WITH CLAMP 10497-05-000 WITH IN 200 OR OUTLET BOXES, USE SCREW 667-10-128.



1. ALL WIRES TO BE CLAMPED WITH CLAMP 10495-01-000 OR CLIP 80734-02-000 EVERY 700. USE SCREW 667-10-128 UNLESS OTHERWISE SPECIFIED.

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 126783-01-000

(X-X)

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

FIRST USED	02 P32T/DT
DO NOT SCALE DRAWING	
TITLE:	WIRING INSTL-BODY
SHEET 3	PART NO 139178



- NOTES:
1. ALL WIRES TO BE CLAMPED WITHIN 200 OF BOX.
  2. GROUND WIRES NOT SHOWN FOR CLARITY.
  3. ALL 110V STRANDED WIRE W/O TERMINALS TO BE STRIPPED 10MM AND SOLDER DIPPED.



- (79J) INVERTER/CHARGER-1,500 WATT
- (78J) ELECTRICAL SYSTEM-50 AMP
- (670) GEN-7.5KW-ONAN-QUIET DIESEL
- (285) CODES/STANDARDS-CSA/CMVSS
- (1B1) CODES/STANDARDS USA

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 126783-01-000

(X-X)

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

FIRST USED	
02 P32T/TD	
DO NOT SCALE DRAWING	
TITLE: WIRING INSTL-BODY,110V	
SHEET 4	PART NO 139178



VIEW AA

- ▲ CLAMP 10497-03-000, SCREW G11-10-16B.
- ▲ CLAMP 83610-01-000, SCREW G11-10-16B.
- ▲ USE WIRE TIE 8343-04-000 TO SECURE WIRE TO FLOOR SUPPORT FRAME AT LEAST ONCE EVERY 600MM.
- ▲ SECURE CORD AWAY FROM ALL MOVING PARTS AND EXHAUST WITH TIE-WIRE 93147-01-000 AS REQUIRED.
- ▲ SEE WIRING INSTL-FRONT END FOR ADDITIONAL INFORMATION.


1. LEGEND, WINNEBAGO, CABLE, CHASSIS SUPPLIED.

- 670 GEN-7.5KW-ONAN-QUIET DIESEL
- 39R GEN-6.5KW-ONAN-LP-MARQUIIS
- 21V SOUND SYSTEM DELUXE
- 1FV FEIGHTTLINER CHASSIS-29,410#
- 265 CODES/STANDARDS CSA/CMVSS
- 1B1 CODES/STANDARDS USA


FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000	(X-X)	FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000
--	-------	---

**WINNEBAGO**


QTR	ORIG. DATE	02/23/01
DWR	ALL DIMENSIONS ARE IN MILLIMETERS	
P.E.	FIRST USED	
W.E.	02 P32T/TD	
DWH	UNSPECIFIED TOLERANCES ARE:	
	HOLES DIA (X, Y, Z)	1
	ONE-PLACE (X, Y, Z)	1.5
	TWO-PLACE (X, Y, Z)	0.50
	FINISH	12"
THIRD ANGLE PROJECTION		
DO NOT SCALE DRAWING		
TITLE: WIRING INSTL-CHASSIS		
SHEET 1 of 2	DWG NO	139179
REF:	1 PAGE 48	




VIEW BB  
(COACH BATTERIES NOT SHOWN)



VIEW BB (79J)  
(CHASSIS BATTERIES NOT SHOWN)



VIEW BB (22W)  
(CHASSIS BATTERIES NOT SHOWN)






DETAIL BA

▲ SUPPLIED WITH CHASSIS  
 1 CLAMP WIRES TO TUBE WITH ENOUGH SLACK TO PULL BATTERY TRAY OUT 20 INCHES

(79J) INVERTER/CHARGER-1,500 WATT  
 (22W) BATTERY-SECOND

PART ORG		02 P32T/TD	
DO NOT SCALE DRAWING			
TITLE: WIRING INSTL-CHASSIS			
SHEET 2	2	PART NO	139179







**WINNEBAGO**

DTM: 09-18-01  
 DATE: 09-18-01  
 ALL DIMENSIONS ARE IN MILLIMETERS  
 MATERIAL: 02 P34H/HD  
 DO NOT SCALE DRAWING  
 WIRING DIAGRAM-BODY, 12V  
 SHEET 1 OF 9 PART NO 140212

SIF1

A1-AAX 16 WHT A2- 16 WHT A3- 16 WHT  
 B1-BBM 16 YEL B2-BBN 16 YEL B3-CCY 16 YEL B4-CCZ 16 YEL  
 C1-DDA 16 YEL C2-TM 16 WHT C3-DJ 14 YEL  
 D2-LM 16 WHT D3-LN 16 WHT D4-HU 16 YEL E1-MM 14 YEL  
 E2-IHS 16 YEL F1- 16 YEL F2- 16 YEL  
 G1-DL 16 YEL G2-DM 16 WHT G3-DJ 14 YEL  
 G4-DK 16 WHT H1-AA 16 WHT H2- 16 WHT  
 J1- 16 YEL J2-WH 16 YEL J3-ER 16 YEL  
 J4- 16 YEL K1-FFD 12 YEL K2- 16 YEL  
 K3-AAW 16 YEL


CONNECTS TO WIRE ASM-IP MAIN (LOCATED BELOW DRIVER) 1




STEP COVER SWITCH




ELECTRIC STEP SWITCH



CONNECTS TO ELECTRIC STEP




WIRE ASM-CRT BRK POWER IN FRONT ELECTRICAL




2 SEE MANUFACTURER'S DIAGRAM FOR ADDITIONAL INFORMATION.  
 1 SEE WIRING DIAGRAM-AUTO FOR ADDITIONAL INFORMATION.


(LOCATED IN POWERCORD COMPT.)




CONNECTS TO LP DETECTOR










REFRIGERATOR



CONNECTS TO WIRE ASM: SIDEWALL, RIGHT (SHT 3, D-4) (LOCATED IN BASE OF REFRIGERATOR CABT.)






LOUNGE CEILING LAMP SWITCH





WIRING DIAGRAM-COACH (WIRE ASM 140209)

FIRST USED	02 P34H/HD
TITLE	DO NOT SCALE DRAWING
WIRING DIAGRAM-BODY, 12V	
SHEET 2	PART NO 140212


























WIRING DIAGRAM-ROOF  
(WIRE ASM 140463)

FIRST USED		02 P3634H/HD	
DO NOT SCALE DRAWING			
TITLE: WIRING DIAGRAM-BODY, 12V			
S4 F1	SHEET 4	PART NO	140212




1 SEE MANUFACTURER'S DIAGRAM FOR ADDITIONAL INFORMATION.

NOTES:




NOTES:  
1 SEE MANUFACTURER'S DIAGRAM FOR ADDITIONAL INFORMATION.



FIRST USED	02 P34H/HD
TITLE:	DO NOT SCALE DRAWING
WIRING DIAGRAM-BODY, 12V	
SHEET 5	PART NO 140212



WIRING DIAGRAM-SIDEWALL (WIRE ASM 140487)






WIRING DIAGRAM-SIDEWALL, RR (WIRE ASM 134061-03)






WIRING DIAGRAM-SL IDEOUT, REAR (WIRE ASM 137456)



FIRST USED	02 P34H/HD
DO NOT SCALE DRAWING	
TITLE:	WIRING DIAGRAM-BODY, 12V
SHEET 6	PART NO 140212



FIRST USED	02 P34H/HD	
TITLE:	DO NOT SCALE DRAWING	
SHEET	7	PART NO 140212



FIRST USED	02 P34H/HD
DO NOT SCALE DRAWING	
TITLE:	WIRING DIAGRAM-BODY,12V
SHEET	8 PART NO 140212




FIRST USED	02 P34H/HD
TITLE:	DO NOT SCALE DRAWING
TITLE:	WIRING DIAGRAM-BODY, 12V
SHEET 9	PART NO 140212







LOAD CENTER




CENTRAL AIR UNIT  
(LOCATED IN RIGHT REAR  
COMPARTMENT BELOW FLOOR)





AUTOMATIC  
TRANSFER  
SWITCH



SWITCH-WATER  
HEATER  
(LOCATED IN  
GALLEY AREA)



CURRENT SENSING LOOP  
(NEUTRAL WIRE PASSES  
THRU THE CENTER)  
(LOCATED IN LOAD CENTER)



- NOTES:
- 5 THIS IS THE TYPE OF WIRE FOR THE ENTIRE CIRCUIT UNLESS OTHERWISE SPECIFIED.
  - 4 WIRE ROUTED THROUGH FLOOR
  - 3 WIRE ROUTED IN ROOF
  - 2 WIRE ROUTED IN SIDEWALL
  - 1 ALL OUTLETS DOWN STREAM AND INCLUDING THIS OUTLET ARE GROUND FAULT INTERRUPT PROTECTED.



- 9A1 ACCESSORY PACKAGE
- 79J INVERTER/CHARGER - 1,500 WATT
- 54E WASHER/DRYER
- 265 CODES/STANDARDS - CSA/CMVSS
- 120 ELECTRICAL SYSTEM 30 AMP
- 1B2 WTR HTR - 100AL/ELEC/LP/MTR/1RD
- 1B1 CODES/STANDARDS - USA
- 120 1B1 265 79J

REVISED: 02 P34H/HD  
DO NOT SCALE DRAWING  
TITLE: WIRING DIAGRAM-BODY, 110V  
SHEET 2 PART NO 140213





- 9A1 DINING/COMPUTER TABLE/CHAIRS
- 78C ENTERTAINMENT CTR/EXT CASSETTE
- 1D5 ENTERTAINMENT CENTER/EXT W/CD



LOAD CENTER



AUTOMATIC TRANSFER SWITCH



- 6 THIS IS THE TYPE OF WIRE FOR ENTIRE CIRCUIT UNLESS OTHERWISE SPECIFIED.
- 5 6-3 WITH 6500 WATT GENERATOR AND 4-3 WITH 7500 WATT GENERATOR.
- 4 WIRE ROUTED THROUGH FLOOR.
- 3 WIRE ROUTED IN ROOF.
- 2 WIRE ROUTED IN SIDEWALL.
- 1 PROTECTED BY GF1 RECP.

NOTES:

- (7BJ) ELECTRICAL SYSTEM-50 AMP
- (9A1) ACCESSORY PACKAGE
- (79J) INVERTER/CHARGER-1,500 WATT
- (54E) WASHER/DRYER
- (265) CODES/STANDARDS - CSA/CMVSS
- (1D5) ENTERTAINMENT CENTR/EXT W/CD
- (1B2) WTR HTR - 100AL/ELEC/LP/MTR/1AID
- (1B1) CODES/STANDARDS - USA
- (1B1) (265) (7BJ) (79J)


FIRST USED: 02 P34H/HD

TITLE: DO NOT SCALE DRAWING


WIRING DIAGRAM-BODY, 110V

SHEET 4 PART NO 140213

- (21K) DINING/COMPUTER TABLE/CHAIRS
- (78C) ENTERTAINMENT CTR/EXT CASSETTE



- (64R) EXTERIOR WASH STATION
- (530) WINTERIZING KIT
- (1D5) ENTERTAINMENT CTR/EXT W/CD
- (76C) ENTERTAINMENT CTR/EXT CASSETTE
- (1B1) CODES/STANDARDS USA
- (265) CODES /STANDARDS-CSA/CMVSS



4. CONNECT TELEPHONE WIRES TO MATCH COLORS ON PLATE-TELEPHONE.
3. WIRES THAT REST ON WIRE TRAYS ARE TO BE TIED DOWN WITH WIRE TIE B343-02-000.
  2. CLAMP TO FLOOR SUPPORT TUBES AS NECESSARY WITH CLAMP 10497-01-000.
  1. ALL WIRE TO BE CLAMPED WITH CLAMP 10495-01-000 OR CLIP 80734-02-000 EVERY 700. USE SCREW G67-10-12B UNLESS OTHERWISE SPECIFIED.

(1B1) (265)

**WINNEBAGO**

DTR: 07/12/01  
 DATE: 07/12/01  
 DWS: ALL DIMENSIONS ARE IN MILLIMETERS  
 P.E.:  
 W.E.: FIRST USED  
 DWS: 02 P34H/HD


UNSPECIFIED TOLERANCES ARE:  
 MATERIAL:  
 HOLE DIA (X.X) ± .01  
 ONE-PLACE (X.X) ± .01  
 TWO-PLACE (X.X) ± .01  
 HOLE ± .01  
 THIRD ANGLE PROJECTION

**DO NOT SCALE DRAWING**

TITLE: WIRING INSTL.-BODY, 12V  
 SHEET 1 of 6 PART NO 140210

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWS NO. 128793-01-000

(X-X) FOR ELECTRICAL CALLOUTS SEE DWS NO. 121339-01-000



- (ITA) ITASCA ONLY
- (WIN) WINNEBAGO ONLY
- (WDL) WINNEBAGO DELUXE UPGRADE
- (28L) REAR STEREO SYSTEM W/CASSETTE
- (29E) REAR STEREO SYSTEM W/CD
- (29H) HEAT PUMP-A/C CENTRAL
- (29C) A/C CENTRAL
- (26S) CODES/STANDARDS-CSA/CMVSS
- (20C) SOUND SYSTEM DLX. W/O-SURROUND
- (20F) DELUXE SOUND SYSTEM-WITHOUT
- (290) SOLAR PANEL-10 WATT
- (1B1) CODES/STANDARDS USA


(265) (1B1)

NOTES: 1 WITHOUT (29C) PLUG THE TWO, TWO PIN HOUSINGS TOGETHER ON WIRE ASM-COACH.


FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128793-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000


FIRST USED **02 P34H/HD**  
**DO NOT SCALE DRAWING**  
 TITLE: **WIRING INSTL.-BODY, 12V**  
 SHEET 2 PART NO **140210**




FIRST DWD 02 P34H/HD  
DO NOT SCALE DRAWING  
TITLE: WIRING INSTL.-BODY, 12V  
SHEET 3 PART NO 140210




DETAIL DE (FRONT SIDE)



DETAIL DE (BACK SIDE)



DETAIL DJ (530)



DETAIL DK (WDL, ITA)

- (WDL) WINNEBAGO DELUXE UPGRADE
- (ITA) ITASCA ONLY
- (WIN) WINNEBAGO ONLY
- (52N) AWNING-PATIO, ELECTRIC
- (63N) AWNING-ENTRANCE DR., ELECTRIC
- (9C1) AWNING-ELECTRIC PACKAGE
- (530) WINTERIZATION KIT


FIRST USED	
02 P34H/HD	
DO NOT SCALE DRAWING	
TITLE:	WIRING INSTL.-BODY, 12V
SHEET 4	PART NO 140210

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128793-01-000


FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

SWITCH-AWNING CONTROL  
109357-06-000  
ACTUATOR  
109356-13-CHT  
CIRCUITS  
FFK,FFU,FFM,  
FFN,FFV,FFR


SWITCH-AWNING SELECTOR  
109357-08-000  
ACTUATOR  
109356-13-CHT  
CIRCUITS  
FFU,FFP,FFV




DETAIL DD (FRONT SIDE) (9C1)




DETAIL DD (BACK SIDE) (9C1)




DETAIL DK (WIN)




DETAIL DA




DETAIL DG



DETAIL DA (WIN)



DETAIL DB



DETAIL DC

SWITCH-ROCKER  
135740-02-CHT  
135740-04-CHT  
SWITCH-BASE  
135741-03-CHT  
SWITCH-BEZEL  
135742-23-CHT  
SCREW  
G11-08-0BU (4)  
WIRE ASM-RESISTOR,FAN  
140195-01-000

SWITCH-ROCKER (2)  
135740-01-CHT  
135740-02-CHT  
SWITCH-BASE  
135741-03-CHT  
SWITCH-BEZEL  
135742-28-CHT  
SCREW  
G11-08-0BU (4)




SWITCH-ROCKER  
135740-01-CHT  
135740-03-CHT  
SWITCH-BASE  
135741-02-CHT  
SWITCH-BEZEL  
135742-17-CHT  
SCREW  
G11-08-0BU (4)

SWITCH-ROCKER  
135740-01-CHT  
SWITCH-BASE  
135741-01-CHT  
SWITCH-BEZEL  
135742-07-CHT  
SCREW  
G11-08-0BU (2)

SWITCH-ROCKER  
135740-02-CHT  
SWITCH-BASE  
135741-02-CHT  
SWITCH-BEZEL  
135742-13-CHT  
SCREW  
G11-08-0BU (4)

SWITCH-ROCKER (2)  
135740-02-CHT  
SWITCH-BASE  
135741-02-CHT  
SWITCH-BEZEL  
135742-13-CHT  
SCREW  
G11-08-0BU (4)

CONNECT WIRE ASM RESISTOR TO 2-PIN HOUSING LOCATED BY SWITCH WIRES.



(265) CODES/STANDARDS CSA/CVSS  
 (181) CODES/STANDARDS USA  
 (181) (265)

NOTES:  
 1. COINNECT BLUE WIRES FROM RESET TO THE BLUE WIRES WITH SPADE TERMINALS ON A/C CORD WITH (29H) & (9L1).

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128793-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000


FIRST USED		02 P34H/HD	
DO NOT SCALE DRAWING			
TITLE: WIRING INSTL.-BODY, 12V			
SHEET 5	PART NO		140210





DRAWING NO.	FEATURE
140211-01	-----
140211-11	1B1 12D
140211-12	1B1 78J
140211-13	1B1 12D 79J
140211-14	1B1 78J 79J
140211-15	265 12D
140211-16	265 78J
140211-17	265 12D 79J
140211-18	265 78J 79J

REVZONE REVISION RECORD DATE DTB-018  
 PREVIOUS REV NO 140211  
 DATE 07-18-01



INVERTER CHARGER  
 113685-07-000  
 SCREW  
 642-04-18B (2)  
 BRACKET-INVERTER  
 130034-02-CHT  
 BOLT  
 626-04-18B  
 NUT  
 039-04-00B (2)

GROMMET 670  
 23942-01-000  
 PLATE-MOUNTING, CONDUIT  
 106597-02-000  
 CONNECTOR  
 93256-02-000  
 SCREW  
 639-08-08T (14)



- 39C GEN-6.5KW-ONAN-LP-MARO GOLD
- 670 GEN-7.5KW-ONAN-QUIT DIESEL
- 79J INVERTER/CHARGER-1,500 WATT
- 78J ELECTRICAL SYSTEM-50 AMP
- 12D ELECTRICAL SYSTEM-30 AMP
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

**WINNEBAGO**

DATE 07/11/01  
 ALL DIMENSIONS ARE IN MILLIMETERS  
 FIRST USED  
 02 P34H/HD  
 UNSPECIFIED TOLERANCES ARE:  
 HOLE DIA .015  
 ONE-PLACE .15(.001)  
 TWO-PLACE .15(.001)  
 HOLE .015  
 THIRD ANGLE PROJECTION  
 DO NOT SCALE DRAWING  
 TITLE: WIRING INSTL-BODY,110V  
 SHEET 1 of 4 PART NO 140211

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128793-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000



2. ALL WIRES ARE TO BE CLAMPED 10497-05-000 WITHIN 200 OF OUTLET BOXES AND SPLICES. USE SCREW 667-10-12B.
1. ALL WIRES ARE TO BE CLAMPED WITH CLAMP 10495-01-000 ARE CLIP 80734-02-000 EVERY 700. USE SCREW 667-10-12B UNLESS OTHERWISE SPECIFIED.

NOTES:

- (7BJ) ELECTRICAL SYSTEM-50 AMP
- (12D) ELECTRICAL SYSTEM-30 AMP
- (265) CODES/STANDARDS-CSA/CMVSS
- (1B1) CODES/STANDARDS USA

(1B1) (265) (12D) (7BJ)

02 P34H/HD


DO NOT SCALE DRAWING

WIRING INSTL-BODY,110V

SHEET 2 PART NO 140211

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO: 128793-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO: 121339-01-000



3. ROUTE WIRES IN THE FLOOR DURING INSTALLATION

2. ALL WIRES ARE TO BE CLAMPED 10497-05-000 WITHIN 200 OF OUTLET BOXES AND SPLICES. USE SCREW 667-10-12B.

1. ALL WIRES ARE TO BE CLAMPED WITH CLAMP 10495-01-000 ARE CLIP 80734-02-000 EVERY 700. USE SCREW 667-10-12B UNLESS OTHERWISE SPECIFIED.

NOTES:

TO RECP1-BLANK (SEE DETAIL 80)

- (26K) REAR STEREO SYSTEM WITHOUT
- (420) TV-19" WITH REMOTE
- (265) CODES/STANDARDS-CSA/CMVSS
- (1B1) CODES/STANDARDS USA

(1B1) (265) (120) (79J)

02 P34H/HD

DO NOT SCALE DRAWING




WIRING INSTL-BODY,110V

SHEET 3 PART NO 140211

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128793-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000





DETAIL DB


- (48G) FLASHLIGHT
- (22R) VACUUM CLEANER-PORTABLE
- (9A1) ACCESSORY PACKAGE
- (265) CODES/STANDARDS CSA/CMVSS
- (1B1) CODES/STANDARDS USA

FIRST USED		02 P34H/HD	
DO NOT SCALE DRAWING			
TITLE:			
WIRING INSTL-BODY, 110V			
SHEET 4	PART NO 140211		

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128793-01-000

(X-X) FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

NOTES:



LEGEND: — WINEBAGO; - - - - - CABLE; - - - - - CHASSIS SUPPLIED WIRING

NOTES:

- 7 CLAMP 10497-03-000, SCREW 639-08-12B.
- 6 CLAMP 83610-01-000, SCREW 639-08-12B
- 5 USE WIRE TIE 8343-04-000 TO SECURE WIRES TO FLOOR SUPPORT FRAME AT LEAST ONCE EVERY 600MM.
- 4 SUPPLIED WITH CHASSIS.
- 3 SECURE CORD AWAY FROM ALL MOVING PARTS AND EXHAUST WITH TIE-WIRE 93147-01-000 AS REQUIRED
- 2 SEE WIRING INSTL-FRONT END FOR ADDITIONAL INFORMATION

- 64J SEAT PED-6-WAY DR/PASS POWER
- 79J INVERTER/CHARGER - 1,500 WATT
- 670 GEN-7.5KW-ONAN-QUIET DIESEL
- 39R GEN-6.5KW-ONAN-LP-MARQUIS
- 265 CODES/STANDARDS-CSA/CMVSS
- 22W BATTERY-TWO
- 20C SOUND SYSTEM DELUXE
- IFC FREIGHTLINER CHASSIS-24,8504
- 1B1 CODES/STANDARDS USA

**WINNEBAGO**

DATE 07/02/01  
 ORG. DATE 07/02/01  
 ALL DIMENSIONS ARE IN MILLIMETERS  
 P34 H/HO


UNSPECIFIED TOLERANCES ARE:  
 HOLE DIM (H) .125  
 ONE-PLACE (H, X, Y) .125  
 TWO-PLACE (H, X, Y) .125  
 HOLE .125

THIRD ANGLE PROJECTION


DO NOT SCALE DRAWING

TITLE: WIRING INSTL-CHASSIS  
 SHEET 1 of 2 PART NO 140208


REF: 1 PAGE 79




VIEW BB-BB



VIEW BB-BB (79J)




VIEW BB-BB (22W)




VIEW BA-BA


- (79J) INVERTER/CHARGER-1,500 WATT
- (22W) BATTERY-TWO

FIRST USED	P34 H/HD	
TITLE:	DO NOT SCALE DRAWING	
	WIRING INSTL-CHASSIS	
SHEET	2	PART NO 140208















WIRING DIAGRAM CHASSIS (WIRE ASM 137992-01)




FIRST USED	02 P36C
DO NOT SCALE DRAWING	
TITLE: WIRING DIAGRAM-BODY,12V	
F1 SHEET 2	PART NO 138771





WIRING DIAGRAM ROOF (WIRE ASM 138815-011)


FIRST USED	02 P36C
DO NOT SCALE DRAWING	
TITLE:	WIRING DIAGRAM-BODY,12V
SHEET 3	PART NO 138771




FIRST USED	02 P36C
TITLE:	DO NOT SCALE DRAWING
WIRING DIAGRAM-BODY, 12V	
SHEET 4	PART NO 138771








WIRING DIAGRAM MAIN HOLDING TANK  
(WIRE ASM 96450-05)




WIRING DIAGRAM RESISSTOR,FAN  
(WIRE ASM 140195-01)




WIRING DIAGRAM SERVICE LAMP  
(WIRE ASM 077093-13)



WIRING DIAGRAM GEN ADAPTER DIESEL  
(WIRE ASM 130331-02)



WIRING DIAGRAM GEN ADAPTER LP  
(WIRE ASM 130332-01)




WIRING DIAGRAM SOFA DBL,REST EASY  
(WIRE ASM 139583-01)

FIRST USED	02 P36C
DO NOT SCALE DRAWING	
TITLE: WIRING DIAGRAM-BODY,12V	
SHEET 6	PART NO 138771





LOAD CENTER



12-2 12-2 14-2 14-2 14-2 14-2 12-2

6-3

12-2

14-2

14-2

14-2

14-2

14-2

14-2

14-2

14-2

14-2

14-2

14-2


14-2

14-2

14-2


14-2

CENTRAL AIR UNIT (LOCATED IN RIGHT REAR COMPARTMENT BELOW FLOOR)



12-2

12-2



10-2

12-2

6-3

6-3

6-3

10-2

12-2

6-3

6-3

(1) POWERCORD

10-2

12-2

10-2

12-2

(1) GEN 4X4 BOX

WIRE SUPPLIED WITH GENERATOR

8 GRN

GROUND

CONNECT HERE WITH INVERTER

RECIP-BEDRM TV

RECIP-ENG HTR

ENGINE HEATER SWITCH

RECIP-BLANK, BATH WALL (LOCATED BEHIND MAGAZINE RACK IN BATH WALL)

RECIP-BDRM, RH

RECIP-BDRM, LH

RECIP-FRT, RH

CONNECTS TO RECIP-FRT, RH WITHOUT INVERTER

RECIP-BEDRM TV

RECIP-FRT, RT

RECIP-GALLEY OVHD

RECIP-EXTERIOR

RECIP-EXTERIOR ENTERTAINMENT (76C/105)

RECIP-LOUNGE FRT, RT

RECIP-BLANK, BATH WALL (LOCATED BEHIND MAGAZINE RACK IN BATH WALL)

RECIP-BDRM, RH

RECIP-BDRM, LH

RECIP-FRT, RH

CONNECTS TO RECIP-FRT, RH WITHOUT INVERTER

RECIP-BEDRM TV

RECIP-FRT, RT

RECIP-GALLEY OVHD

RECIP-EXTERIOR

RECIP-EXTERIOR ENTERTAINMENT (76C/105)

RECIP-LOUNGE FRT, RT

RECIP-BLANK, CABT TV (LOCATED BEHIND BEDROOM TV)

RECIP-BLANK, JUNCTION (LOCATED IN BASE OF GALLEY CABT)

RECIP-GALLEY, GFI (1)

RECIP-CHARGER (9A1)

RECIP-LEFT, GFI (1)

4 X 4 BOX (LOCATED IN FRONT LUGGAGE COMPT)

CORD

4 X 4 BOX (LOCATED BELOW COUCH)

RECIP-DINETTE OVHD

RECIP-SDW DINETTE

RECIP-MICROWAVE

RECIP-REFRIGERATOR

RECIP CONVERTER

MODULE-E.M.S CONTROL (LOAD SHEDDER)

CURRENT SENSING LOOP (NEUTRAL WIRE PASSES THRU THE CENTER)

RECIP-WASHER/DRYER (54E)

SWITCH-WATER HEATER (LOCATED IN GALLEY AREA)


WATER HEATER (1B2)

- (5) 6-3 WITH 6500 WATT GENERATOR AND 4-3 WITH 7500 WATT GENERATOR.
- (4) WIRE ROUTED THROUGH FLOOR.
- (3) WIRE ROUTED IN ROOF.
- (2) WIRE ROUTED IN SIDEWALL.
- (1) ALL OUTLETS DOWN STREAM AND INCLUDING THIS OUTLET ARE GROUND FAULT INTERRUPT PROTECTED.

- (265) CODES/STANDARDS-CSA/CMVSS
- (76C) ENTERTAINMENT CTR/EXT CASSETTE
- (105) ENTERTAINMENT CENTR/EXT W/CD
- (9A1) ACCESSORY PACKAGE
- (78J) ELECTRICAL SYSTEM-50 AMP
- (54E) WASHER/DRYER
- (1B2) WTR HTR-10GAL/ELEC/LP/MTR/AID
- (1B1) CODES/STANDARDS USA

O2 P36C (1B1)78J(265) W/O INVERTER CHARGER

LOAD CENTER




12-2 12-2 10-2 14-2 12-1

SWITCH-WATER HEATER (LOCATED IN GALLEY AREA)




WATER HEATER (IB2)



RECP-REFRIGERATOR




INVERTER BREAKER PANEL



INVERTER



CENTRAL AIR UNIT (LOCATED IN RIGHT REAR COMPARTMENT BELOW FLOOR)



RECP-BLANK, BATH WALL (LOCATED BEHIND MAGAZINE RACK IN BATH WALL)

RECP-BDRM, RH

RECP-BLANK, CABT TV (LOCATED BEHIND BEDROOM TV)

RECP-BEDRM, LH

RECP-RIGHT, FRT

RECP-LEFT, FRT

RECP-BEDRM TV

RECP-GALLEY OVHD

RECP-EXTERIOR

RECP-EXTERIOR ENTERTAINMENT (76C) (1D5)

RECP-LOUNGE FRT, RT

RECP-CHARGER

RECP-GALLEY, GF1

RECP-BATH

4 X 4 BOX (LOCATED IN FRONT LUGGAGE COMPT)

4 X 4 BOX (LOCATED BELOW COUCH)

RECP-MICROWAVE

RECP-GALLEY, OVHD

RECP-CHARGER (9A1)

(265) CODES/STANDARDS-CSA/CMVSS (76C) ENTERTAINMENT CTR/EXT CASSETTE


- (9A1) ACCESSORY PACKAGE
- (79J) INVERTER/CHARGER-1,500 WATT
- (78J) ELECTRICAL SYSTEM-50 AMP
- (54E) WASHER/DRYER
- (1D5) ENTERTAINMENT CTR/EXT W/CD
- (1B2) WTR HTR-10GAL/ELEC/LP/MTR/TRAID
- (1B1) CODES/STANDARDS USA

02 P36C (1B1)(78J)(79J)(265)

WIRING DIAGRAM-BODY, L10V

- (6) 6-3 WITH 6500 WATT GENERATOR AND 4-3 WITH 7500 WATT GENERATOR.
- (5) WIRE ROUTED THROUGH FLOOR.
- (4) WITH WASHER DRYER.
- (3) WIRE ROUTED IN ROOF.
- (2) WIRE ROUTED IN SIDEWALL.
- (1) PROTECTED BY GFI RECP.


NOTES:



SWITCH-SERVICE LAMP  
 108357-01-000  
 ACTUATOR  
 108356-02-CHT  
 CIRCUITS  
 WC,WA

SWITCH-WATER PUMP  
 108357-15-000  
 ACTUATOR  
 108356-04-CHT  
 CIRCUITS  
 FK,AG,FS  
 FJ,AF,FK

PLATE-WALL, TELEPHONE/COAX  
 130686-01-CHT



LABEL  
 117628-02-000

VIEW AC-AC

TO WIRE ASM-SIDEWALL

TO WIRE ASM-EXTENSION SLIDEOUT

WIRE ASM-TANK WATER  
 96449-02-000

WIRE ASM-TANK AUX HOLDING  
 96451-07-000

WIRE ASM-TANK MAIN HOLDING  
 96450-05-000

(530) WIRES JA,JP,GA  
 TO WINTERIZATION VALVE  
 TO WATER PUMP  
 JS-RED  
 JY-BLK

(530) WIRES JA,JP,GB  
 TO WATER HEATER  
 BYPASS VALVE

WIRE TELEPHONE

COAX (RED)  
 TO CABLE INPUT  
 (SEE VIEW AC-AC)

8 PIN HOUSING  
 TO WATER CENTER  
 AND COMPT LAMP  
 SWITCH

8 PIN HOUSING  
 TO WATER PUMP SWITCH

TO GROUND BAR

WIRE ASM-THERMOSTAT  
 135131-01-000  
 TO A/C UNIT

WIRE ASM-COACH  
 138816-01-000

4 PIN HOUSING  
 TO FURNACE

3 PIN HOUSING  
 TO WATER HEATER

SEE SHEET 2 FOR  
 ADDITIONAL INFORMATION

2 PIN HOUSING  
 YELLOW COAX  
 TO EXT ENT CTR  
 ENTERTAINMENT CTR-COMPL  
 132987-01-000 ← 76C  
 132987-02-000 ← 1DS

- △ CONNECT TELEPHONE WIRES TO MATCHING COLORS ON PLATE-TELEPHONE.
- WIRES THAT REST ON WIRE TRAYS ARE TO BE TIED DOWN WITH WIRE TIE B343-02-000.
  - CLAMP TO FLOOR SUPPORT TUBES AS NECESSARY WITH CLAMP 10497-01-000
  - ALL WIRE TO BE CLAMPED WITH CLAMP 10495-01-000 OR CLIP 80734-02-000 EVERY 7000. USE SCREW G87-10-126 UNLESS OTHERWISE SPECIFIED.

- (41F) SOFA, 4-WAY
  - (41D) SOFA, 4-WAY, LEATHER
  - (64R) EXTERIOR WASH STATION
  - (530) WINTERIZING KIT
  - (1DS) ENTERTAINMENT CTR/EXT W/CD
  - (76C) ENTERTAINMENT CTR/EXT CASSETTE
  - (1B1) CODES/STANDARDS USA
  - (265) CODES/STANDARDS-CSA/CMVSS
- (1B1) X 265

**WINNEBAGO**

QTR \_\_\_\_\_ ORG. DATE 02/03/01

DWR \_\_\_\_\_ ALL DIMENSIONS ARE IN MILLIMETERS

P.E. \_\_\_\_\_

V.E. \_\_\_\_\_ FIRST USED \_\_\_\_\_

DWG. \_\_\_\_\_ Q2 P36C

UNSPECIFIED TOLERANCES ARE: MATERIAL:

HOLES DIA (X)	+ .1	
ONE-PLACE (X,XX)	+ 1.5	
TWO-PLACE (X,XX)	+ 0.50	
HALES	+ .1"	

THIRD ANGLE PROJECTION


DO NOT SCALE DRAWING

TITLE: WIRING INSTL-BODY, 12V



SHEET 1 of 7 PART NO 138769

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

(X-X) FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000



DETAIL BB



DETAIL BA

- (290) SOLAR PANEL-10 WATT
- (79J) INVERTER/CHARGER-1500 WATT
- (57I) RADIO SPEAKERS
- (29H) HEAT PUMP-A/C CENTRAL
- (29C) A/C CENTRAL
- (265) CODES STANDARDS-CSA/CMVSS
- (20C) SOUND SYS. DLX. W/O-SURROUND
- (20F) DELUXE SOUND SYSTEM-WITHOUT
- (1E3) ENERGY MANAGEMENT SYSTEM
- (1B1) CODES STANDARDS USA

SEE STYLING SHEET FOR ADDITIONAL INFORMATION.  
 1. WITHOUT (29H) PLUG THE TWO, TWO PIN HOUSINGS TOGETHER ON WIRE ASM-COACH.

FOR ELECTRICAL SPECIFICATIONS SEE DWG NO. 128783-01-000


FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

FIRST USED	02 P36C
DO NOT SCALE DRAWING	
WIRING INSTL-BODY, 12V	
SHEET 2	PART NO 138769

(265)(1B1)









SWITCH-ROCKER  
135740-01-CHT  
135740-02-CHT  
SWITCH-BASE  
95741-02-CHT  
SWITCH-BEZEL  
135742-21-CHT  
SCREW  
G11-08-0BU (4)

VIEW DA-DA




SWITCH  
89308-01-CHT  
89308-04-CHT  
PLATE  
98351-12-CHT  
SCREW  
G11-06-10U (4)

DETAIL DD




VIEW DG (64J)




SWITCH-ROCKER  
135740-01-CHT  
135740-02-CHT  
135740-04-CHT  
SWITCH-BASE  
135741-03-CHT  
SWITCH-BEZEL  
135742-23-CHT  
SCREW  
G11-08-0BU (4)  
WIRE ASM-RESISTOR,FAN  
140195-01-000

VIEW DB-DB




SWITCH  
132180-01-CHT  
PLATE-SWITCH  
98351-08-CHT  
SCREW  
G11-06-10J(4)

DETAIL DE




SWITCH-ROCKER  
135740-01-CHT (3)  
SWITCH-BASE  
135741-03-CHT  
SWITCH-BEZEL  
135742-28-CHT  
SCREW  
G11-08-0BU (4)



SWITCH-ROCKER  
135740-01-CHT  
135740-02-CHT  
SWITCH-BASE  
135741-02-CHT  
SWITCH-BEZEL  
135742-17-CHT  
SCREW  
G11-08-0BU (4)

VIEW DC-DC (715)


SWITCH-AWNING CONTROL  
ACTUATOR  
108356-12-CHT  
CIRCUITS  
FFX,FFU,FFM  
FFN,FFV,FFR




SWITCH-AWNING SELECTOR  
ACTUATOR  
108356-13-CHT  
CIRCUITS  
FFU,FFP,FFV

DETAIL DH

PLATE  
98351-22-CHT  
SCREW  
G11-06-10U(4)



DETAIL DF



SWITCH-ROCKER  
135740-01-CHT  
135740-02-CHT  
SWITCH-BASE  
135741-02-CHT  
SWITCH-BEZEL  
135742-18-CHT  
SCREW  
G11-08-0BU (4)

DETAIL DJ

- 3. CONNECT WIRE ASM RESISTOR TO 2-PIN HOUSING LOCATED BY SWITCH WIRES
- 4. SEE WIRING INSTL FRONT END FOR ADDITIONAL INFORMATION.
- 5. CONNECT TELEPHONE WIRES TO MATCHING COLORS ON PLATE-TELEPHONE



FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128763-01-000



FOR ELECTRICAL CALIBRATIONS SEE DWG NO. 121339-01-000

- (E2N) AWNING-PATIO, ELECTRIC
- (E3N) AWNING-ENTRANCE DR, ELECTRIC
- (S1) AWNING-ELECTRIC PACKAGE
- (64J) SEAT PED-6-WAY DR/PASS POWER
- (715) VENT-POWER
- (E30) WINTERIZATION KIT

FIRST USED	02 P36C
DO NOT SCALE DRAWING	
WIRING INSTL-BODY,12V	
SHEET 4	PART NO 138769



41F  
41G

CONNECT BLUE WIRES FROM RESET TO THE BLUE WIRES WITH SPADE TERMINALS ON A/C CORD WITH (28H) & (GL1).

NOTES:




265 CODES/STANDARDS CSA/CVSS  
181 CODES/STANDARDS USA

181 265

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

FIRST USED	02 P36C
DO NOT SCALE DRAWING	
TITLE	WIRING INSTL-BODY, 12V
SHEET 5	PART NO 138769



LF1-2

SWITCH-PUSHBUTTON  
41250-01-000  
BRACKET-SWITCH,LIGHT  
139494-01-CHT  
SCREW  
639-08-16E (2)

LF1N2 4

SWITCH-PUSHBUTTON  
41250-01-000(15)  
BRACKET-SWITCH,LIGHT  
139494-01-CHT(15)  
SCREW  
639-08-16E (10)

LAMP  
86280-01-000  
SCREW  
667-10-12U (2)  
CONNECTOR  
58028-01-000 (2)

LF1N2

LF1-2



- (48V) LIGHTS-FLUORESCENT
- (48M) LIGHTS-INCANDESCENT
- (265) CODES STANDARDS-CSA/CMVSS
- (1B1) CODES STANDARDS USA

NOTES:  
 LAMPS TO BE MOUNTED WITH SWITCH OUTBOARD  
 AND 75 ±20 FROM EDGE OF FLOOR

FOR ELECTRICAL  
 TORQUE  
 SPECIFICATIONS  
 SEE DWG NO.  
 128783-01-000

X-X  
 FOR  
 ELECTRICAL  
 CALLOUTS  
 SEE DWG NO.  
 121339-01-000

FIRST USED	02 P36C
DO NOT SCALE DRAWING	
TITLE: WIRING INSTL-BODY,12V	
SHEET 6	PART NO 138769




DETAIL GB (480)

(290) PANEL-SOLAR 10 WATT  
 115504-01-000  
 SCREW  
 611-08-18U (4)  
 (SEE DETAIL GA)


FOR WIRING  
 (SEE DETAIL GE)

(193) ANT-2  
 (SEE DETAIL GB)

(480) DM-1  
 (SEE DETAIL GB)




VIEW GD-GD



VIEW GC-GC

ANTENNA-RADIO  
 90944-01-000  
 EXTENDER-SHAFT, ANTENNA  
 109859-04-000  
 BRACKET-ANTENNA GROUND  
 109847-01-000  
 SEAL  
 CABLE EXT  
 77059-02-000 (3)

(76C) OR (105)



DETAIL GA

- (193) TV ANTENNA-AMPLIFIED SYSTEM
- (480) SATELLITE DISH & ELEVATION SENSOR
- (105) ENTERTAINMENT CTR/EXT W/CD
- (76C) ENTERTAINMENT CTR/EXT CASSETTE
- (265) CODES/STANDARDS CSA/CMVSS
- (181) CODES/STANDARDS USA
- (290) SOLAR PANEL-10 WATT

- FASTEN TO VENT
- WRAP BRACKET LEGS AROUND ANTENNA BASE.


FOR ELECTRICAL  
 TORQUE  
 SPECIFICATIONS  
 SEE DWG NO.  
 128783-01-000

FOR ELECTRICAL  
 CALLOUTS  
 SEE DWG NO.  
 121339-01-000

FIRST USED	02 P36C
DO NOT SCALE DRAWING	
TITLE: WIRING INSTL-BODY,12V	
SHEET 7	PART NO 138769

DWG NO	FEATURE
138770-01	.
138770-11	(1B) (12D)
138770-12	(1B) (78J)
138770-13	(1B) (12D) (79J)
138770-14	(1B) (78J) (79J)
138770-15	(265) (12D)
138770-16	(265) (78J)
138770-17	(265) (12D) (79J)
138770-18	(265) (78J) (79J)

PREPARED BY: 02-16-01 DWG NO: 138770  
 REV: ZONE REVISION RECORD DATE 07/8/98



- △ SEE GENERATOR INSTALLATION FOR ADDITIONAL INFORMATION.
- △ SEE EXT ENT CTR COMPT FOR ADDITIONAL INFORMATION.
3. WIRES THAT REST ON WIRE TRAYS ARE TO BE TIED DOWN WITH WIRE TIE 6343-02-000.
2. CLAMP TO FLOOR SUPPORT TUBES AS NECESSARY WITH CLAMP 104-97-01-000.
1. ALL WIRES TO BE CLAMPED WITH CLAMP 10495-01-000 OR CLIP 80734-02-000 EVERY 700. USE SCREW 667-10-128 UNLESS OTHERWISE SPECIFIED.

- (79J) INVERTER/CHARGER-1,500 WATT  
 (78J) ELECTRICAL SYSTEM 50 AMP  
 (12D) ELECTRICAL SYSTEM 30 AMP  
 (64E) WASHER/DRYER  
 (21M) WASHER/DRYER PREP  
 (40F) INVERTER-DC/AC-130W  
 (67D) GEN 7.5KW-ONAN-QUIET-DIESEL  
 (39C) GEN 6.5K-ONAN-LP-MARO-GOLD  
 (265) CODES/STANDARDS CSA/CMVSS  
 (1B) CODES/STANDARDS USA

(1B) (265) (12D) (78J) (79J)

**WINNEBAGO**

ORIG. DATE 02/03/01

DRAW ALL DIMENSIONS ARE IN MILLIMETERS

P.E. FIRST USED

DRAW 02 P36C

UNSPECIFIED TOLERANCES ARE:  
 HOLE DIA (X) ± .1  
 ONE-PLACE (X,XX) ± .15  
 TWO-PLACE (X,XXX) ± 0.50  
 HOLE ± .1

THIRD ANGLE PROJECTION

DO NOT SCALE DRAWING

TITLE: WIRING INSTL-BODY,110V


SHEET 1 of 5 PART NO 138770

REF:135753 1 PAGE 102

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

(X-X)

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121399-01-000



- ▲ WIRE IN SIDEWALL.
- ▲ ROUTE WIRE IN SIDEWALL DURING INSTALLATION.

2. CLAMP TO FLOOR SUPPORT TUBES AS NECESSARY WITH CLAMP 104-97-01-000.
1. ALL WIRES TO BE CLAMPED WITH CLAMP 10495-01-000 OR CLIP 80734-02-000 EVERY 700. USE SCREW 667-10-12B UNLESS OTHERWISE SPECIFIED.

NOTES:

- (79J) INVERTER/CHARGER-1,500 WATT
- (78J) ELECTRICAL SYSTEM 50 AMP
- (12D) ELECTRICAL SYSTEM 30 AMP
- (1B2) WTR HTR-10GAL/ELEC/LP/MTR10
- (265) CODES/STANDARDS CSA/CMVSS
- (1B1) CODES/STANDARDS USA

(1B1) (265) (12D) (78J) (79J)

FIRST USED		02 P36C	
DO NOT SCALE DRAWING			
TITLE: WIRING INSTL-BODY,110V			
SHEET 2	PART NO		138770

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 126783-01-000

(X-X) FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

FLASH LIGHT-RECHARGEABLE  
133140-01-000  
SCREW  
611-08-10B (2) (48C)

VACUUM CLEANER-RECHARGEABLE  
133139-01-000  
SCREW  
611-08-10B (2)  
FASTENER-DUAL LOCK  
B5774-01-000 (100MM)  
FASTENER-DUAL LOCK  
B5774-02-000 (100MM) (22R)

RCP-2 (BLU)  
LOUNGE FRNT  
SP-04

GF1-1-US (BLU)  
GALLEY

GF1-1-CA (BLU)  
GALLEY

RCP-2 (BLU)  
CHARGER

RCP-2 (BLU)  
GALLEY OVHD

RCP-1 (BLK1)  
MICROWAVE

RCP-B DET DD  
GALLEY

RCP-B DET DC  
MICROWAVE

RCP-2 (BLU)  
LAVATORY

110V WIRES (PUR)  
FROM ROOF ASM

RCP-B DET DE  
CABT, TV

RCP-3 (PUR-21)  
TV

TV 19" (420)  
126696-07-000

RCP-3 (YEL1)  
REFRIGERATOR

(13B) RCP-1 (YEL1)  
CONVERTER

WIRES ROUTE BELOW  
FLOOR IN THIS AREA  
(SEE SH1 J FOR  
ADDITIONAL INFORMATION)

RCP-E (BLU)  
EXTERIOR

RCP-1 (GLD)  
WASHER/DRYER  
(21M) OR (54E)

SPACER  
133713-07-CHT  
SCREW  
611-08-20D (14)

RCP-2 (PUR)  
BDRM RH RR

- (54E) WASHER/DRYER
- (420) TV-AC COLOR WITH REMOTE
- (7B) ELECTRICAL SYSTEM 50 AMP
- (12D) ELECTRICAL SYSTEM 30 AMP
- (21M) WASHER/DRYER PREP
- (48C) FLASHLIGHT
- (22R) VACUUM CLEANER-PORTABLE
- (13B) INVERTER/CHARGER-DC/AC W/O
- (265) CODES/STANDARDS CSA/CMVSS
- (1B1) CODES/STANDARDS USA

(1B1)(265)(12D)(7B)

HAIR DRYER, WALL-MOUNT  
133068-01-000  
SCREW  
611-08-10U (13)

GALLEY WALL

257


LAVATORY TOP

VIEW CA-CA


- △ ROUTE WIRE IN SIDEWALL DURING INSTALLATION.
  - △ ROUTE WIRE IN FLOOR DURING INSTALLATION.
  - △ WIRE ROUTED IN SIDEWALL.
2. CLAMP TO FLOOR SUPPORT TUBES AS NECESSARY WITH CLAMP 104-97-01-000.
1. ALL WIRES TO BE CLAMPED WITH CLAMP 10495-01-000 OR CLIP B0734-02-000 EVERY 700. USE SCREW G67-10-12B UNLESS OTHERWISE SPECIFIED.

NOTES:

FIRST USED		02 P36C	
DO NOT SCALE DRAWING			
TITLE: WIRING INSTL-BODY,110V			
SHEET 3	PART NO		138770





- 136131-02-036
- 14-UL (BLU)
- 136134-02-036
- 14-CA (BLU)



FIRST USED		02 P36C
DO NOT SCALE DRAWING		
TITLE:		
WIRING INSTL-BODY,110V		
SHEET 4	PART NO	138770





- 3. MOUNT ATS AS HIGH AS POSSIBLE WITHOUT COVERING HOLE FOR ENGINE HEATER CORD.
- 2. ALL 100V STRANDED WIRE W/O TERMINALS TO BE STRIPPED 10MM AND SOLDER DIPPED.
- 1. ALL WIRES TO BE CLAMPED WITHIN 200 OF BOX.

NOTES:

(78J)(670) (79J)



- (79J) INVERTER/CHARGER-1,500 WATT
- (78J) ELECTRICAL SYSTEM 50 AMP
- (670) GEN 7,5KW-ONAN-QUIET-DIESEL
- (265) CODES/STANDARDS CSA/CMVSS
- (181) CODES/STANDARDS USA

FIRST USED		02 P36C
DO NOT SCALE DRAWING		
TITLE:		
WIRING INSTL-BODY,110V		
SHEET 5	PART NO	138770



- A1-AAX 16 WHT
- A2-
- A3-
- B1-BBM 16 YEL
- B2-BBN 16 YEL
- B3-CCY 16 YEL
- B4-CCZ 16 YEL
- C1-DDA 16 YEL
- C2-TM 16 WHT
- D1-LL 16 WHT
- D2-LM 16 WHT
- D3-LN 16 WHT
- D4-HJ 16 YEL
- E1-MM 14 YEL
- E2-HS 16 YEL
- F1-
- F2-
- G1-DL 16 YEL
- G2-DM 16 WHT
- G3-DJ 14 YEL
- G4-OK 16 WHT
- H1-AAA 16 WHT
- H2-
- H3-ER 16 YEL
- H4-
- J1-
- J2-WH 16 YEL
- J3-ER 16 YEL
- J4-
- K1-FFD 12 YEL
- K2-
- K3-AAW 16 YEL

CONNECTS TO  
WIRE ASM-IP MAIN



STEP COVER  
SWITCH



ELECTRIC  
STEP SWITCH




CONNECTS TO  
ELECTRIC STEP




WIRE ASM-CRT BRK  
POWER IN FRONT  
ELECTRICAL BOX  
(SHT 1, D-4)



- RED-KA 10 YEL
- WHT-ES 16 YEL
- BRN-KD 18 WHT
- YEL-WH 16 YEL






WIRING DIAGRAM-COACH (WIRE ASM 139972)

FIRST USED	02 P36L
TITLE	DO NOT SCALE DRAWING
WIRING DIAGRAM-BODY, 12V	
SHEET 2	PART NO 139951


CONNECTS TO WIRE ASM-CHASSIS (ISHT 5, D-7)

- 1-NM 14 YEL
- 2-PM 14 WHT
- 3-PL 14 YEL
- 4-JG 14 YEL
- 5-JN 14 WHT
- 6-FFW 14 YEL
- 7-FFX 14 YEL
- 8-
- 9-



CONNECTS TO WIRE ASM-ROOF (ISHT 3, A-12)


- 1-JA 12 YEL
- 2-JP 14 WHT
- 3-DL 16 YEL
- 4-DM 16 WHT
- 5-JE 14 YEL
- 6-NE 14 WHT
- 7-HS 16 YEL
- 8-HT 16 WHT
- 9-PL 14 YEL
- 10-PM 14 WHT
- 11-A 14 YEL
- 12-JC 14 YEL




GALLEY CEILING LAMP SWITCH



CONVERTER OUTPUT




ISOLATED STUD



REFRIGERATOR




CONVERTER CHASSIS GROUND



CONNECTS TO WIRE ASM-ROOF (ISHT 3, D-10) (LOCATED ABOVE BATH)

- 1-NC 14 WHT
- 2-PC 14 YEL
- 3-ND 14 WHT
- 4-FF 14 YEL
- 5-JF 14 YEL
- 6-JB 14 YEL
- 7-JM 14 WHT
- 8-JD 14 YEL
- 9-YM 14 YEL
- 10-YN 14 YEL
- 11-FFY 14 YEL
- 12-NF 14 WHT




BEDROOM CEILING LAMP SWITCH

SHOWER LAMP SWITCH

HALL CEILING LAMP SWITCH

WIRE ASM-REAR SLIDEOUT

12V BREAKER PANEL




CONNECTS TO WIRE  
ASM-EXT ENT CTR

- 1-JA 14 YEL
- 2-JP 14 WHT




JA JP



14 YEL  
14 YEL


CONNECTS TO  
SIDEWALL, RR

- 1-PD 14 YEL
- 2-NE 14 WHT
- 3-JG 14 YEL
- 4-JN 14 WHT



PD NE JN JG

LOUNGE CEILING  
LAMP SWITCH




14 YEL 14 YEL  
14 YEL 14 YEL

FFW  
FFW  
JN  
NM  
JG  
PM  
NE  
JE

AG  
HT  
JA  
JP  
LP  
MM  
NF  
HS  
JT  
AF  
JS  
GL  
JF  
DM  
JB  
JM  
JJ  
JX

AG  
MS  
HT  
JA  
JP  
LP  
MM  
NF  
HS  
JT  
AF  
JS  
WE  
JF  
DM  
L  
EU  
U  
JY  
EED  
JB  
NC  
WB  
JM  
ND  
FFY




- 1-UK 16 WHT
- 2- 16 WHT
- 3-WB 16 YEL




CONNECTS TO  
LP DETECTOR

- 1-JM 14 WHT
- 2-JJ 14 YEL
- 3-JB 14 YEL
- 4- 14 YEL




CONNECTS TO FURNACE  
(LOCATED DIRECTLY  
BELOW OVHD TV CAB)

- 1-FFY 14 YEL
- 2-GGX 14 YEL






CONNECTS TO  
WIRE ASM-RESISTOR



FAN SWITCH






CONNECTS TO  
WIRE ASM-  
REAR OVHD  
(SHT 6, D-B)


WIRING DIAGRAM-ROOF  
(WIRE ASM 139871)




FIRST USED	02 P36L	
TITLE	DO NOT SCALE DRAWING	
	WIRING DIAGRAM-BODY, 12V	
SX F1	SHEET 3	PART NO 139951













WIRING DIAGRAM-SIDEWALL, RIGHT  
(WIRE ASM 139938)


FIRST USED	02 P36L
DO NOT SCALE DRAWING	
TITLE: WIRING DIAGRAM-BODY, 12V	
SHEET 5	PART NO 139951



WIRING DIAGRAM-OVHD  
(WIRE ASM 133231)





WIRING DIAGRAM-COMPT LAMPS  
(WIRE ASM 138219)




WIRING DIAGRAM-OVHD  
(WIRE ASM 133125)


FIRST USED		02 P36L	
DO NOT SCALE DRAWING			
TITLE: WIRING DIAGRAM-BODY, 12V			
SHEET	6	PART NO	139951




WIRING DIAGRAM-SIDEWALL,RR  
(WIRE ASM 133169-03)



WIRING DIAGRAM-ROOF,CENTER  
(WIRE ASM 77093-18)




WIRING DIAGRAM-OVHD REAR  
(WIRE ASM 125266-08)




WIRING DIAGRAM-COMP,LAMPS  
(WIRE ASM 136407)

FIRST USED	02 P36L
TITLE:	DO NOT SCALE DRAWING
TITLE:	WIRING DIAGRAM-BODY,12V
SHEET	7
PART NO	139951


LOAD CENTER




CENTRAL AIR UNIT  
(LOCATED IN RIGHT REAR  
COMPARTMENT BELOW FLOOR)




AUTOMATIC  
TRANSFER  
SWITCH




SWITCH-WATER  
HEATER  
(LOCATED IN  
GALLEY AREA)



RECIP- (54E)  
WASHER/DRYER



CURRENT SENSING LOOP  
(NEUTRAL WIRE PASSES  
THRU THE CENTER)  
(LOCATED IN LOAD CENTER)



4X4 BOX  
(LOCATED IN LUGGAGE  
COMPARTMENT)

4X4 BOX  
(LOCATED BELOW  
COUCH)


- (9A1) ACCESSORY PACKAGE
- (78C) ENTERTAINMENT CNTR/EXT CASSETTE
- (54E) WASHER/DRYER
- (265) CODES/STANDARDS - CSA/CMVSS
- (1D5) ENTERTAINMENT CNTR/EXT W/CD
- (1B2) WTR HTR - 10GAL/ELEC/LP/MITRAID
- (1B1) CODES/STANDARDS - USA
- (12D) ELECTRICAL SYSTEM - 30 AMP
- (1B1) (12D) (265) W/O INVERTER CHRGR



QTR	ORIG. DATE	10-09-01
QWR	ALL DIMENSIONS ARE IN MILLIMETERS	
P.E.	MATERIAL:	
V.E.	FIRST USED	
QDR	02 P36L	

UNSPECIFIED TOLERANCES ARE:	MATERIAL:
ANGLE DIM (X.X) ± 1	
ONE-PLACE (X.XX) ± 1.5	
TWO-PLACE (X.XXX) ± 0.50	
ANGLE ± 1°	
THIRD ANGLE PROJECTION	


- NOTES:
- (5) THIS IS THE TYPE OF WIRE FOR THE ENTIRE CIRCUIT UNLESS OTHERWISE SPECIFIED.
  - (4) WIRE ROUTED THROUGH FLOOR.
  - (3) WIRE IN ROOF.
  - (2) WIRE ROUTED IN SIDEWALL.
  - (1) ALL OUTLETS DOWN STREAM AND INCLUDING THIS OUTLET ARE GROUND FAULT INTERRUPT PROTECTED.









LOAD CENTER




CENTRAL AIR UNIT  
(LOCATED IN RIGHT REAR  
COMPARTMENT BELOW FLOOR)




AUTOMATIC  
TRANSFER  
SWITCH




SWITCH-WATER  
HEATER  
(LOCATED IN  
GALLEY AREA)



RECIP- (54E)  
WASHER/DRYER



CURRENT SENSING LOOP  
(NEUTRAL WIRE PASSES  
THRU THE CENTER)  
(LOCATED IN LOAD CENTER)



4X4 BOX  
(IN BASE OF  
LAVATORY CABT.1)

4X4 BOX  
(LOCATED ON RR  
SLIDEOUT WALL)


RECIP-  
MICROWAVE  
RECIP-  
CHARGER

RECIP-  
GALLEY, OVHD

- NOTES:
- 6 THIS IS THE TYPE OF WIRE FOR ENTIRE CIRCUIT UNLESS OTHERWISE SPECIFIED.
  - 5 6-3 WITH 8500 WATT GENERATOR
  - 4 4-3 WITH 7500 WATT GENERATOR
  - 4 WIRE ROUTED THROUGH FLOOR.
  - 3 WIRE ROUTED IN ROOF.
  - 2 WIRE ROUTED IN SIDEWALL.
  - 1 ALL OUTLETS DOWN STREAM AND INCLUDING THIS OUTLET ARE GROUND FAULT INTERRUPT PROTECTED

- (21K) DINING/COMPUTER TABLE/CHAIRS
- (265) CODES/STANDARDS-CSA/CMVSS
- (76C) ENTERTAINMENT CTR/EXT CASSETTE
- (1D5) ENTERTAINMENT CENTR/EXT W/CD
- (9A1) ACCESSORY PACKAGE
- (78J) ELECTRICAL SYSTEM-50 AMP
- (54E) WASHER/DRYER
- (1B2) WTR HTR-10GAL/ELEC/LP/MTR/1A1D
- (1B1) CODES/STANDARDS USA
- (1B1) (78J) (265) W/O INVERTER CHARGER

FIRST USED		02 P36L	
DO NOT SCALE DRAWING			
TITLE: WIRING DIAGRAM-BODY, 110V			
SHEET 3	PART NO		139952



- NOTES:
- 6 THIS IS THE TYPE OF WIRE FOR ENTIRE CIRCUIT UNLESS OTHERWISE SPECIFIED.
  - 5 6-3 WITH 6500 WATT GENERATOR AND 4-3 WITH 7500 WATT GENERATOR.
  - 4 WIRE ROUTED THROUGH FLOOR.
  - 3 WIRE ROUTED IN ROOF.
  - 2 WIRE ROUTED IN SIDEWALL
  - 1 PROTECTED BY GF1 RECP.

- 78J ELECTRICAL SYSTEM-50 AMP
- 9A1 ACCESSORY PACKAGE
- 79J INVERTER/CHARGER-1,500 WATT
- 54E WASHER/DRYER
- 265 CODES/STANDARDS - CSA/CMVSS
- 1D5 ENTERTAINMENT CENTR/EXT W/CD
- 1B2 WTR HTR - 100AL/ELEC/LP/MTR/1RD
- 1B1 CODES/STANDARDS - USA


FIRST USED  
02 P36L

DO NOT SCALE DRAWING


TITLE:  
WIRING DIAGRAM-BODY, 110V

SHEET 4 PART NO 139952







DETAIL BC





DETAIL BA




DETAIL BB



DETAIL BR



DETAIL BE



DETAIL BD

2 SEE STYLING SHEET FOR ADDITIONAL INFORMATION.

1 WITHOUT (29H) PLUG THE TWO, TWO PIN HOUSINGS TOGETHER ON WIRE ASM-SLIDEOUT.

NOTES:

- (9L1) HOME COMFORT PLUS PACKAGE
- (29H) HEAT PUMP-A/C CENTRAL
- (29C) A/C CENTRAL
- (79J) INVERTER/CHARGER-1.500 WATT
- (715) VENT-POWER
- (265) CODES/STANDARDS-CSA/CMVSS
- (20C) SOUND SYS. DLX. W/O-SURROUND
- (20F) DELUXE SOUND SYSTEM-WITHOUT
- (1B1) CODES/STANDARDS USA


FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000


02 P36L (1B1)(265)

TITLE: WIRING INSTL-BODY 12V(L)






CIRCUIT BREAKER (FRONT VIEW)



SECTION DA-DA




CIRCUIT BREAKER (BACK VIEW)

NOTE: CONNECT BLUE WIRES FROM RESET TO THE BLUE WIRE WITH SPADE TERMINALS ON A/C CORD WITH 29H 9L1 FEATURE.

(265) CODES/STANDARDS-CSA/CMVSS  
(1B1) CODES/STANDARDS USA

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000


02 P36L (1B1)(265)  
TITLE: WIRING INSTL-BODY,12V(BP)  
DO NOT SCALE DRAWING SHEET 4 OF 6 I.F. NO 139813



CEILING FAN  
139134-01-CHT  
SCREW  
G11-10-16B(3)  
CONNECTOR  
58028-01-000(2)

SWITCH-PUSH BUTTON  
41250-01-000 (5)  
BRACKET-SWITCH, LIGHT  
138494-01-CHT (5)  
SCREW  
G39-08-16E (20)  
WASHER-PLASTIC  
87080-02-CHT (5)  
SCREW  
G11-08-08B (10)

LF5N1  
3 (48M)



FA

FB

FB

FA


LF1-2

LEFT FRONT COMPARTMENT

LF1N2  
4


WASHER-PLASTIC  
87080-02-CHT (4)  
SCREW  
G11-08-08B (8)

LAMP  
86280-01-000  
SCREW  
G67-10-12U (2)  
CONNECTOR  
58028-01-000 (2)  
WASHER-PLASTIC  
87080-02-CHT  
SCREW  
G11-08-08B (2)



VIEW FB-FB

LF1N2



VIEW FA-FA

WIRE ASM-  
CHASSIS

FOR ELECTRICAL  
TORQUE  
SPECIFICATIONS  
SEE DWG NO.  
128783-01-000

FOR  
ELECTRICAL  
CALLOUTS  
SEE DWG NO.  
121339-01-000





- (48V) LIGHTS-FLUORESCENT
- (48M) LIGHTS-INCANDESCENT
- (265) CODES/STANDARDS-CSA/CMVSS
- (1B1) CODES/STANDARDS USA

02 P36L (1B1)(265)



WIRING INSTL-BODY,12V(LAMPS)

sheet 5 of 6

NOTES:  
 (2) LAMPS LOCATED IN SLIDEOUT COMPARTMENTS.  
 (1) LAMPS TO BE MOUNTED WITH SWITCH OUTBOARD AND 75 ±20 FROM EDGE OF FLOOR.



- ANTENNA-RADIO 90944-01-000
- EXTENDER-SHAFT, ANTENNA 109889-04-000
- BRACKET-ANTENNA GROUND 108847-01-000
- SEAL
- CABLE EXT 77069-02-000(3)



FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO 121339-01-000

- (1D5) ENTERTAINMENT CENTR/EXT W/CD
- (76C) ENTERTAINMENT CTR/EXT CASSETTE
- (290) SOLAR PANEL-10 WATT
- (265) CODES/STANDARDS-CSA/CMVSS
- (181) CODES/STANDARDS USA


- (2) FASTEN TO VENT.
- (1) WRAP BRACKET LEGS AROUND ANTENNA BASE.

02 P36L (1B1)(265)  
 WIRING INSTL-BODY, 12V(EXT)  
 SHEET 6 OF 6



DWG NO.	FEATURE
139814-01	-----
139814-11	(181)(120)
139814-12	(181)(78J)
139814-13	(181)(120)(79J)
139814-14	(181)(78J)(79J)
139814-15	(265)(120)
139814-16	(265)(78J)
139814-17	(265)(120)(79J)
139814-18	(265)(78J)(79J)

RELEASE	REV	DATE	BY	APP	NO
	A	5/16/01	000		139814



- (79J) INVERTER/CHARGER-1,500 WATT
- (67D) GEN-7.5KW-ONAN-QUIET DIESEL
- (39C) GEN-6.5KW ONAN LP MARO GOLD
- (1B2) WTR HTR-10GAL/ELEC/LP/MTR/IRD
- (78J) ELECTRICAL SYSTEM-50 AMP
- (76C) ENTERTAINMNT CTR/EXT CASSETTE
- (40F) INVERTER-DC/AC-130W
- (265) CODES/STANDARDS-CSA/CMVSS
- (21M) WASHER/DRYER PREP
- (120) ELECTRICAL SYSTEM 30 AMP
- (1E3) ENERGY MANAGEMENT SYSTEM
- (1D5) ENTERTAINMENT CENTR/EXT W/CD
- (1B1) CODES/STANDARDS USA

- (5) SEE GENERATOR INSTALLATION FOR ADDITIONAL INFORMATION.
- (4) SEE EXT ENT CTR COMPT FOR ADDITIONAL INFORMATION.
- 3. WIRES THAT REST ON WIRE TRAYS ARE TO BE TIED DOWN WITH WIRE TIE 8343-02-000.
- 2. CLAMP TO FLOOR SUPPORT TUBES AS NECESSARY WITH CLAMP 10497-01-000
- 1. ALL WIRE TO BE CLAMPED WITH CLAMP 10495-01-000 OR CLIP 80734-02-000 EVERY 700. USE SCREW G67-10-12B UNLESS OTHERWISE SPECIFIED.

NOTES:

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

(X-X)

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

02 P36L

**WINNER**


DATE	UNSPECIFIED TOLERANCES ARE:	MATERIAL
DATE	UNSPECIFIED TOLERANCES ARE:	MATERIAL
DATE	UNSPECIFIED TOLERANCES ARE:	MATERIAL
DATE	UNSPECIFIED TOLERANCES ARE:	MATERIAL
DATE	UNSPECIFIED TOLERANCES ARE:	MATERIAL
DATE	UNSPECIFIED TOLERANCES ARE:	MATERIAL

WIRING INSTL-BODY.110V(BLF)

139814

SHEET 1 OF 4

REF: 135394-P | PAGE 130



- 3) ROUTE WIRE IN SIDEWALL DURING INSTALLATION.
2. ALL WIRES ARE TO BE CLAMPED WITH CLAMP 10497-05-000 WITHIN 200 OF OUTLET BOXES AND SPLICES. USE SCREW G67-10-12B.
1. ALL WIRE TO BE CLAMPED WITH CLAMP 10495-01-000 OR CLIP 80734-02-000 EVERY 700. USE SCREW G67-10-12B UNLESS OTHERWISE SPECIFIED.




- (1B1) BOX 8289-01-000
- (265) SCREW 8289-02-000
- (1B1) COVER 8294-01-000
- (265) CONNECTOR 8294-02-000
- CONNECTOR 8356-01-000(4)
- WIRE 135678-01-000 (2)
- CONNECTOR 8313-01-000 (4)
- 8314-01-000 (2)
- SCREW-GROUND, GREEN 103291-01-000

- BOX 8289-01-000
- SCREW G11-08-12B (2)
- COVER 8294-01-000
- CONNECTOR 8356-01-000(4)
- WIRE 135678-01-000 (2)
- CONNECTOR 8314-01-000 (3)
- SCREW-GROUND, GREEN 103291-01-000

- (136131-03-050) 14-UL/BRN
- (136134-03-050) 14-CA/BRN

- (136131-06-045) 14-UL/BLK
- (136134-06-045) 14-CA/BLK


- (9A1) ACCESSORY PACKAGE
- (48G) FLASHLIGHT
- (22R) VACUUM CLEANER-PORTABLE
- (78J) ELECTRICAL SYSTEM-50 AMP
- (12D) ELECTRICAL SYSTEM 30 AMP
- (1B2) WTR HTR-10GAL/ELEC/LP/MTR/RAID
- (265) CODES/STANDARDS-CSA/CMVSS
- (1B1) CODES/STANDARDS USA



- (42M) TV-19" COLOR W/STEREO
- (54E) WASHER/DRYER
- (51B) HAIR DRYER
- (78J) ELECTRICAL SYSTEM-50 AMP
- (21M) WASHER/DRYER PREP
- (12D) ELECTRICAL SYSTEM 30 AMP
- (1B2) WTR HTR-10GAL/ELEC/LP/MTRAD
- (265) CODES/STANDARDS-CSA/CMVSS
- (1B1) CODES/STANDARDS USA

02 P36L (1B1)(265)(12D)(78J)  
 WIRING INSTL-BODY, 110(RH30/50)  
 SHEET 3 OF 4 I.F. NO. 139814

- (6) WIRE ROUTED IN ROOF.
  - (5) ROUTE WIRE IN SIDEWALL DURING INSTALLATION.
  - (4) ROUTE WIRE IN FLOOR DURING INSTALLATION.
  - (3) WIRE ROUTED IN SIDEWALL.
2. ALL WIRES ARE TO BE CLAMPED WITH CLAMP 10495-01-000 WITHIN 200 OF OUTLET BOXES AND SPLICES. USE SCREW G67-10-12B.
1. ALL WIRE TO BE CLAMPED WITH CLAMP 10495-01-000 OR CLIP 80734-02-000 EVERY 700. USE SCREW G67-10-12B UNLESS OTHERWISE SPECIFIED.




(79J)

- (79J) INVERTER/CHARGER-1.500 WATT
- (78J) ELECTRICAL SYSTEM-50 AMP
- (12D) ELECTRICAL SYSTEM 30 AMP
- (265) CODES/STANDARDS-CSA/CMVSS
- (1B1) CODES/STANDARDS USA

02 P36L (1B1)(265)(12D)(78J)(79J)

TITLE		139814	
WIRING INSTL-BODY.L110V(ATS)			
DO NOT SCALE DRAWING	DATE	NO	
SHEET 4 OF 4			



SIF1

WIRING DIAGRAM-CHASSIS  
 WIRE ASM 137992


**WINNEBAGO**

DTR: \_\_\_\_\_ DATE: 12/04/00  
 DWR: \_\_\_\_\_ ALL DIMENSIONS ARE IN MILLIMETERS  
 P.E.: \_\_\_\_\_  
 M.E.: \_\_\_\_\_ FIRST USED: \_\_\_\_\_  
 DSW: \_\_\_\_\_ 02 P36LD


UNSPECIFIED TOLERANCES ARE:  
 HOLE DIA .001  
 ONE-PLACE .15(.01)  
 TWO-PLACE .15(.001)  
 ANGLE .

THIRD ANGLE PROJECTION


DO NOT SCALE DRAWING  
 TITLE: WIRING DIAGRAM-BODY, 12V  
 SHEET 1 OF 8 PART NO: 137995




STEP COVER SWITCH



RIGHT SUBWOOFER




CONNECTS TO WIRE ASM-IP MAIN (LOCATED BELOW DRIVER)



- A1-AAX 16 WHT
- A2-
- A3-
- B1-BBM 16 YEL
- B2-BBN 16 YEL
- B3-CCY 16 YEL
- B4-CCZ 16 YEL
- C1-DDA 16 YEL
- C2-TM 16 WHT
- D1-LL 16 WHT
- D2-LM 16 WHT
- D3-LN 16 WHT
- D4-HU 16 YEL
- E1-MM 14 YEL
- E2-HS 16 YEL
- F1-
- F2-
- G1-DL 16 YEL
- G2-DM 16 WHT
- G3-DJ 14 YEL
- G4-DK 16 WHT
- H1-AAA 16 WHT
- H2-
- J1-
- J2-WH 16 YEL
- J3-ER 16 YEL
- J4-
- K1-FFD 12 YEL
- K2-
- K3-AAW 16 YEL

CONNECTS TO WIRE ASM-COACH (SHT 2, A-7) (LOCATED IN BASE OF REFRIGERATOR CABT)




- 1-NW 14 YEL
- 2-JT 16 YEL
- 3-WC 14 YEL
- 4-WE 14 WHT
- 5-DL 16 YEL
- 6-

FRONT LEFT COMPT LAMP




NOTES:  
 2 SEE MANUFACTURER'S DIAGRAM FOR ADDITIONAL INFORMATION.  
 1 SEE WIRING DIAGRAM-AUTO FOR ADDITIONAL INFORMATION.

CONNECTS TO WIRE ASM-COACH (SHT 2, A-29) (LOCATED IN BASE OF REFRIGERATOR CABT)




- 1-BBM 16 YEL
- 2-BBN 16 YEL
- 3-DDA 16 YEL
- 4-CCY 16 YEL
- 5-CCZ 16 YEL
- 6-DM 16 WHT
- 7-DJ 14 YEL
- 8-DK 16 WHT
- 9-LL 16 WHT
- 10-LM 16 WHT
- 11-LN 16 WHT
- 12-LP 16 YEL
- 13-HS 16 YEL
- 14-MM 14 YEL
- 15-ER 16 YEL

CONNECTS TO WIRE ASM-GENERATOR ADAPT (SHT 8, A-5/8-5) (LOCATED ON GENERATOR)



- A-LN 16 WHT
- B-HU 16 YEL
- C-LL 16 WHT
- D-LP 16 YEL
- E-LM 16 WHT



CONNECTS TO  
LOAD SHEDDER  
CONTROL BOARD  
(LOCATED IN 110V  
LOAD CENTER BOX)

CONNECTS TO  
WIRE ASM-SLIDEOUT  
(SHT 4, A-4)  
(LOCATED IN  
GALLEY CABT)

REAR COURTESY  
LAMP SWITCH

CONNECTS TO  
LOAD SHEDDER  
MONITOR PANEL  
(LOCATED IN 110V  
LOAD CENTER BOX)

CONNECTS TO  
EXTERIOR WATER  
PUMP SWITCH



WATER PUMP

- 1-AG 12 YEL
- 2-JA 12 YEL
- 3-AF 12 YEL
- 4.
- 5.
- 6.
- 7-JS 12 YEL
- 8-JP 14 WHT


- RED-BBC 16 YEL
- BLU-BBD 16 YEL
- BLK-BBE 16 YEL
- BRN-BBF 16 YEL

- 1-BBC 16 YEL
- 2-BBD 16 YEL
- 3-BBE 16 YEL
- 4-BBF 16 YEL
- 5-MM 14 YEL
- 6-MS 14 WHT
- 7-PH 14 YEL
- 8-NU 14 YEL
- 9-NY 14 YEL
- 10-BBH 16 YEL
- 11-BBJ 16 YEL
- 12-CCN 16 YEL
- 13-CCP 16 YEL
- 14-DD 16 YEL
- 15-EEC 12 YEL

- 1-JA 12 YEL
- 2-JP 14 WHT
- 3-CCN 16 YEL
- 4-BBJ 16 YEL
- 5-DD 16 YEL
- 6-BBH 16 YEL
- 7-CCP 16 YEL
- 8-LP 16 YEL




CONNECTS TO  
WIRE ASM-SLIDEOUT  
(SHT 4, A-7)  
(LOCATED IN  
GALLEY CABT)




CONNECTS TO  
WIRE ASM-CHASSIS  
(SHT 1, D-11)  
(LOCATED IN BASE OF  
REFRIGERATOR CABT)


- 1-NW 14 YEL
- 2-JT 16 YEL
- 3-WC 14 YEL
- 4-WE 14 WHT
- 5-DL 16 YEL
- 6.




POWER CORD  
COMPT LAMP



CONNECTS TO  
EXTERIOR SERVICE  
LAMP SWITCH




CONNECTS TO  
WIRE ASM-SIDEWALL  
(SHT 8, A-2)  
(LOCATED IN BASE OF  
WASHER/DRYER CABT)



CONNECTS TO  
WIRE ASM-  
COMPT LAMPS  
(SHT 6, B-4)  
(LOCATED IN  
BED BASE)

- 1-WA 14 YEL
- 2-WE 14 WHT
- 3-NW 14 YEL
- 4-CCE 14 YEL



CONNECTS TO  
WIRE ASM-  
COMPT LAMPS  
(SHT 7, D-2)  
(LOCATED IN BASE OF  
REFRIGERATOR CABT)

- 1-NW 14 YEL
- 2-WE 14 WHT

WIRING DIAGRAM-COACH  
WIRE ASM 137995


FIRST USED	02 P36LD
TITLE	DO NOT SCALE DRAWING
	WIRING DIAGRAM-BODY, 12V
SHEET 2	PART NO 137995

S2F1







CONNECTS TO WIRE  
ASM-EXT ENT CTR  
(SHT 8, C-1/D-1)  
(LOCATED ABOVE  
EXT ENT CTR)




WINTERIZATION  
SWITCH




WATER BYPASS  
SWITCH




WATER HEATER  
BYPASS VALVE




WINTERIZATION  
VALVE



CONNECTS TO  
SIDEWALL, RR  
(SHT 7, C-4)  
(LOCATED IN BASE  
OF LAVATORY CABT)







LOUNGE CEILING  
LAMP SWITCH





AG  
HT  
JA  
JP  
LP  
MM  
NF  
HS  
JT  
AF  
JS  
GL  
JF  
DM  
L  
EU  
U  
JY  
EED  
JB  
NC  
WB  
JM  
JJ  
JX

FFW  
FFW  
JN  
NM  
JG  
PM  
NE  
JE  
AG  
MS  
HT  
JA  
JP  
LP  
MM  
NF  
HS  
JT  
AF  
JS  
WE  
JF  
DM  
L  
EU  
U  
JY  
EED  
JB  
NC  
WB  
JM  
JJ  
ND



GROUND  
(LOCATED IN POWERCORD COMPT)



D  
C  
B  
A

(SHT 5, 8-6)  
(LOCATED IN BASE OF REFRIGERATOR CABT)

WIRE ASM-SIDEWALL RIGHT

H

H

WIRE ASM-SIDEWALL,RR

(SHT 7, A-3)  
(LOCATED IN BASE OF LAVATORY CABT)

CABLE INPUT

E


E

WIRE ASM-SIDEWALL,RR

(SHT 7, A-3)  
(LOCATED IN BASE OF LAVATORY CABT)



CONNECTS TO WIRE ASM-SLIDEOUT (SHT 4, D-11) (LOCATED IN GALLEY CABT)



- 1-JF 14 YEL
- 2-NF 14 WHT
- 3-DJ 16 YEL
- 4-DK 16 WHT
- 5-LP 16 YEL
- 6-LL 16 WHT
- 7-LM 16 WHT
- 8-LN 16 WHT
- 9-JA 14 YEL
- 10-ER 16 YEL
- 11-JP 14 WHT
- 12-XH 16 YEL
- 13-XJ 16 YEL
- 14-XK 16 YEL
- 15-AG 12 YEL

CONNECTS TO WIRE ASM-WATER TANK (LOCATED BELOW SHOWER)



- 1-XH 16 YEL
- 2-GL 16 WHT

CONNECTS TO WIRE ASM-AUX HOLDING (LOCATED BELOW SHOWER)





- 1-XK 16 YEL
- 2-GL 16 WHT

CONNECTS TO WIRE ASM-MAIN HOLDING TANK (LOCATED BELOW SHOWER)




- 1-XJ 16 YEL
- 2-GL 16 WHT




CONNECTS TO REAR SLIDEOUT SWITCH

- 1-DDA 16 YEL
- 2-CCY 16 YEL
- 3-DDA 16 YEL
- 4-BBM 16 YEL
- 5-CCZ 16 YEL
- 6-BBN 16 YEL
- 7-
- 8-




CONNECTS TO WIRE ASM-CHASSIS (SHT 1, A-14) (LOCATED IN BASE OF REFRIGERATOR CABT)

- 1-BBM 16 YEL
- 2-BBN 16 YEL
- 3-DDA 16 YEL
- 4-CCY 16 YEL
- 5-CCZ 16 YEL
- 6-DM 16 WHT
- 7-DJ 16 YEL
- 8-DK 16 WHT
- 9-LL 16 WHT
- 10-LM 16 WHT
- 11-LN 16 WHT
- 12-LP 16 YEL
- 13-HS 16 YEL
- 14-MM 14 YEL
- 15-ER 16 YEL



CONNECTS TO WIRE ASM-SLIDEOUT (SHT 4, A-14) (LOCATED IN GALLEY CABT)


- 1-JS 12 YEL
- 2-AF 12 YEL
- 3-JT 16 YEL
- 4-JW 14 YEL
- 5-JU 14 YEL
- 6-HS 16 YEL
- 7-HT 16 WHT
- 8-IHS 16 YEL
- 9-IHT 16 WHT
- 10-JB 14 YEL
- 11-JM 14 WHT
- 12-JJ 14 YEL



CONNECTS TO WATER HEATER

- 1-JW 14 YEL
- 2-JX 14 WHT
- 3-JU 14 YEL

NOTES:  
1 SEE MANUFACTURER'S DIAGRAM FOR ADDITIONAL INFORMATION.



CONNECTS TO  
WIRE ASM-REAR STEREO  
(SHT 8, C-5)  
(LOCATED IN BEDROOM  
OVHD CABT)

CONNECTS TO  
WIRE ASM-OVHD, REAR  
(SHT 6, C-7)  
(LOCATED IN BEDROOM  
OVHD CABT)

1-JC 14 YEL  
2-NC 14 WHT

1-JC 14 YEL  
2-NC 14 WHT

GALLEY  
CEILING LAMP

REAR  
LOUNGE LAMP

FRONT  
LOUNGE LAMP

BEDROOM  
VENT

SHOWER  
LAMP

BEDROOM  
CEILING LAMP

14  
WHT  
14  
YEL

14  
WHT  
14  
YEL

14  
WHT  
14  
YEL

14  
YEL  
14  
WHT

14  
YEL  
14  
WHT

14  
YEL  
14  
WHT

12  
YEL  
14  
WHT

12  
YEL  
14  
WHT

12  
YEL

14  
WHT

14  
WHT

JA JP

JA JP

JA

JP

JP

FRONT TV  
WALLPLATE

DIGITAL SATELLITE  
ELEVATION SENSOR

SPEAKER  
SELECTOR SWITCH


ANTENNA GROUND  
BEDROOM STEREO


ANTENNA GROUND  
(EXT ENT CTR)

FIRST USED	02 P36LD
DO NOT SCALE DRAWING	
TITLE: WIRING DIAGRAM-BODY, 12V	
SHEET 3	PART NO 137995

WIRING DIAGRAM-ROOF  
(WIRE ASM 138253)

S3F1





S4F1


WIRING DIAGRAM-SLIDEOUT (WIRE ASM 138218)

FIRST USED	02 P36LD
TITLE	DO NOT SCALE DRAWING
WIRING DIAGRAM-BODY, 12V	
SHEET 4	PART NO 137995

1 PAGE 142


- 1-JA 14 YEL
- 2-ER 16 YEL
- 3-JP 14 WHT
- 4-XH 16 YEL
- 5-XJ 16 WHT
- 6-XK 16 YEL
- 7-AG 12 YEL
- 8-JS 12 YEL
- 9-AF 12 YEL
- 10-
- 11-JP 14 WHT
- 12-JT 16 YEL
- 13-JW 14 YEL
- 14-
- 15-JU 14 YEL

CONNECTS TO  
MONITOR PANEL








- 1-LP 16 YEL
- 2-LL 16 WHT
- 3-LM 16 WHT
- 4-LN 16 WHT

CONNECTS TO  
WIRE ASM-COACH  
(SHT 2, D-25)  
(LOCATED IN  
GALLEY CABT)



- 1-JF 14 YEL
- 2-NF 14 WHT
- 3-DJ 16 YEL
- 4-DK 16 WHT
- 5-LP 16 YEL
- 6-LL 16 WHT
- 7-LM 16 WHT
- 8-LN 16 WHT
- 9-JA 14 YEL
- 10-ER 16 YEL
- 11-JP 14 WHT
- 12-XH 16 YEL
- 13-XJ 16 WHT
- 14-XK 16 YEL
- 15-AG 12 YEL



- 1-JS 12 YEL
- 2-AF 12 YEL
- 3-JT 16 YEL
- 4-JW 14 YEL
- 5-JU 14 YEL
- 6-HS 16 YEL
- 7-HT 16 WHT
- 8-HS 16 YEL
- 9-HT 16 WHT
- 10-JB 14 YEL
- 11-JM 14 WHT
- 12-JJ 14 YEL

- 1-HS 16 YEL
- 2-HT 16 WHT

- 1-HS 16 YEL
- 2-HT 16 WHT


CONNECTS TO  
MONITOR SOLAR  
CHARGER INDICATOR LAMP

- 1-BBH-1 16 YEL
- 2-CCP-1 16 YEL

CONNECTS TO  
A/C CORD  
(LOCATED BEHIND  
THERMOSTAT)

- 1-BBH 16 YEL
- 2-CCP 16 YEL




- 1-BBH 16 YEL
- 2-CCP 16 YEL



SEE WIRING DIAGRAM-AC/HEAT/EMS FOR ADDITIONAL INFORMATION.

SEE MANUFACTURER'S DIAGRAM FOR ADDITIONAL INFORMATION.


NOTES:




NOTES:  
1 SEE MANUFACTURER'S DIAGRAM FOR ADDITIONAL INFORMATION.

WIRING DIAGRAM-SIDEWALL, RIGHT  
(WIRE ASM 138165)


FIRST CLASS	
02 P36L/LD/G/CD	
DO NOT SCALE DRAWING	
TITLE: WIRING DIAGRAM-BODY, 12V	
SHEET 5	PART NO 137995




WIRING DIAGRAM-OVHD  
WIRE ASM 133231-02



WIRING DIAGRAM-COMPT LAMPS  
WIRE ASM 138219








WIRING DIAGRAM-OVHD  
WIRE ASM 133125




WIRING DIAGRAM-COMPT LAMPS  
WIRE ASM 138407-01

FIRST CLASS	
02 P36L/LD/G/CD	
DO NOT SCALE DRAWING	
TITLE: WIRING DIAGRAM-BODY,12V	
SHEET 6	PART NO 137995







FIRST USED	02 P36LD
TITLE	DO NOT SCALE DRAWING
TITLE	WIRING DIAGRAM-BODY, 12V
SHEET 7	PART NO 137995




WIRING DIAGRAM-REAR STEREO  
WIRE ASM 124336




WIRING DIAGRAM-ENTERTAINMENT CTR  
WIRE ASM 125953-01




WIRING DIAGRAM-ENTERTAINMENT CTR  
WIRE ASM 125953-04




WIRING DIAGRAM-GEN ADAPTER,LP  
WIRE ASM 130332-01



WIRING DIAGRAM-SLIDOUT,REAR  
WIRE ASM 137456



WIRING DIAGRAM-GEN ADAPTER,DIESEL  
WIRE ASM 130332-02




WIRING DIAGRAM-SIDEWALL,RR  
WIRE ASM 133169

SEE MANUFACTURER'S DIAGRAM FOR ADDITIONAL INFORMATION.

FIRST USED		02 P36LD	
DO NOT SCALE DRAWING			
TITLE: WIRING DIAGRAM-BODY,12V			
SHEET 8	PART NO	137995	



LOAD CENTER




SWITCH-WATER HEATER (LOCATED IN GALLEY AREA)




12-2

RECIP-REFRIGERATOR

CURRENT SENSING LOOP (NEUTRAL WIRE PASSES THROUGH THE CENTER) (LOCATED IN LOAD CENTER)



INVERTER BREAKER PANEL




8 GRN

GROUND BOLT




RECIP WASHER/DRYER (54E)

14-1 JUMPER



CENTRAL AIR UNIT (LOCATED IN RIGHT REAR COMPARTMENT BELOW FLOOR)



12-2

10-2

12-2

10-2

POWERCORD

GEN 4X4 BOX

GENERATOR

8 GRN

GROUND

WIRE SUPPLIED WITH GENERATOR

ENGINE HEATER SWITCH

RECIP-BATH.LH

RECIP-BLANK.BED CABT (LOCATED BELOW BED)

RECIP-ENG HTR

RECIP-BEDRM.LH

RECIP-BDRM.RH

RECIP-BLANK.CABT TV (LOCATED BEHIND BEDROOM TV)

RECIP-RIGHT.FRT

RECIP-COFFEEMAKER

RECIP-BEDRM TV

RECIP-LEFT.FRT

(3)

RECIP-DINETTE

RECIP-EXTERIOR

RECIP-LOUNGE FRT,RT

RECIP-EXTERIOR ENTERTAINMENT (76C)(1D5)

RECIP-LOUNGE FRT,RT

(21K)

RECIP-SIDEWALL

RECIP-COMPUTER TABLE

RECIP-EXTERIOR

(76C)(1D5)

RECIP-EXTERIOR ENTERTAINMENT

(21K)

4 X 4 BOX (LOCATED BELOW FLOOR BY DRAINAGE TANK)

4 X 4 BOX (LOCATED BELOW COUCH)

CORD

RECIP-GALLEY.GFI

RECIP-MICROWAVE

RECIP-GALLEY.OVHD

(9A1) ACCESSORY PACKAGE

(79J) INVERTER/CHARGER-1,500 WATT

(54E) WASHER/DRYER

(120) ELECTRICAL SYSTEM 30 AMP

(1B2) WTR HTR-10GAL/ELEC/LP/MTR/AID

(1B1) CODES/STANDARDS USA

(265)(1B1)(12D)(79J) 02 P36LD


WIRING DIAGRAM-BODY.L10V

DO NOT SCALE DRAWING SHEET 2 OF 4 I.F. NO 137996

- (6) THIS IS THE TYPE OF WIRE FOR ENTIRE CIRCUIT UNLESS OTHERWISE SPECIFIED.
- (3) WIRE ROUTED THROUGH FLOOR.
- (4) WITH WASHER DRYER.
- (3) WIRE ROUTED IN ROOF.
- (2) WIRE ROUTED IN SIDEWALL.
- (1) PROTECTED BY GFI RECIP.



NOTES:

LOAD CENTER



12-2 12-2 14-2 14-2 14-2 14-2 12-2












CENTRAL AIR UNIT (LOCATED IN RIGHT REAR COMPARTMENT BELOW FLOOR)



10-2 12-2 6-3 6-3

5

POWERCORD



CURRENT SENSING LOOP (NEUTRAL WIRE PASSES THRU THE CENTER) (LOCATED IN LOAD CENTER)



- (21K) DINING/COMPUTER TABLE/CHAIRS
- (265) CODES/STANDARDS-CSA/CMVSS
- (76C) ENTERTAINMENT CTR/EXT CASSETTE
- (1D5) ENTERTAINMENT CENTR/EXT W/CD
- (9A1) ACCESSORY PACKAGE
- (78J) ELECTRICAL SYSTEM-50 AMP
- (54E) WASHER/DRYER
- (1B2) WTR HTR-10GAL/ELEC/LP/MTRAITD
- (1B1) CODES/STANDARDS USA


02 P36LD (1B1)(78J)(265) W/O INVERTER CHARGER

TITLE	WIRING DIAGRAM-BODY, L10V
DATE	137996
DR	3
CHK	4
APP	1

- 6 THIS IS THE TYPE OF WIRE FOR ENTIRE CIRCUIT UNLESS OTHERWISE SPECIFIED.
- 5 6-3 WITH 6500 WATT GENERATOR AND 4-3 WITH 7500 WATT GENERATOR.
- 4 WIRE ROUTED THROUGH FLOOR.
- 3 WIRE ROUTED IN ROOF.
- 2 WIRE ROUTED IN SIDEWALL.
- 1 ALL OUTLETS DOWN STREAM AND INCLUDING THIS OUTLET ARE GROUND FAULT INTERRUPT PROTECTED.

NOTES:



LOAD CENTER




SWITCH-WATER HEATER (LOCATED IN GALLEY AREA)




CENTRAL AIR UNIT (LOCATED IN RIGHT REAR COMPARTMENT BELOW FLOOR)



CURRENT SENSING LOOP (NEUTRAL WIRE PASSES THRU THE CENTER) (LOCATED IN LOAD CENTER)



INVERTER BREAKER PANEL



GROUND BOLT

GEN 4X4 BOX

GENERATOR

ENGINE HEATER SWITCH

RECP-BATH.LH

RECP-BLANK,BED CABT (LOCATED BELOW BED)

RECP-FRT.LH

RECP-BEDRM.LH

RECP COFFEE MAKER

RECP-BDRM.RH

RECP-BLANK CABT TV (LOCATED BEHIND BEDROOM TV)

RECP-FRT.RH

RECP-BEDRM TV

RECP-EXTERIOR

RECP-DINETTE

RECP-EXTERIOR ENTERTAINMENT (76C/1D5)

RECP-LOUNGE FRT.RT

RECP-LOUNGE FRT.RT

RECP-COMPUTER TABLE

RECP-EXTERIOR ENTERTAINMENT (21K)

4 X 4 BOX (LOCATED BELOW FLOOR BY DRAINAGE TANK)

4 X 4 BOX (LOCATED BELOW COUCH)

RECP-GALLEY.GFI

RECP-MICROWAVE

RECP-GALLEY.OVHD

RECP-CHARGER (9A1)

(21K) DINING/COMPUTER TABLE/CHAIRS

(265) CODES/STANDARDS-CSA/CMVSS

(76C) ENTERTAINMENT CTR/EXT CASSETTE








- (9A1) ACCESSORY PACKAGE
- (79J) INVERTER/CHARGER-1,500 WATT
- (78J) ELECTRICAL SYSTEM-50 AMP
- (54E) WASHER/DRYER
- (1D5) ENTERTAINMENT CTR/EXT W/CD
- (1B2) WTR HTR-10GAL/ELEC/LP/MTR/AID
- (1B1) CODES/STANDARDS USA

02 P36LD (1B1)(78J)(79J)(265)  
 WIRING DIAGRAM-BODY.L10V  
 SHEET 4 OF 4

- (1) THIS IS THE TYPE OF WIRE FOR ENTIRE CIRCUIT UNLESS OTHERWISE SPECIFIED.
- (6) 6-3 WITH 6500 WATT GENERATOR AND 4-3 WITH 9500 WATT GENERATOR.
- (5) WIRE ROUTED THROUGH FLOOR.
- (4) WITH WASHER DRYER.
- (3) WIRE ROUTED IN ROOF.
- (2) WIRE ROUTED IN SIDEWALL.
- (1) PROTECTED BY GFI RECP.

NOTES:







FOR ELECTRICAL  
TORQUE  
SPECIFICATIONS  
SEE DWG NO.  
128783-01-000

- (WIN) WINNEBAGO ONLY
- (ITA) ITASCA ONLY
- (29H) HEAT PUMP-A/C CENTRAL
- (29C) A/C CENTRAL
- (26L) REAR STEREO SYSTEM W/CASSETTE
- (25E) REAR STEREO SYSTEM W/CD
- (79J) INVERTER/CHARGER-1,500 WATT
- (530) WINTERIZING KIT
- (715) VENT-POWER
- (9L1) HOME COMFORT PLUS PACKAGE
- (265) CODES/STANDARDS-CSA/CMVSS
- (21V) SOUND SYSTEM DELUXE
- (20F) DELUXE SOUND SYSTEM-WITHOUT
- (1B1) CODES/STANDARDS USA


WITHOUT (29H) PLUG THE TWO, TWO PIN HOUSINGS TOGETHER ON WIRE ASM-SLIDEOUT.








CIRCUIT BREAKER (FRONT VIEW)



SECTION DA-DA



CIRCUIT BREAKER (BACK VIEW)




- DETAIL DA-DA
- (265) CODES/STANDARDS-CSA/CMVSS
  - (1B1) CODES/STANDARDS USA
  - (9L1) HOME COMFORT PLUS PACKAGE
  - (29H) HEAT PUMP-A/C CENTRAL

TITLE		02 P36LD	
WIRING INSTL-BODY,12V(BP)		137993	
DO NOT SCALE DRAWING	SHEET NO	I F NO	
SHEET 4 OF 6			

CONNECT BLUE WIRES FROM RESET TO THE BLUE WIRES WITH SPADE TERMINALS ON A/C CORD WITH (29H) & (9L1) FEATURE.

NOTES:







- (26L) ANTENNA-RADIO 90944-01-000
- (26E) EXTENDER-SHAFT, ANTENNA 109889-04-000
- BRACKET-ANTENNA GROUND 108847-01-000
- SEAL 77069-02-000(2)
- CABLE EXT 77069-02-000(2)

- (290) PANEL-SOLAR 10 WATT 115504-01-000
- SCREW G11-08-16U(4)
- (SEE DETAIL FA)


- (76C) ANTENNA-RADIO 90944-01-000
- (1D5) EXTENDER-SHAFT, ANTENNA 109889-04-000
- BRACKET-ANTENNA GROUND 108847-01-000
- SEAL 77069-02-000(3)



- (26L) REAR STEREO SYSTEM W/CASSETTE
- (26E) REAR STEREO SYSTEM W/CD
- (1D5) ENTERTAINMENT CENTR/EXT W/CD
- (76C) ENTERTAINMNT CTR/EXT CASSETTE
- (290) SOLAR PANEL-10 WATT
- (265) CODES/STANDARDS-CSA/CMVSS
- (1B1) CODES/STANDARDS USA

NOTES:  
 (2) FASTEN TO VENT.  
 (1) WRAP BRACKET LEGS AROUND ANTENNA BASE.

DWG NO.	FEATURE
137994-01	-----
137994-11	(181)(120)
137994-12	(181)(78J)
137994-13	(181)(120)(79J)
137994-14	(181)(78J)(79J)
137994-15	(265)(120)
137994-16	(265)(78J)
137994-17	(265)(120)(79J)
137994-18	(265)(78J)(79J)



ATS (SEE LOAD CENTER/ATS ASM FOR ADDITIONAL INFORMATION)

Wires route up through floor in this area. LOCATE LOAD CENTER 500 FROM FLOOR FRAME AND BOTTOM OF LOAD CENTER.

(5) SEE GENERATOR INSTALLATION FOR ADDITIONAL INFORMATION.

(4) SEE EXT ENT CTR COMPT FOR ADDITIONAL INFORMATION.

3. WIRES THAT REST ON WIRE TRAYS ARE TO BE TIED DOWN WITH WIRE TIE 8343-02-000.

2. CLAMP TO FLOOR SUPPORT TUBES AS NECESSARY WITH CLAMP 10497-01-000

1. ALL WIRE TO BE CLAMPED WITH CLAMP 10495-01-000 OR CLIP 80734-02-000 EVERY 700. USE SCREW G67-10-12B UNLESS OTHERWISE SPECIFIED.

NOTES:

- (79J) INVERTER/CHARGER-1,500 WATT
- (670) GEN-7.5KW-ONAN-QUIET DIESEL
- (39C) GEN-6.5KW ONAN LP MARO GOLD
- (78J) ELECTRICAL SYSTEM-50 AMP
- (76C) ENTERTAINMENT CTR/EXT CASSETTE
- (40F) INVERTER-DC/AC-130W
- (265) CODES/STANDARDS-CSA/CMVSS
- (54E) WASHER/DRYER
- (120) ELECTRICAL SYSTEM 30 AMP
- (1E3) ENERGY MANAGEMENT SYSTEM
- (105) ENTERTAINMENT CTR/EXT W/CD
- (181) CODES/STANDARDS/USA

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

(181)(265)(120)(78J)





WINNERCO 02 P36LD

DATE	DATE	UNSPECIFIED TOLERANCES ARE:	MATERIAL
DATE	DATE	FINISH (14.31)	
DATE	DATE	FINISH (14.31)	
DATE	DATE	THIRD ANGLE PROJECTION	

WIRING INSTL-BODY(BLF)

137994


REF: 135719 G | PAGE 158



ALL WIRES ROUTE BELOW FLOOR IN THIS AREA (SEE SHT 1 FOR ADDITIONAL INFO)

- 3 WIRE IN SIDEWALL.
2. ALL WIRES ARE TO BE CLAMPED WITH CLAMP 10497-05-000 WITHIN 200 OF OUTLET BOXES AND SPLICES. USE SCREW G67-10-12B.
1. ALL WIRE TO BE CLAMPED WITH CLAMP 10495-01-000 OR CLIP 80734-02-000 EVERY 700. USE SCREW G67-10-12B UNLESS OTHERWISE SPECIFIED.

- (21M) WASHER/DRYER PREP
- (79J) INVERTER/CHARGER-1,500 WATT
- (54E) WASHER/DRYER
- (9A1) ACCESSORY PACKAGE
- (48G) FLASHLIGHT
- (22R) VACUUM CLEANER-PORTABLE
- (78J) ELECTRICAL SYSTEM-50 AMP
- (12D) ELECTRICAL SYSTEM 30 AMP
- (265) CODES/STANDARDS-CSA/CMVSS
- (1B1) CODES/STANDARDS USA



RCP-2 (PUR)  
BDRM RH RR  
SPACER  
133713-07-CHT  
133713-06-CHT  
SCREW  
G11-08-20D (4)

RCP-2 (BLU)  
LOUNGE FRT  
SP-04

110V WIRE (PUR)  
FROM ROOF ASM

RCP-1 (PUR)  
COFFEEMAKER

RCP-2 (BLU)  
SDW DINETTE  
SPACER  
133713-06-CHT  
SCREW  
G11-08-20D (4)

RCP-3 (YEL)  
REFRIGERATOR

RCP-2 (BLU)  
COMPUTER TABLE  
SPACER  
133713-06-CHT  
SCREW  
G11-08-20D (4)

110V WIRES (PUR)  
FROM ROOF ASM

RCP-B DET-CB  
CABT TV

RCP-3 (PUR2)  
TV

TV 19" COLOR (42M)  
126696-07-000

RCP-1 (YEL)  
CONVERTER  
(13B)

RCP-E (BLU)  
EXTERIOR

GFI-1-US (BLU)  
BATH  
GFI-1-CA (BLU)  
BATH

HAIR DRYER, WALL-MOUNT  
133068-01-000  
SCREW  
G11-08-10U (3)

WIRES ROUTE BELOW  
FLOOR IN THIS AREA  
(SEE SHT 1 FOR  
ADDITIONAL INFORMATION)

FROM RECP-BDRM RH RR

RCP-2 (PUR)  
BDRM RH RR


- (WIN) WINNEBAGO ONLY
- (ITA) ITASCA ONLY
- (42M) TV-19" COLOR W/STEREO
- (21M) WASHER/DRYER PREP
- (13B) INVERTER/CHARGER-DC/AC W/O
- (26K) REAR STEREO SYSTEM WITHOUT
- (79J) INVERTER/CHARGER-1.500 WATT
- (51B) HAIR DRYER
- (78J) ELECTRICAL SYSTEM-50 AMP
- (120) ELECTRICAL SYSTEM 30 AMP
- (182) WTR HTR-10GAL/ELEC/LP/MTR/AID
- (265) CODES/STANDARDS-CSA/CMVSS
- (181) CODES/STANDARDS USA

02 P36LD (181)(120)(78J)(265)

WIRING INSTL-BODY (RH30/50)

- 5) ROUTE WIRE IN SIDEWALL DURING INSTALLATION.
  - 4) ROUTE WIRE IN FLOOR DURING INSTALLATION.
  - 3) WIRE ROUTED IN SIDEWALL.
2. ALL WIRES ARE TO BE CLAMPED WITH CLAMP 10497-05-000 WITHIN 200 OF OUTLET BOXES AND SPLICES. USE SCREW G67-10-12B.
1. ALL WIRE TO BE CLAMPED WITH CLAMP 10495-01-000 OR CLIP 80734-02-000 EVERY 700. USE SCREW G67-10-12B UNLESS OTHERWISE SPECIFIED.

VIEW CA-CA (51B)



INVERTER/CHARGER  
113685-07-000  
SCREW  
642-04-16B (2)

136145-01-015  
8-GRN

TO NEGATIVE POST  
ON COACH BATTERIES

10 GA WIRE TO  
LOAD CENTER

10 GA WIRE TO  
INVERTER CHARGER  
BREAKER PANEL

CONTROL WIRE ASM

TO FUSE HOLDER IN  
BATTERY COMPARTMENT

CLIP  
TRIM  
130034-02-CHT  
SCREW  
G39-10-12T (3)

(79.J)

1. ALL 110V STRANDED WIRE W/O TERMINALS TO BE STRIPPED  
10MM AND SOLDER DIPPED.

NOTES:


(79.J) INVERTER/CHARGER-1.500 WATT  
(1B1) CODES/STANDARDS USA

02 P36LD (1B1)(265)(670)


TITLE		WIRING INSTL-BODY(AIS)	
DO NOT SCALE DRAWING	SIZE	NO	NO
SHEET 4 OF 4	IF	NO	137994







DL  
GX





WIRING DIAGRAM-CHASSIS  
(WIRE ASM 137992)

CONNECTS TO WIRE ASM-IP MAIN

- A1-AAX 16 WHT
- A2- 16 WHT
- A3- 16 WHT
- B1-BBM 16 YEL
- B2-BBN 16 YEL
- B3-CCY 16 YEL
- B4-CCZ 16 YEL
- C1-DDA 16 YEL
- C2-TM 16 WHT
- D1-LL 16 WHT
- D2-LM 16 WHT
- D3-LN 16 WHT
- D4-HU 16 YEL
- E1-MM 14 YEL
- E2-HS 16 YEL
- F1- 16 YEL
- F2- 16 YEL
- G1-DL 16 YEL
- G2-DM 16 WHT
- G3-DJ 14 YEL
- G4-OK 16 WHT
- H1-AAA 16 WHT
- H2- 16 WHT
- H3-ER 16 YEL
- H4- 16 WHT
- J1- 16 WHT
- J2-WH 16 YEL
- J3-ER 16 YEL
- J4- 16 WHT
- K1-FFD 12 YEL
- K2- 16 WHT
- K3-AAW 16 YEL

CONNECTS TO WIRE ASM-IP MAIN



STEP COVER SWITCH





ELECTRIC STEP SWITCH



CONNECTS TO ELECTRIC STEP




WIRE ASM-CRT BRK POWER IN FRONT ELECTRICAL BOX (SHT 1, D-4)




CONNECTS TO WIRE ASM-COACH (SHT 2, A-38) (LOCATED IN REFRIG. CABT.)



CONNECTS TO GENERATOR ADAPT




CONNECTS TO AWNING CONTROL BOX



CONNECTS TO WIRE ASM-SIDEWALL



2 WITHOUT INVERTER/CHARGER THERE ARE ONLY 2 BATTERIES AND NO 300 AMP FUSE.


1 SEE MANUFACTURERS DIAGRAM FOR ADDITIONAL INFORMATION.





WIRING DIAGRAM-COACH (WIRE ASM 1394391)

FIRST USED	02 P36GD
TITLE	DO NOT SCALE DRAWING
WIRING DIAGRAM-BODY, 12V	
SHEET 2	PART NO 139437










- 10 NOTE
- 9 NOTE
- 8 NOTE
- 7 NOTE
- 6 NOTE
- 5 NOTE
- 4 NOTE
- 3 NOTE
- 2 NOTE
- 1 NOTE

NOTES:






WIRING DIAGRAM-ROOF  
(WIRE ASM 139441)

FIRST USED	02 P36GD
TITLE	DO NOT SCALE DRAWING
	WIRING DIAGRAM-BODY, 12V
SHEET 3	PART NO 139437


S3 F1

WATER CLOSET  
CEILING LAMP



ND PF  
14 YEL  
14 WHT

HALL  
CEILING LAMP



ND WX  
14 YEL  
14 WHT

BATH/VENT



KG KH KJ JM  
14 YEL 14 YEL  
14 YEL 14 WHT

BEDROOM  
VENT




JM JB  
14 WHT  
14 YEL

GALLEY  
VENT




JM JB  
14 WHT  
14 YEL

CONNECTS TO  
WIRE ASM-COACH  
(SHT 2, A-15)  
(LOCATED IN BORM  
TV CABT-1)



1-NC 14 WHT  
2-PC 14 YEL  
3-ND 14 WHT  
4-PF 14 YEL  
5-JB 14 YEL  
6-JM 14 WHT  
7-  
8-HA 14 YEL  
9-WX 14 YEL  
10-PE 14 YEL  
11-KG 14 YEL  
12-KH 14 YEL  
13-KJ 14 YEL  
14-FFW 14 YEL  
15-FFX 14 YEL



CONNECTS TO  
SWITCHING SYSTEM



RED



CONNECTS TO  
WIRE ASM-COACH


GRN



BLU


CONNECTS TO  
REAR SPLITTER

CONNECTS TO  
FRONT TV  
WALLPLATE



1-DL 16 YEL  
2-DM 16 WHT  
3-JE 14 YEL  
4-NE 14 WHT  
5-HA 14 YEL  
6-


CONNECTS TO  
WIRE ASM-OVHD  
(SHT 8, C-2)  
(LOCATED IN  
GALLEY OVHD)



1-DL 16 YEL  
2-DM 16 WHT


CONNECTS TO  
CUBE SPEAKER

A-HS 16 YEL  
B-HT 16 WHT




CONNECTS TO  
SOLAR PANEL



1-JA 14 YEL  
2-JP 14 WHT  
3-DL 16 YEL  
4-DM 16 WHT  
5-JE 14 YEL  
6-NE 14 WHT  
7-HS 16 YEL  
8-HT 16 WHT  
9-PL 14 YEL  
10-PM 14 WHT  
11-NM 14 YEL  
12-JC 14 YEL



CONNECTS TO  
WIRE ASM-COACH  
(SHT 2, D-38)  
(LOCATED IN BORM  
TV CABT)




NOTES:




WIRING DIAGRAM-SIDEWALL, RIGHT  
(WIRE ASM 139620)

FIRST USED	02 P36GD	
TITLE:	DO NOT SCALE DRAWING	
SHEET	4	PART NO 139437






WIRING DIAGRAM-COMP, LAMPS  
(WIRE ASM 140654)




WIRING DIAGRAM-OVHD  
(WIRE ASM 134054)




WIRING DIAGRAM-OVHD, LEFT  
(WIRE ASM 132424-04)


FIRST USED	02 P36GD
DO NOT SCALE DRAWING	
TITLE:	WIRING DIAGRAM-BODY, 12V
SHEET 6	PART NO 139437




WIRING DIAGRAM-SIDEWALL, RR  
(WIRE ASM 134061-04)



WIRING DIAGRAM-OVHD  
(WIRE ASM 133231-02)




WIRING DIAGRAM-SPEAKER, ADAPTER  
(WIRE ASM 133817-02)




WIRING DIAGRAM-EXTERIOR SERVICE LAMP  
(WIRE ASM 77093-12)

NOTES:


FIRST USED	02 P36GD
TITLE:	DO NOT SCALE DRAWING
SHEET	7
PART NO	139437



WIRING DIAGRAM-GEN, ADAPTER, LP  
 (WIRE ASM 130332-01)




WIRING DIAGRAM-GEN, ADAPTER, LP  
 (WIRE ASM 130332-02)




WIRING DIAGRAM-REAR STEREO  
 (WIRE ASM 124336-01)

FIRST USED	02 P36GD	
TITLE:	DO NOT SCALE DRAWING	
	WIRING DIAGRAM-BODY, 12V	
SHEET 8	PART NO	139437

LOAD CENTER




CENTRAL AIR UNIT  
(LOCATED IN RIGHT REAR  
COMPARTMENT BELOW FLOOR)






SWITCH-WATER  
HEATER  
(LOCATED IN  
GALLEY AREA)



RECIP- (S4E)  
WASHER/DRYER



CURRENT SENSING LOOP  
(NEUTRAL WIRE PASSES  
THRU THE CENTER)  
(LOCATED IN LOAD CENTER)



- (9A1) ACCESSORY PACKAGE
- (78C) ENTERTAINMENT CNTR/EXT CASSETTE
- (S4E) WASHER/DRYER
- (265) CODES/STANDARDS - CSA/CMVSS
- (1D5) ENTERTAINMENT CNTR/EXT W/CD
- (1B2) WTR HTR - 10GAL/ELEC/LP/MTR/1A1D
- (1B1) CODES/STANDARDS - USA
- (12D) ELECTRICAL SYSTEM - 30 AMP
- (1B1) (12D) (265) W/O INVERTER CHRGR

- NOTES:
- 5 THIS IS THE TYPE OF WIRE FOR THE ENTIRE CIRCUIT UNLESS OTHERWISE SPECIFIED.
  - 4 WIRE ROUTED THROUGH FLOOR.
  - 3 WIRE IN ROOF.
  - 2 WIRE ROUTED IN SIDEWALL.
  - 1 ALL OUTLETS DOWN STREAM AND INCLUDING THIS OUTLET ARE GROUND FAULT INTERRUPT PROTECTED.


**WINNEBAGO**

DATE 09/11/01  
 DIMS ALL DIMENSIONS ARE IN MILLIMETERS  
 P.E.  
 V.E.  
 DRAWN 02 P36GD  
 UNSPECIFIED TOLERANCES ARE:  
 HOLE DIA (+.01) ± .1  
 ONE-PLACE (+.001) ± 1.5  
 TWO-PLACE (+.001) ± 0.50  
 HOLE ± .12  
 THIRD ANGLE PROJECTION  
 DO NOT SCALE DRAWING  
 TITLE: WIRING DIAGRAM-BODY, 110V  
 SHEET 1 of 4 PART NO 139438  
 REF: 1 PAGE 177







LOAD CENTER



CENTRAL AIR UNIT  
(LOCATED IN RIGHT REAR  
COMPARTMENT BELOW FLOOR)




AUTOMATIC  
TRANSFER  
SWITCH




SWITCH-WATER  
HEATER  
(LOCATED IN  
GALLEY AREA)



RECIP- (54E)  
WASHER/DRYER



CURRENT SENSING LOOP  
(NEUTRAL WIRE PASSES  
THRU THE CENTER)  
(LOCATED IN LOAD CENTER)





- NOTES:
- 6 THIS IS THE TYPE OF WIRE FOR ENTIRE CIRCUIT UNLESS OTHERWISE SPECIFIED.
  - 5 6-3 WITH 8500 WATT GENERATOR
  - 4 4-3 WITH 7500 WATT GENERATOR
  - 4 WIRE ROUTED THROUGH FLOOR.
  - 3 WIRE ROUTED IN ROOF.
  - 2 WIRE ROUTED IN SIDEWALL.
  - 1 ALL OUTLETS DOWN STREAM AND INCLUDING THIS OUTLET ARE GROUND FAULT INTERRUPT PROTECTED

- (21K) DINING/COMPUTER TABLE/CHAIRS
- (265) CODES/STANDARDS-CSA/CMVSS
- (76C) ENTERTAINMENT CTR/EXT CASSETTE
- (1D5) ENTERTAINMENT CTR/EXT W/CD
- (9A1) ACCESSORY PACKAGE
- (78J) ELECTRICAL SYSTEM-50 AMP
- (54E) WASHER/DRYER
- (1B2) WTR HTR-10GAL/ELEC/LP/MTR/1A1D
- (1B1) CODES/STANDARDS USA


(1B1) (78J) (265) W/O INVERTER CHARGER

02 P36GD  
DO NOT SCALE DRAWING  
WIRING DIAGRAM-BODY, 110V  
SHEET 3 PART NO 139438


LOAD CENTER






AUTOMATIC TRANSFER SWITCH



SWITCH-WATER HEATER  
(LOCATED IN GALLEY AREA)



CURRENT SENSING LOOP (NEUTRAL WIRE PASSES THRU THE CENTER) (LOCATED IN LOAD CENTER)




- 6 THIS IS THE TYPE OF WIRE FOR ENTIRE CIRCUIT UNLESS OTHERWISE SPECIFIED.
- 5 6-3 WITH 6500 WATT GENERATOR AND 4-3 WITH 7500 WATT GENERATOR.
- 4 WIRE ROUTED THROUGH FLOOR.
- 3 WIRE ROUTED IN ROOF.
- 2 WIRE ROUTED IN SIDEWALL
- 1 PROTECTED BY GF1 RECP.

- (7BJ) ELECTRICAL SYSTEM-50 AMP
- (9A1) ACCESSORY PACKAGE
- (79J) INVERTER/CHARGER-1,500 WATT
- (54E) WASHER/DRYER
- (265) CODES/STANDARDS - CSA/CMVSS
- (1D5) ENTERTAINMENT CENTR/EXT W/CD
- (1B2) WTR HTR - 100AL/ELEC/LP/MTR/1AID
- (1B1) CODES/STANDARDS - USA
- (1B1) (265) (79J) (79J)

FIRST USED	02 P36GD
TITLE:	DO NOT SCALE DRAWING
TITLE:	WIRING DIAGRAM-BODY, 110V
SHEET 4	PART NO 139438

- (21K) DINING/COMPUTER TABLE/CHAIRS
- (78C) ENTERTAINMENT CTR/EXT CASSETTE





NOTES:

- ALL WIRES TO BE CLAMPED WITH CLAMP 10495-01-000 OR CLIP B0734-02-000 EVERY 700. USE SCREW G67-10-12B UNLESS OTHERWISE SPECIFIED.
- COAX CABLE IS INTERGRADED INTO THE WIRE ASM'S.

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

X - X

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

FIRST USED		02 P36GD	
DO NOT SCALE DRAWING			
TITLE: WIRING INSTL-BODY, 12V			
SHEET	2	PART NO	139435

LIGHT DESIGNER  
128788-01-CHT  
CONNECTOR  
58028-01-000 (2)  
SCREW  
G11-08-16J (2)

12V RECP  
132958-01-000  
DETAIL CB


WALLPLATE TELEPHONE  
93253-01-CHT  
DETAIL CC

LIGHT-DESIGNER  
128788-01-CHT  
SCREW  
G11-08-16J (2)  
CONNECTOR  
58028-01-000 (2)

SWITCHES  
DETAIL DH

SWITCHES  
DETAIL DJ

SWITCHES  
DETAIL DG




DETAIL CC


LCS-1

WIRE ASM-OVHD  
134054-01-000

SWITCHES  
DETAIL DK




DETAIL CB



DETAIL CA (1E2)

- NOTES:
- 8 CONNECT TELEPHONE WIRES TO MATCHING COLORS ON PLATE-TELEPHONE. SEE WIRING INSTL-FRONT END FOR ADDITIONAL INFORMATION.
  - 7 SEE STYLING SHEET FOR ADDITIONAL INFORMATION.
  - 6 SEE WIRING INSTL-CHASSIS FOR ADDITIONAL INFORMATION. SPEAKER IS MOUNTED TO ROOF.
  - 5 MOUNT SWITCH AND SPACER TO BLOCK ON JAMB ADJUST HEIGHT TO MATCH MAGNET. MOUNT MAGNET USING PILOT HOLES IN SCREEN DOOR FRAME. MOUNT WITH MAGNET TOWARD SWITCH. WIRE ROUTED IN SIDEWALL.

STUD-ISOLATED  
86233-01-000  
NUT  
D34-06-00B  
SCREW  
G11-08-12B (2)  
BOOT  
77479-02-000



DETAIL CD


SPEAKER  
124884-01-000  
GRILLE  
124885-01-000  
SCREW  
G11-08-12T (4)

(20C)

12V BREAKER PANEL  
(SEE SHT 4)

DETECTOR-LP GAS  
103613-03-000  
SCREW  
668-06-10U (2)

STUD-ISOLATED  
86233-01-000  
NUT  
D34-06-00B  
SCREW  
G11-08-12B (2)  
BOOT  
77479-02-000



DETAIL CE (79J)

DETAIL CE (13B)

4 PIN HOUSING  
TO WIRE ASM-ROOF

SPEAKER-RADIO, TV  
84097-01-000  
SCREW  
G11-08B (2)

CONTROL VOLUME SPEAKER (20F)

133089-01-000

(20F)

(20F)

FLU-3

SPEAKER CUBE (20C)

124883-02-000  
SCREW  
G11-08-12U (3)

(20C)

TO REFRIGERATOR

TELEPHONE SPLICE  
DETAIL CD


CONVERTER  
DETAIL CE

TO 12V BREAKER  
PANEL


CONVERTER  
123058-001-000

TO GROUND BAR  
U, L

DETAIL CE (13B)



ALARM CLOCK, DIGITAL  
132738-01-CHT  
SCREW  
G11-08-08U (4)



DETAIL CF

LIGHT-READING  
132427-01-CHT  
SCREW  
G13-08-16U (2)  
CONNECTOR  
58028-01-000 (2)

RADIO SPEAKER (25E) (20C)

94087-01-000  
GRILLE  
90026-01-CHT  
SCREW  
G11-08-08B (4)

LAMP-WALL  
119266-25-CHT  
065201-09-CHT  
BULB  
67479-01-000 (2)  
SCREW  
G57-10-24J (2)  
CONNECTOR  
28028-01-000 (2)

WALL-PLATE-TELEPHONE  
93253-01-CHT  
DETAIL CC

RADIO-WALL MOUNT  
AM/FM CASSETTE  
133307-01-000  
RADIO-WALL MOUNT  
CW/ALARM  
133-7-02-000  
SCREW  
76790-03-000


RECEPTACLE-12V  
132958-01-000  
SCREW  
G11-08-08 (2)  
DETAIL CF

- (20C) SOUND SYS. DLX. W/O-SOUND
- (26K) REAR STEREO SYSTEM WITHOUT
- (28L) REAR STEREO SYSTEM W/CASSETTE
- (25E) REAR STEREO SYSTEM W/CD
- (571) RADIO SPEAKERS
- (285) CODES/STANDARDS-CSA/CMVSS
- (20F) DELUX SOUND SYSTEM-WITHOUT
- (1B1) CODES/STANDARDS USA
- (1E2) ENTRANCE STEP-ELECT. (1B1) (285)


FOR ELECTRICAL  
FORGIVE  
SPECIFICATIONS  
SEE DWG NO.  
128783-01-000

FOR  
ELECTRICAL  
CALLOUTS  
SEE DWG NO.  
121339-01-000

FIRST USED		02 P36GD	
DO NOT SCALE DRAWING			
TITLE: WIRING INSTL-DRAWING, 12V			
SHEET	3	PART NO	139435




SWITCH-DIMMER  
137859-01-000  
SCREW  
G11-06-10U (2)  
CONNECTOR  
58028-01-000 (2)  
RED-JD  
WHT-PC




SWITCH-BYPASS  
SWITCH-WINTERIZATION  
(SUPPLIED W/KIT)  
SCREW  
G12-05-16U (4)

DETAIL DC (530)




SWITCH  
132180-01-CHT (3)  
132180-02-CHT  
PLATE-SWITCH  
98351-08-CHT  
SCREW  
G11-06-10J (4)

DETAIL DG




SWITCH  
135740-01-CHT  
135740-02-CHT (2)  
BASE  
135741-03-CHT  
BEZEL  
135742-03-CHT  
SCREW  
G11-08-08U (4)

DETAIL DA




SWITCH  
135740-01-CHT (2)  
135740-02-CHT  
BASE  
135741-03-CHT  
BEZEL  
135742-03-CHT  
SCREW  
G11-08-08U (4)



SWITCH  
135740-01-CHT  
135740-03-CHT  
BASE  
135741-02-CHT  
BEZEL  
135742-02-CHT  
SCREW  
G11-08-08U (4)

DETAIL DD (715)




SWITCH-AWNING CONTROL  
108357-08-000  
ACTUATOR  
108356-12-CHT  
CIRCUITS  
FFK,FFU,FFM,FFN,FFV,FFR

SWITCH-AWNING SELECTOR  
108357-08-000  
ACTUATOR  
108356-13-CHT  
CIRCUITS  
FFU,FFP,FFV,


PLATE  
98351-22-CHT

DETAIL DJ (9C1)




SWITCH  
135740-01-CHT  
BASE  
135741-01-CHT  
BEZEL  
135742-01-CHT  
SCREW  
G11-08-08U (2)

DETAIL DB



SWITCH  
135740-01-CHT  
135740-02-CHT  
BASE  
135741-02-CHT  
BEZEL  
135742-02-CHT  
SCREW  
G11-08-08U (4)


DETAIL DE



DRESSER  
COURTESY  
JE  
FK


DETAIL DF

SWITCH  
135740-01-CHT  
BASE  
135741-01-CHT  
BEZEL  
135742-01-CHT  
SCREW  
G11-08-08U (2)



SWITCH  
135740-01-CHT  
135740-02-CHT  
BASE  
135741-02-CHT  
BEZEL  
135742-02-CHT  
SCREW  
G11-08-08U (4)

DETAIL DK



SWITCH-MAP  
89308-01-CHT  
SWITCH-STEP COVER (1H9)  
89308-04-CHT  
PLATE-SWITCH  
98351-12-CHT  
SCREW  
G11-06-10U (2)

DETAIL DH


FOR ELECTRICAL  
TORQUE  
SPECIFICATIONS  
SEE DWG NO.  
128783-01-000

FOR ELECTRICAL  
CALLOUTS  
SEE DWG NO.  
121338-01-000


- (530) WINTERIZING KIT
- (1H9) STEPWELL COVER PANEL-SLIDING
- (715) VENT POWER
- (63N) AWNING-ENTRANCE DR, ELECTRIC
- (52N) AWNING-PATIO, ELECTRIC
- (9C1) AWNING-ELECTRIC PACKAGE
- (265) CODES/STANDARDS-CSA/CMVSS
- (1B1) CODES/STANDARDS USA
- (1B1) (265)

PROJECT	02 P36GD
TITLE	DO NOT SCALE DRAWING
WIRING INSTL-BODY	12V
SHEET 4	PART NO 139435


CONNECT TELEPHONE WIRES TO MATCHING COLORS ON PLATE-TELEPHONE.



CIRCUIT BREAKER (FRONT VIEW)



SECTION DA-DA



CIRCUIT BREAKER (BACK VIEW)


- (41J) REST EASY DUAL CONTROL LEATHER
- (41F) REST EASY MULTI POS LOUNGE
- (41G) REST EASY LEATHER FACED SOF
- (265) CODES/STANDARDS-CSA/CMVSS
- (1B1) CODES/STANDARDS USA

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000


X - X FOR ELECTRICAL CALLOUTS SEE DWG NO. 121338-01-000

FIRST USED		02 P36GD	
DO NOT SCALE DRAWING			
TITLE: WIRING INSTL-BODY,12V			
SHEET	5	PART NO	139435





LIGHT  
93575-19-CHT  
BULB  
117505-02-000 (5)  
SCREW  
611-08-18U (3)  
CONNECTOR  
58028-01-000 (2)



(LFI-2)

FRONT LEFT COMPT

(LFIN2 4)  
WASHER, PLASTIC  
087080-02-CHT (4)

SWITCH-PUSHBUTTON  
41250-01-000 (5)  
BRACKET-SWITCH, LIGHT  
138494-01-CHT (5)  
SCREW  
G39-08-16E (20)  
WASHER, PLASTIC  
087080-02-CHT (3)

LAMP  
86280-01-000  
SCREW  
067-10-12U (2)  
CONNECTOR  
58028-01-000 (2)

(LFIN2)

SWITCH-PUSHBUTTON  
41250-01-000  
BRACKET-SWITCH, LIGHT  
138494-01-CHT  
SCREW  
G39-08-16E (2)

- (48M) LIGHTS-INCANDESCENT
- (48V) LIGHTS-FLUORESCENT
- (265) CODES/STANDARDS-CSA/CMVSS
- (1B1) CODES/STANDARDS USA



(1B1) (265)

1 LAMPS TO BE MOUNTED WITH SWITCH OUTBOARD AND 75 ±20 FROM EDGE OF FLOOR.

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121338-01-000

FIRST USED		02 P36GD	
DO NOT SCALE DRAWING			
TITLE: WIRING INSTL-BODY, 12V			
SHEET 6	PART NO 139435		



290 PANEL-SOLAR 10 WATT  
 115504-01-000  
 SCREW  
 611-08-16U (14)  
 DETAIL FA




26L ANTENNA-RADIO  
 90944-01-000  
 EXTENDER-SHAFT, ANTENNA  
 109889-04-000  
 BRACKET-ANTENNA GROUND  
 108847-01-000  
 CABLE EXT  
 77059-02-000 (2)  
 SEAL

26E

FOR WIRING  
 DETAIL FB

193 ANT-2

490 DM-1



ANTENNA-RADIO  
 90944-01-000  
 EXTENDER-SHAFT, ANTENNA  
 109889-04-000  
 BRACKET-ANTENNA GROUND  
 108847-01-000  
 CABLE EXT  
 77059-02-000 (14)  
 SEAL

76C

OR

105

- NOTES:
- 4 TAPE BRANCH BACK ALONG WIRE ASM WITH TAPE 8363-01-000.
  - 3 INSTALL WITH WIRES TOWARD ROOF.
  - 2 FASTEN TO VENT.
  - 1 WRAP BRACKET LEGS AROUND ANTENNA BASE.

FOR ELECTRICAL  
 TORQUE  
 SPECIFICATIONS  
 SEE DWG NO.  
 128783-01-000


FOR ELECTRICAL  
 CALLOUTS  
 SEE DWG NO.  
 121338-01-000

X - X

- 105 ENTERTAINMENT CTR/EXT W/CD
  - 76C ENTERTAINMENT CTR/EXT CASSETTE
  - 290 SOLAR PANEL-10 WATT
  - 265 CODES/STANDARDS-CSA/CMVSS
  - 1B1 CODES/STANDARDS USA
- 181 265

FIRST USED		02 P36GD	
DO NOT SCALE DRAWING			
TITLE: WIRING INSTL-BODY,12V			
SHEET	7	PART NO	139435

DRAWING NO.	FEATURE
139436-01	.....
139436-11	(1B1) (12D)
139436-12	(1B1) (7BJ)
139436-13	(1B1) (12D) (7BJ)
139436-14	(1B1) (7BJ) (79J)
139436-15	(265) (12D)
139436-16	(265) (7BJ)
139436-17	(265) (12D) (79J)
139436-18	(265) (7BJ) (79J)



- (79J) INVERTER/CHARGER-1,500 WATT
- (9A1) ACCESSORY PACKAGE
- (670) GEN-7.5KW-ONAN-QUIET DIESEL
- (39R) GEN-6.5KW-ONAN-LP-MARQUI'S
- (7BJ) ELECTRICAL SYSTEM-50 AMP
- (40F) INVERTER-DC/AC-130W
- (265) CODES/STANDARDS-CSA/CMVSS
- (12D) ELECTRICAL SYSTEM 30 AMP
- (1B1) CODES/STANDARDS USA

6. ROUTED ALONG CHASSIS RAIL IN THIS AREA.
- (5) SEE GENERATOR INSTALLATION FOR ADDITIONAL INFORMATION.
  - (4) SEE EXT ENT CTR COMPT FOR ADDITIONAL INFORMATION.
  - (3) WIRE THAT REST ON WIRE TRAYS ARE TO BE TIED DOWN WITH WIRE TIE 8343-02-000.
  - (2) CLAMP TO FLOOR SUPPORT TUBES AS NECESSARY WITH CLAMP 10497-01-000.
  - (1) ALL WIRE TO BE CLAMPED WITH CLAMP 10495-01-000 OR CLIP 80734-02-000 EVERY 700. USE SCREW 067-10-12B UNLESS OTHERWISE SPECIFIED.

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

X-X

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

**WINNEBAGO**

DATE 03/26/01

DWG ALL DIMENSIONS ARE IN MILLIMETERS

FIRST USED 02 P36GD

UNSPECIFIED TOLERANCES ARE:  
 HOLE DIA (.XX) ± .01  
 ONE-PLACE (.XX) ± .01  
 TWO-PLACE (.XX) ± .01  
 HOLE ± .01

THIRD ANGLE PROJECTION


DO NOT SCALE DRAWING

TITLE: WIRING INSTL-BODY,110V

SHEET 1 of 4 PART NO. 139436

REF: 1 PAGE 188






RECP-EXTERIOR  
 FROM RECP GALLEY GF1 TO RECP-EXT ENT CTR  
 TO RECP-LOUNGE

DETAIL CC

RECP-BLANK GALLEY (BLK1)  
 FROM LOAD CENTER TO MICROWAVE

DETAIL CA

48C FLASHLIGHT-RECHARGEABLE  
 133140-01-000  
 SCREW  
 G11-08-10B (2)



VACUUM-CLEANER PORTABLE RECHARGEABLE (22R)  
 133139-01-000  
 FASTENER-DUAL LOCK  
 85774-01-000  
 (100)  
 85774-02-000  
 (100)  
 SCREW  
 G11-08-10B (2)

ALL WIRES ROUTE BELOW FLOOR IN THIS AREA (SEE SHT 1 FOR ADDITIONAL INFO)

- 4 WIRE IN SIDEWALL.
- 3 ROUTE WIRE IN SIDEWALL DURING INSTALLATION.

2. ALL WIRES ARE TO BE CLAMPED WITH CLAMP 10497-05-000 WITHIN 200 FO OUTLET BOXES AND SPLICES, USE SCREW G67-10-12B.

1. ALL WIRE TO BE CLAMPED WITH CLAMP 10495-05-000 OR CLIP 80734-02-000 EVERY 700. USE SCREW G67-10-12B UNLESS OTHERWISE SPECIFIED.

NOTES:

RCP-2 (PLR1) BDRM RH,RR  
 SPACER  
 133713-06-CHT  
 SCREW  
 G11-08-200 (4)


- 26L REAR STEREO SYSTEM W/CASSETTE
- 25E REAR STEREO SYSTEM W/CD
- 26K REAR STEREO SYSTEM WITHOUT
- 79W REFRIGERATOR-4 DOOR
- 78J ELCTRICAL SYSTEM-50 AMP
- 13B INVERTER/CHARGER-DC/AC W/O
- 48G FLASHLIGHT
- 22R VACUUM CLEANER-PORTABLE
- 15U REFRIGERATOR/FRZR W/ICEMAKER
- 9A1 ACCESSORY PACKAGE
- 26S CODES/STANDARDS-CSA/CMVSS
- 13C MICRO/CONV OVEN W/RANGE FAN
- 12D ELECTRICAL SYSTEM 30 AMP
- 1B1 CODES/STANDARDS USA

181 265 12D 78J

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128793-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

FIRST USED		02 P36GD	
DO NOT SCALE DRAWING			
TITLE: WIRING INSTL-BODY, 110V			
3	PART NO	139436	



- 5 NOTE
- 4 NOTE
- 3 ALL 110V STRANDED WIRE W/O TERMINALS TO BE STRIPPED 10MM AND SOLDER DIPPED.
- 2 GROUND WIRES NOT SHOWN FOR CLARITY.
- 1 ALL WIRES TO CLAMPED WITHIN 200 OF BOX.

NOTES:


- 265 FEATURE NOTE
- 79J GEM-7,5KW-ONAN-QUIET DIESEL
- 1B1 CODES/STANDARDS USA
- 1B1 265

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO 128793-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO 121339-01-000

FIRST USED		02 P36GD	
DO NOT SCALE DRAWING			
TITLE:		WIRING INSTL-BODY,110V	
4	PART NO	139436	






VIEW BB-BB (A)

VIEW BB-BB (79J) (A)

VIEW BB-BB (22J) (A)



DETAIL BA

- (19D) SLIDEOUT ROOM REAR LEFTHAND
- (79J) INVERTER/CHARGER-1,500 WATT BATTERY-TWO
- (22W) BATTERY-TWO


02 P36L/LD/G/CD

TITLE		WIRING INSL-CHASSIS	
DO NOT SCALE DRAWING	REV	NO	137991
SHEET	2	OF	2

NOTES:

(A) CLAMP WIRES TO TUBES WITH ENOUGH SLACK TO PULL BATTERY TRAY OUT 20 INCHES.





**WINNEBAGO**

DATE: 05/31/01

ALL DIMENSIONS ARE IN MILLIMETERS

02 P390D

UNSPECIFIED TOLERANCES ARE:

INSIDE DIM	± .1	MATERIAL:
ONE-PLACE	± .1	*
TWO-PLACE	± .001	*
ANGLE	*	*




THIRD ANGLE PROJECTION

DO NOT SCALE DRAWING

TITLE: WINNEBAGO DIAGRAM-BODY, 12V

SHEET 1 OF 6 PART NO 140735


REF: 1 PAGE 194




WIRING DIAGRAM-CHASSIS (WIRE ASM 14006B)

- A1-AAX 16 WHT
- A2-
- B1-BBM 16 YEL
- B2-BBN 16 YEL
- B3-CCY 16 YEL
- B4-CCZ 16 YEL
- C1-DDA 16 YEL
- C2-TM 16 WHT
- D1-LL 16 WHT
- D2-LM 16 WHT
- D3-LN 16 WHT
- D4-HJ 16 YEL
- E1-MM 14 YEL
- E2-HS 16 YEL
- F1-
- F2-
- G1-DL 16 YEL
- G2-DM 16 WHT
- G3-DJ 14 YEL
- G4-DK 16 WHT
- H1-AAA 16 WHT
- H2-
- J1-
- J2-WH 16 YEL
- J3-ER 16 YEL
- J4-
- K1-FFD 12 YEL
- K2-
- K3-AAW 16 YEL


CONNECTS TO WIRE ASM-IP MAIN (LOCATED IN FLOOR BY DRIVER)



RIGHT SUBWOOFER




CONNECTS TO WIRE ASM-COACH (SHT 2, D-36) (LOCATED BELOW LAVATORY)





- 1-DL 16 YEL
- 2-DM 16 WHT
- 3-DJ 16 YEL
- 4-DK 16 WHT
- 5-HS 16 YEL
- 6-


STEP COVER SWITCH



ELECTRIC STEP SWITCH



- 1-BBM 16 YEL
- 2-BBN 16 YEL
- 3-DDA 16 YEL
- 4-CCY 16 YEL
- 5-CCZ 16 YEL
- 6-NW 14 YEL
- 7-JT 16 YEL
- 8-WC 16 YEL
- 9-WE 14 WHT
- 10-LM 16 WHT
- 11-LN 16 WHT
- 12-LP 16 YEL
- 13-HS 16 YEL
- 14-MM 14 YEL
- 15-ER 16 YEL




CONNECTS TO WIRE ASM-COACH (SHT 2, A-36) (LOCATED BELOW LAVATORY)

- A-LN 16 WHT
- B-HJ 16 YEL
- C-LL 16 WHT
- D-LP 16 YEL
- E-LM 16 WHT




CONNECTS TO WIRE ASM-GENERATOR ADAPT

- 1-FFD 12 YEL
- 2-FFE 12 WHT
- 3-WH 16 YEL
- 4-FFK 16 YEL
- 5-FFN 16 YEL
- 6-
- 7-FFG 12 WHT
- 8-FFJ 12 WHT
- 9-FFM 16 YEL
- 10-FFR 16 YEL
- 11-
- 12-FFF 12 WHT
- 13-FFH 12 YEL
- 14-FFL 16 YEL
- 15-PPP 16 YEL






CONNECTS TO AWNING CONTROL BOX



- 1-FFF 12 YEL
- 2-FFG 12 WHT
- 3-FFH 12 YEL
- 4-FFJ 12 WHT



CONNECTS TO WIRE ASM-SIDEMALL (SHT 3, B-4) (LOCATED IN ENTRANCE STEP BOX)





CONNECTS TO TO ANTENNA   CONNECTS TO ENT. CTR. RADIO


CONNECTS TO TO ANTENNA   CONNECTS TO REAR STEREO


WIRING DIAGRAM-COACH  
(WIRE ASM 140611)

FIRST USED	02 P390D
TITLE	DO NOT SCALE DRAWING
WIRING DIAGRAM-BODY, 12V	
SXF1	SHEET 2 PART NO 140175


















WIRING DIAGRAM-SIDEWALL, RIGHT  
(WIRE ASM 141311)


FIRST USED	02 P39QD	
DO NOT SCALE DRAWING		
TITLE:	WIRING DIAGRAM-BODY, 12V	
SHEET 3	PART NO	140735




WIRING DIAGRAM-EXTENSION, 2HSG  
(WIRE ASM 137479)



WIRING DIAGRAM-SPEAKER, ADAPTER  
(WIRE ASM 133617-02)




WIRING DIAGRAM-EXTENSION, 2 PIN  
(WIRE ASM 133572-01)



CONNECTS TO WIRE ASM-COACH  
(SHT 2, A-B)  
(LOCATED BELOW LAVATORY)

CONNECTS TO WIRE ASM-OVHD REAR  
(SHT 2, A-B)

WIRING DIAGRAM-SIDEWALL, LEFT  
(WIRE ASM 140722-01)





CONNECTS TO WIRE ASM-OVHD REAR OR ROOF  
(SHT 2, A-7)

CONNECTS TO RADIO AM/FM STEREO CASSETTE



CONNECTS TO WIRE ASM-SLIDEOUT ROOM  
(SHT 2, A-9)

WIRING DIAGRAM-REAR STEREO  
(WIRE ASM 124335-14)

FIRST USED	02 P390D
TITLE:	DO NOT SCALE DRAWING
WIRING DIAGRAM-BODY, 12V	
SHEET 4	PART NO 140735




FIRST USED	02 P39QD	
TITLE:	DO NOT SCALE DRAWING	
SHEET	5	PART NO 140735




FIRST USED		02 P390D	
DO NOT SCALE DRAWING			
TITLE: WIRING DIAGRAM-BODY, 12V			
SHEET	6	PART NO	140735


LOAD CENTER





CENTRAL AIR UNIT  
 (LOCATED IN RIGHT REAR  
 COMPARTMENT BELOW FLOOR)



AUTOMATIC  
 TRANSFER  
 SWITCH



SWITCH-WATER  
 HEATER  
 (LOCATED IN  
 GALLEY AREA)



- (9A1) ACCESSORY PACKAGE
- (78C) ENTERTAINMENT CNTR/EXT CASSETTE
- (40B) INVERTER - DC/AC - 300 WATT
- (265) CODES/STANDARDS - CSA/CMVSS
- (1D5) ENTERTAINMENT CNTR/EXT W/CD
- (1B2) WTR HTR - 10GAL/ELEC/LP/MTR/1AID
- (1B1) CODES/STANDARDS - USA
- (12D) ELECTRICAL SYSTEM - 50 AMP
- (1B1) (12D) (265) W/O INVERTER CHRGR

**WINNEBAGO**

DATE: 07/18/01  
 ALL DIMENSIONS ARE IN MILLIMETERS  
 PART NO: 02 P390D


UNSPECIFIED TOLERANCES ARE:  
 HOLE DIA: .125  
 ONE-PLACE: .125  
 TWO-PLACE: .050  
 HOLE: .125


THIRD ANGLE PROJECTION

DO NOT SCALE DRAWING

TITLE: WIRING DIAGRAM-BODY, 110V  
 SHEET 1 of 4 PART NO: 140179

- NOTES:
- 4 WIRE ROUTED THROUGH FLOOR.
  - 3 WIRE IN ROOF.
  - 2 WIRE ROUTED IN SIDEWALL.
  - 1 ALL OUTLETS DOWN STREAM AND INCLUDING THIS OUTLET ARE GROUND FAULT INTERRUPT PROTECTED.






- NOTES:
- 4 WIRE IN ROOF.
  - 3 WIRE IN SIDEWALL.
  - 2 WIRE BELOW FLOOR.
  - 1 ALL OUTLETS DOWN STREAM AND INCLUDING THIS OUTLET ARE GROUND FAULT INTERRUPT PROTECTED.


- 9A1 ACCESSORY PACKAGE
- 12D ELECTRICAL SYSTEM - 30 AMP
- 7BC ENTERTAINMENT CNTR/EXT CASSETTE
- 40F INVERTER - DC/AC - 130 WATT
- 265 CODES/STANDARDS - CSA/CMVSS
- ID5 ENTERTAINMENT CNTR/EXT W/CD
- IB2 WTR HTR - 10GAL/ELEC/LP/MTR/1AID
- IB1 CODES/STANDARDS - USA
- (IB1) (265) (12D)

FIRST USED	02 P390D
DO NOT SCALE DRAWING	
TITLE: WIRING DIAGRAM-BODY, 110V	
SHEET 2	PART NO 140179


LOAD CENTER




CENTRAL AIR UNIT  
(LOCATED IN RIGHT REAR  
COMPARTMENT BELOW FLOOR)




AUTOMATIC  
TRANSFER  
SWITCH



SWITCH-WATER  
HEATER  
(LOCATED IN  
GALLEY AREA)



RECIP-BLANK, JUNCTION  
(IN BASE OF GALLEY CABT)



- NOTES:
- 5 6-3 WITH 6500 WATT GENERATOR  
4-3 WITH 7500 WATT GENERATOR
  - 4 WIRE ROUTED THROUGH FLOOR.
  - 3 WIRE ROUTED IN ROOF.
  - 2 WIRE ROUTED IN SIDEWALL.
  - 1 ALL OUTLETS DOWN STREAM AND INCLUDING THIS  
OUTLET ARE GROUND FAULT INTERRUPT PROTECTED

- 265 CODES/STANDARDS-CSA/CMVSS
- 76C ENTERTAINMENT CTR/EXT CASSETTE
- ID5 ENTERTAINMENT CENTR/EXT W/CD
- 9A1 ACCESSORY PACKAGE
- 78J ELECTRICAL SYSTEM-50 AMP
- 40B INVERTER-DC/AC-300 WATT
- IB2 WTR HTR-106AL/ELEC/LP/MTR/1AID
- IB1 CODES/STANDARDS USA

1B1 78J 265 W/O INVERTER CHARGER

FIRST USED 02 P39QD



DO NOT SCALE DRAWING

TITLE: WIRING DIAGRAM-BODY, 110V


SHEET 3 PART NO 140179







DETAIL AC-AC



DETAIL AB

- (41F) SOFA, 4-WAY
- (41G) SOFA, 4-WAY LEATHER
- (64R) EXTERIOR WASH STATION
- (530) WINTERIZING KIT
- (1D5) ENTERTAINMENT CTR/EXT W/CD
- (76C) ENTERTAINMENT CTR/EXT CASSETTE
- (1B1) CODES/STANDARDS USA
- (265) CODES/STANDARDS-CSA/CMVSS

- 4 CONNECT TELEPHONE WIRES TO MATCHING COLORS ON PLATE-TELEPHONE.
- 3 WIRES THAT REST ON WIRE TRAYS ARE TO BE TIED DOWN WITH WIRE TIE B343-02-000.
- 2 CLAMP TO FLOOR SUPPORT TUBES AS NECESSARY WITH CLAMP 10497-01-000.
- 1 ALL WIRE TO BE CLAMPED WITH CLAMP 10495-01-000 OR CLIP 80734-02-000 EVERY 700. USE SCREW 067-10-12B UNLESS OTHERWISE SPECIFIED.

NOTES:

265 1B1

**WINNEBAGO**

DATE 08/10/01


ORIG. DATE

ALL DIMENSIONS ARE IN MILLIMETERS

02 P390D

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128793-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000



NOTES:

- ALL WIRES TO BE CLAMPED WITH CLAMP 10495-01-000 OR CLIP 8073402-02-000 EVERY 700. USE SCREW 667-10-12B UNLESS OTHERWISE SPECIFIED
- COAX CABLE IS INTEGRATED INTO THE WIRE ASM'S.
- WITHOUT (290) PLUG THE TWO, TWO PIN HOUSINGS TOGETHER ON WIRE ASM-COACH.
- WIRE IN SIDEWALL.
- CONNECT TELEPHONE WIRES TO MATCHING COLORS ON PLATE-TELEPHONE.
- SEE STYLING SHEET FOR ADDITIONAL INFORMATION
- WITHOUT (290) PLUG THE TWO, TWO PIN HOUSINGS TOGETHER ON WIRE ASM-COACH.

WITHOUT (25E) OR (26L)


LCS-1

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWS NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWS NO. 121339-01-000

FIRST USED		02 P390D	
DO NOT SCALE DRAWING			
TITLE: WIRING INSTL BODY, 12V			
SHEET 2	PART NO		140177
PAGE 211			


- (91L) HOME COMFORT PLUS PACKAGE
- (ITA) ITASCA ONLY
- (WDL) WINNEBAGO DELUXE UPGRADE
- (29C) A/C CENTRAL
- (29H) HEAT PUMP-A/C CENTRAL
- (290) SOLAR PANEL-10 WATT
- (21K) DINING/COMPUTER TABLE/CHAIRS
- (25E) REAR STEREO SYSTEM W/CD
- (26L) REAR STEREO SYSTEM W/CASSETTE
- (79J) INVERTER/CHARGER-1,500 WATT
- (20C) SOUND SYS. DLX,W/O-SURROUND
- (57I) RADIO SPEAKERS
- (265) CODES/STANDARDS-CSA/CMVSS
- (20F) DELUX SOUND SYSTEM-WITHOUT
- (1B1) CODES/STANDARDS USA



DETAIL CA



DETAIL CB



- 8 CONNECT TELEPHONE WIRES TO MATCHING COLORS ON PLATE-TELEPHONE
- 7 SEE WIRING INSTL-FRONT END FOR ADDITIONAL INFORMATION
- 6 SEE STYLING SHEET FOR ADDITIONAL INFORMATION
- 5 SEE WIRING INSTL-CHASSIS FOR ADDITIONAL INFORMATION
- 4 SPEAKER IS MOUNTED TO ROOF
- 3 MOUNT SWITCH AND SPACER TO BLOCK ON JAMB ADJUST HEIGHT TO MATCH MAGNET
- 2 MOUNT MAGNET USING PILOT HOLES IN SCREEN DOOR FRAME. MOUNT WITH MAGNET TOWARD SWITCH.
- 1 WIRE ROUTED IN SIDEWALL

- (79J) INVERTER/CHARGER-1,500 WATT
- (13B) INVERTER/CHARGER-DC/AC W/O
- (ITA) ITASCA ONLY
- (WDL) WINNEBAGO DELUXE UPGRADE
- (20C) SOUND SYS. DLX. W/O-SOUND
- (28K) REAR STEREO SYSTEM WITHOUT
- (26L) REAR STEREO SYSTEM W/CASSETTE
- (25E) REAR STEREO SYSTEM W/CD
- (57) RADIO SPEAKERS
- (26S) CODES/STANDARDS-CSA/CMVSS
- (20F) DELUXE SOUND SYSTEM-WITHOUT
- (1B1) CODES/STANDARDS USA
- (1E2) ENTRANCE STEP ELECT.

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128793-01-000


(X-X) FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

FIRST DWG 02 P390D

DO NOT SCALE DRAWING


TITLE: WIRING INSTL-BODY, 12V

SHEET 3 PART NO 140177



SWITCH-ROCKER  
135740-01-CHT  
SWITCH-BASE  
135741-02-CHT  
SWITCH-BEZEL  
135742-20-CHT  
SCREW  
611-08-0BU (4)

DETAIL DA




SWITCH-AWNING SELECTOR  
108357-08-000  
ACTUATOR  
108356-13-CHT  
CIRCUITS  
FFU, FFP, FFV, FFL

SWITCH-AWNING CONTROL  
108357-06-000  
ACTUATOR  
108356-12-CHT  
CIRCUITS  
FFK, FFU, FFM, FFN, FFV, FFR,

PLATE  
98351-22-CHT


DETAIL DD

9C1




SWITCH-ROCKER  
135740-01-CHT  
SWITCH-BASE  
135741-02-CHT  
SWITCH-BEZEL  
135742-02-CHT  
SCREW  
611-08-0BU (4)

DETAIL DB



SWITCH  
132180-01-CHT (3)  
132180-02-CHT  
PLATE-SWITCH  
98351-08-CHT  
SCREW  
611-06-10J (4)

DETAIL DE



SWITCH-ROCKER  
135740-01-CHT  
SWITCH-BASE  
135741-02-CHT  
SWITCH-BEZEL  
135742-18-CHT  
SCREW  
611-08-0BU (4)


DETAIL DC



STEP-MAP  
89308-01-CHT  
SWITCH-STEP COVER (IH9)  
89308-04-CHT  
PLATE-SWITCH  
98351-12-CHT  
SCREW  
611-06-10U (2)

DETAIL DF


PLATE-SWITCH  
81994-09-000  
SWITCH  
108357-06-000  
ACTUATOR  
108356-02-CHT  
NUT  
D65-08-00B (2)  
LABEL  
116220-01-000



LABEL-WARNINGS  
116549-01-000


WARNING  
DO NOT OPERATE THIS EQUIPMENT  
UNLESS YOU HAVE BEEN TRAINED  
AND CERTIFIED TO DO SO.

DETAIL DG




SWITCH-ROCKER  
135740-01-CHT  
SWITCH-BASE  
135741-02-CHT  
SWITCH-BEZEL  
135742-21-CHT  
SCREW  
611-08-0BU (4)

DETAIL DJ



SWITCH-ROCKER  
135740-01-CHT  
SWITCH-BASE  
135741-02-CHT  
SWITCH-BEZEL  
135742-17-CHT  
SCREW  
611-08-0BU (4)

DETAIL DK



SWITCH-BYPASS  
SWITCH-WINTERIZATION  
(SUPPLIED W/KIT)  
SCREW  
612-05-16U (4)

DETAIL DH

530

- (530) WINTERIZING KIT
- (IH9) STEPWELL COVER PANEL-SLIDING
- (715) VENT POWER
- (63N) AWNING-ENTRANCE DR, ELECTRIC
- (52N) AWNING-PATIO, ELECTRIC
- (9C1) AWNING-ELECTRIC PACKAGE
- (265) CODES/STANDARDS-CSA/CMVSS
- (1B1) CODES/STANDARDS USA
- (265) (1B1)

NOTES:

FOR ELECTRICAL  
TORQUE  
SPECIFICATIONS  
SEE DWG NO.  
128793-01-000

FOR  
ELECTRICAL  
CALLOUTS  
SEE DWG NO.  
121339-01-000


FIGURE NO. 02 P390D

DO NOT SCALE DRAWING



TITLE: WIRING INSTL-BODY, 12V

SHEET 4 PART NO. 140177

1 PAGE 213



- WDL 41H
- ITA 41G
- 41L 41F
- 41J 41E



- WDL WINNEBAGO DELUXE UPGRADE
- ITA ITASCA ONLY
- 41L REST EASY DUAL CONTROL ULTRALEATHER
- 41J REST EASY DUAL CONTROL LEATHER
- 41H REST EASY, ULTRA LEATHER
- 41G REST EASY, LEATHER FACED SOFA
- 41F REST EASY MULTI POS LOUNGE
- 41E REST EASY W/HOOP CHAIR
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

265 1B1

FIRST USED 02 P390D

DO NOT SCALE DRAWING


TITLE: WIRING INSTL-BODY, 12V

SHEET 5 PART NO 140177

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128793-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

NOTES:



LIGHT ITA  
133416-02-00 (2)  
BRACKET  
133077-02-CHT

FLUN4 48V  
2

FLUN4 WDL

LSH-1

LFIN2 2

LFSN2 3

LIGHT 93575-19-CHT (48M)  
BULB  
117906-01-000 (5)  
SCREW  
G11-08-16U (3)  
CONNECTOR  
58028-01-000 (2)

WASHER-PLASTIC  
067080-02-CHT (7)

LFIN2 7

SWITCH PUSHBUTTON (7)  
41250-01-000  
BRACKET-SWITCH, LIGHT (7)  
138494-01-CHT  
SCREW G39-08-16E (14)

LFIN2 2

SWITCH-PUSHBUTTON  
41250-01-000  
BRACKET-SWITCH, LIGHT  
138494-01-CHT  
SCREW  
G39-08-16E (2)

LFIN2 2

LAMP 86280-01-000  
SCREW 667-10-12U (2)  
CONNECTOR  
58028-01-000 (2)

- (WDL) WINNEBAGO DELUX UPGRADE
- (ITA) ITASCA ONLY
- (48M) LIGHTS INCANDESCENT
- (48V) LIGHTS FLUORESCENT
- (265) CODES/STANDARDS-CSA/CMVSS
- (1B1) CODES/STANDARDS USA
- (265 1B1)

2 SEE WIRING INSTL-CHASSIS FOR WIRING INFORMATION

1 LAMPS TO BE MOUNTED WITH SWITCH OUTBOARD AND 75±20 FROM EDGE OF FLOOR.


FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO 128793-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO 121339-01-000

FIRST USED		02 P390D	
DO NOT SCALE DRAWING			
TITLE: WIRING INSTL-BODY, 12V			
SHEET 6	PART NO 140177		




DRAWING NO.	FEATURE
140178-01	-----
140178-11	(1B1) (12D)
140178-12	(1B1) (7BJ)
140178-13	(1B1) (12D) (79J)
140178-14	(1B1) (7BJ) (79J)
140178-15	(265) (12D)
140178-16	(265) (7BJ)
140178-17	(265) (12D) (79J)
140178-18	(265) (7BJ) (79J)



- 7 CONNECT BLACK TO BLACK, WHITE TO WHITE, AND GROUNDS TO GROUNDS.
- 6 WITHOUT (79J).
- 5 SEE GENERATOR INSTALLATION FOR ADDITIONAL INFORMATION.
- 4 SEE EXT ENT CTR COMPT FOR ADDITIONAL INFORMATION.
- 3 WIRES THAT REST ON WIRE TRAYS ARE TO BE TIED DOWN WITH WIRE TIE 8343-02-000.
- 2 CLAMP TO FLOOR SUPPORT TUBES AS NECESSARY WITH CLAMP 10497-01-000.
- 1 ALL WIRE TO BE CLAMPED WITH CLAMP 10495-01-000 OR CLIP 80734-02-000 EVERY 700. USE SCREW G67-10-12B UNLESS OTHERWISE SPECIFIED.

- (136131-03-090) 14-UL
- (136134-03-090) 14-CA



FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128793-01-000


FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

- (79J) INVERTER/CHARGER-1,500 WATT
- (40B) INVERTER-DC/AC-300 WATT
- (67D) GEN-7,5KW-ONAN-QUIET DIESEL
- (54E) WASHER/DRYER
- (76C) ENTERTAINMENT CTR/EXT CASSETTE
- (1D5) ENTERTAINMENT CENTER/EXT W/CD
- (39C) GEN-6,5KW ONAN LP MARO GOLD
- (1B1) (265) (12D) (7BJ)

**WINNEBAGO**

DATE: 8/22/01  
 ALL DIMENSIONS ARE IN MILLIMETERS  
 PART NO: 02 P390D  
 DO NOT SCALE DRAWING  
 WIRING INSTL-BODY,110V  
 SHEET 1 of 4 PART NO 140178  
 REF: NONE 1 PAGE 217





- BOX 8289-01-000 (2)
- SCREW 667-10-12B (4)
- COVER 8294-01-000 (2)
- CONNECTOR 8356-01-000 (5)
- WIRE ASM-GROUND 133678-01-000 (2)
- CONNECTOR 8313-01-000 (6)
- SCREW-GROUND, GRN 103291-01-000 (2)

SP-04 RCP-2 (BRN) BATH

SP-04 RCP-2 (BRN) NIGHTSTAND

4X4 BOXES DETAIL BC

SPACER 133713-07-CHT LTA  
133713-06-CHT WIN 26K  
611-08-20D (4)

RCP-2 (PUR) REAR STEREO

SWITCH-WATER HEATER (WHT) 84420-01-000  
LABEL 83588-01-000

RCP-1 (PUR) HAIR DRYER

SWITCH-ENGINE HEATER (PUR) 84420-01-000  
LABEL 83588-02-000

RCP-2 (BRN) COFFEEMAKER

RCP-2 (BRN) SDW DINETTE  
SPACER 133713-08-CHT  
SCREW 611-08-20D (4)


RCP-B (DET BE) LAV 2

RCP-B (DET BD) LAV 1


HAIR DRYER, WALL-MOUNT (SIB)  
13306B-01-000  
SCREW 611-08-10U (3)

LOAD CENTER/ATS ASM 137998-01-000

ALL WIRES ROUTE BELOW FLOOR IN THIS AREA (SEE SHT 1 FOR ADDITIONAL INFO)



DETAIL BB



DETAIL BE

DETAIL BE

- (SIB) HAIR DRYER
- (9A1) ACCESSORY PACKAGE
- (S1B) HAIR DRYER
- (78J) ELECTRICAL SYSTEM-50 AMP
- (12D) ELECTRICAL SYSTEM-30 AMP
- (265) CODES/STANDARDS-CSA/CMVSS
- (1B1) CODES/STANDARDS USA


(1B1) (12D) (78J) (265)

FIRST USED	
02 P390D	
DO NOT SCALE DRAWING	
TITLE:	WIRING INSTL-BODY,110V
SHEET 2	PART NO 140178


FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128793-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

- 4 CONNECT BLACK TO BLACK, WHITE TO WHITE, AND GROUNDS TO GROUNDS.
- 3 WIRE IN SIDEWALL.
- 2 ALL WIRES ARE TO BE CLAMPED WITH CLAMP 10497-05-000 WITHIN 200 OF OUTLER BOXES AND SPLICES. USE SCREW 667-10-12B
- 1 ALL WIRES TO BE CLAMPED WITH CLAMP 10497-01-000 OR CLIP 80734-02-000 EVERY 700. USE SCREW 667-10-12B UNLESS OTHERWISE SPECIFIED.



FLASHLIGHT-RECHARGEABLE (48G)  
133140-01-000  
SCREW  
G11-08-10B (2)



VIEW CA

VACUUM-CLEANER PORTABLE RECHARGEABLE (22R)  
133139-01-000  
SCREW  
G11-08-10B (2)  
FASTENER-DUAL LOCK (100)  
85774-02-000 (100)


WIRES ROUTED BELOW FLOOR INT THIS AREA (SEE SH1 FOR ADDITIONAL INFORMATION)

- 5 WITHOUT (79J).
  - 5 ROUTE WIRE IN SIDEWALL DURING INSTALLATION.
  - 4 ROUTE WIRE IN FLOOR DURING INSTALLATION.
  - 3 WIRE ROUTED IN SIDEWALL.
  - 2 ALL WIRES ARE TO BE CLAMPED WITH CLAMP 10497-05-000 WITHIN 200 OF OUTLER BOXES AND SPLICES. USE SCREW G67-10-12B
  - 1 ALL WIRES TO BE CLAMPED WITH CLAMP 10497-01-000 OR CLIP 80734-02-000 EVERY 700. USE SCREW G67-10-12B
- NOTES UNLESS OTHERWISE SPECIFIED.


- (13B) INVERTER/CHARGER-DC/AC W/O
- (WIN) WINNEBAGO ONLY
- (ITA) ITASCA ONLY
- (42M) TV-19" COLOR W/STEREO
- (21M) WASHER/DRYER PREP
- (79J) INVERTER/CHARGER-1,500 WATT
- (22R) VACUUM CLEANER-PORTABLE
- (48G) FLASHLIGHT
- (79J) ELECTRICAL SYSTEM-50 AMP
- (12D) ELECTRICAL SYSTEM-30 AMP
- (1B2) WTR HTR-10GAL/ELEC/LP/MTR/10
- (265) CODES/STANDARDS-CS/CMVSS
- (1B1) CODES/STANDARDS USA

(1B1) (12D) (79J) (265)

RECP-BLANK REAR TV



DETAIL CC




DETAIL CB

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128793-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

02 P390D  
DO NOT SCALE DRAWING  
WIRING INSTL-BODY,110V  
SHEET 3 PART NO 140178



- 4. SEE WIRING DIAGRAM-BODY FOR ADDITIONAL INFORMATION.
- 3. ALL GROUND WIRE TO BE COVERED WITH TUBING 8041-02-000.
- 2. ALL 110V WIRE TO BE CLAMPED WITH CLAMP 10497-05-000 WITHIN 200 OF OUTLET BOXES, USE SCREW 667-10-12B.
- 1. ALL WIRES TO BE SECURED WITH CLAMP 10495-01-000 OR CLIP 80734-01-000 EVERY 600MM. USE SCREW 667-10-12B UNLESS OTHERWISE SPECIFIED.

NOTES:

(265) CODES/STANDARDS-CSA/CMVSS

(IB1) CODES/STANDARDS USA

(IB1) (265)

FIRST USED 02 P390D

DO NOT SCALE DRAWING

TITLE: WIRING INSTL-BODY,110V


SHEET 4 PART NO 140178

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128793-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000







- (19D) SLIDEOUT ROOM REAR LEFTHAND
- (79J) INVERTER/CHARGER-1,500 WATT
- (22W) BATTERY-TWO

FIRST USED	
02 P390D	
DO NOT SCALE DRAWING	
TITLE: WIRING INSTL-CHASSIS	
SHEET 2 of 2	PART NO 140067

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128793-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

		8	7	6	5	4	3	2	1
		P327/TD	P34H/HD	P36C	P366D	P36L	P36LD	P390D	
RED	12-UL	136135-07-053	136135-07-053	136135-07-053	136135-07-053	136135-07-053	136135-07-053	136135-07-053	
	12-CA	136136-07-053	136136-07-053	136136-07-053	136136-07-053	136136-07-053	136136-07-053	136136-07-053	
MAIN	10-UL	136137-01-025	136137-01-033	136137-01-030	136137-01-030	136137-01-030	136137-01-030	136137-01-030	39C 12D
	10-CA	136138-01-025	136138-01-033	136138-01-030	136138-01-030	136138-01-030	136138-01-030	136138-01-030	39C 12D
	6-3 UL	136139-01-025	136139-01-033	136139-01-030	136139-01-030	136139-01-030	136139-01-030	136139-01-030	39C 78J
	6-3 CA	136140-01-025	136140-01-033	136140-01-030	136140-01-030	136140-01-030	136140-01-030	136140-01-030	39C 78J
	4-3 UL	136141-01-025	136141-01-033	136141-01-030	136141-01-030	136141-01-030	136141-01-030	136141-01-030	670
	4-3 CA	136142-01-025	136142-01-033	136142-01-030	136142-01-030	136142-01-030	136142-01-030	136142-01-030	670
GRN	12-UL	136135-08-025	136135-08-030	136135-08-030	136135-08-030	136135-08-030	136135-08-030	136135-08-030	12D
	12-CA	136136-08-025	136136-08-030	136136-08-030	136136-08-030	136136-08-030	136136-08-030	136136-08-030	12D
	12-UL	136135-08-053	136135-08-053	136135-08-053	136135-08-053	136135-08-053	136135-08-053	136135-08-053	78J
INVERTER CHARGER MAIN	12-CA	136136-08-053	136136-08-053	136136-08-053	136136-08-053	136136-08-053	136136-08-053	136136-08-053	78J
	10-UL	136137-01-035	136137-01-035	136137-01-035	136137-01-035	136137-01-035	136137-01-035	136137-01-035	79J
	10-CA	136138-01-035	136138-01-035	136138-01-035	136138-01-035	136138-01-035	136138-01-035	136138-01-035	79J
YEL	14-UL	136131-05-085	136131-05-090	136131-05-072	136131-05-072	136131-05-072	136131-05-072	136131-05-075	13B
	14-CA	136134-05-085	136134-05-090	136134-05-072	136134-05-072	136134-05-072	136134-05-072	136134-05-075	13B
YEL-2	14-UL	136131-05-070	136131-05-075	136131-05-072	136131-05-072	136131-05-072	136131-05-072	136131-05-075	144 15U 79W
	14-CA	136134-05-070	136134-05-075	136134-05-072	136134-05-072	136134-05-072	136134-05-072	136134-05-075	144 15U 79W
GLD	12-UL	N/A	136135-10-115	136135-10-080	136135-10-055	136135-10-075	136135-10-075	136135-10-080	21M 54E
	12-CA	N/A	136136-10-115	136136-10-080	136136-10-055	136136-10-075	136136-10-075	136136-10-080	21M 54E
WHT	12 UL	136135-09-195	136135-09-125	136135-09-155	136135-09-150	136135-09-155	136135-09-155	136135-09-170	1B2
	12 CA	136136-09-195	136136-09-125	136136-09-155	136136-09-150	136136-09-155	136136-09-155	136136-09-170	1B2
INVERTER CHARGER SUB	10-UL	136137-01-035	136137-01-035	136137-01-035	136137-01-035	136137-01-035	136137-01-035	136137-01-035	79J
	10-CA	136138-01-035	136138-01-035	136138-01-035	136138-01-035	136138-01-035	136138-01-035	136138-01-035	79J
BLU	14-UL	136131-02-200	136131-02-170	136131-02-200	136131-02-230	136131-02-174	136131-02-174	136131-02-350	79J
	14-CA	136134-02-200	136134-02-170	136134-02-200	136134-02-230	136134-02-174	136134-02-174	136134-02-350	79J
BRN	14-UL	136131-03-130	136131-03-060	136131-03-124	136131-03-100	136131-03-063	136131-03-063	136131-03-110	79J
	14-CA	136134-03-130	136134-03-060	136134-03-124	136134-03-100	136134-03-063	136134-03-063	136134-03-110	79J
PUR	14-UL	136131-04-185	136131-04-140	136131-04-250	136131-04-175	136131-04-093	136131-04-093	136131-04-185	79J
	14-CA	136134-04-185	136134-04-140	136134-04-250	136134-04-175	136134-04-093	136134-04-093	136134-04-185	79J
BLK	14-UL	136131-06-093	136131-06-060	136131-06-065	136131-06-075	136131-06-060	136131-06-060	136131-06-085	79J
	14-CA	136134-06-093	136134-06-060	136134-06-065	136134-06-075	136134-06-060	136134-06-060	136134-06-085	79J
GROUND MAIN		136145-01-023	136145-01-023	136145-01-023	136145-01-023	136145-01-023	136145-01-023	136145-01-023	79J
GROUND SUB		136145-01-020	136145-01-020	136145-01-020	136145-01-020	136145-01-020	136145-01-020	136145-01-020	79J
ATS GROUND		136145-01-016	136145-01-016	136145-01-016	136145-01-016	136145-01-016	136145-01-016	136145-01-016	79J
GENERATOR CABLE ASM		136146-01-101	136146-01-105			136146-01-116	136146-01-116		12D 39C
		136146-02-101	136146-02-105			136146-02-116	136146-02-116		12D 39C
		136147-01-101	136147-01-105			136147-01-116	136147-01-116		78J 39C
		136147-02-101	136147-02-105			136147-02-116	136147-02-116		78J 39C
GENERATOR CABLE ASM				136148-01-119	136148-01-119			136148-01-122	39C
		136148-02-101	136148-02-105	136148-02-119	136148-02-119	136148-02-116	136148-02-116	136148-02-122	670
GRN-2	12-UL	136135-08-062	136135-08-062	136135-08-062	136135-08-062	136135-08-062	136135-08-062	136135-08-062	12D
	12-CA	136136-08-062	136136-08-062	136136-08-062	136136-08-062	136136-08-062	136136-08-062	136136-08-062	12D

PREV. DATE: 11/20/00  
 REV. DATE: 12-19-00  
 REV. NO: 137998  
 REV. ZONE: REVISION RECORD DATE ITR. ITR.

- 79W REFRIGERATOR-4 DOOR
- 79J INVERTER/CHARGER-1,500 WATT
- 670 GEN-7.5KW-ONAN-QUIET DIESEL
- 13B INVERTER/CHARGER-DC/AC W/O
- 78J ELECTRICAL SYSTEM - 50 AMP
- 54E WASHER/DRYER
- 265 CODES/STANDARDS - CSA/CMVSS
- 21M WASHER/DRYER - PREP
- 1B1 CODES/STANDARDS - USA
- 39C GEN-6.5KW ONAN LP MARO GOLD
- 15U REFRIGERATOR/FRZR W/ICEMAKER
- 144 REFRIGERATOR - DOUBLE DOOR
- 12D ELECTRICAL SYSTEM - 30 AMP

**WINNERBAGO**

ORIG. DATE: 11/30/00

CHGR: ALL DIMENSIONS ARE IN MILLIMETERS

P.E.: FIRST USED

M.E.: 02 P-SERIES

UNSPECIFIED TOLERANCES ARE:


FINISH DIM (XX.X)	+ .1	MATERIAL:
ONE-PLACE (XX.XX)	+ 1.5	
TWO-PLACE (XX.XXX)	+ 0.50	
FINISH	+ .1"	

THIRD ANGLE PROJECTION



**DO NOT SCALE DRAWING**

TITLE: LOAD CENTER/ATS ASM

SHEET 1 of 6 PART NO 137998



- 9 AFTER 01-07-02.
  - 8 PRIOR TO 01-07-02.
  - 7 ALL WIRES ARE TO BE 500MM LONG INSIDE OF BOX.
  - 6 WIRE MUST BE 400MM LONG INSIDE BOX, ALL OTHERS TO BE 300MM.
  - 5 WITHOUT (54E) OR (21M)
  - 4 ATTACH WIRES TO BACKSIDE OF LOAD CENTER, USE EXISTING HOLES AND TIE-WIRE 116673-01-000.
3. ALL 110V STRANDED WIRE W/O TERMINALS TO BE STRIPPED 10MM AND SOLDER DIPPED.
  2. GROUND WIRES ARE NOT SHOWN FOR CLARITY.
  1. ALL GROUND WIRES TO BE COVERED WITH TUBING 8041-02-000.



- (13B) INVERTER/CHARGER-DC/AC W/O
- (79W) REFRIGERATOR-4 DOOR
- (54E) WASHER/DRYER
- (265) CODES/STANDARDS - CSA/CMVSS
- (21M) WASHER/DRYER - PREP
- (1B2) WTR HTR - 10GAL/ELEC/LP/MTR/1D
- (1B1) CODES/STANDARDS - USA
- (12D) ELECTRICAL SYSTEM - 30 AMP

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 126783-01-000

(X-X)


FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

FIGURE NO. 02 P-SERIES

DO NOT SCALE DRAWING

TITLE: LOAD CENTER/ATS ASM

SHEET 2 PART NO. 137998



LOAD CENTER - 120/240V, 100A  
109815-03-000  
SCREW  
G67-10-12B (4)  
(SHOWN WITH COVER REMOVED)

CONNECTOR  
8356-01-000  
8356-02-000

CONNECTOR  
8356-01-000  
8356-02-000 (13)

CIRCUIT BREAKER  
30A - 120V  
83209-04-000

CIRCUIT BREAKER  
15A - 120V  
83209-01-000  
15/20A - 120V  
83209-03-000

(21M) OR (54E)

9 GA BLK FROM SCRAP (150)

14 GA WHT FROM SCRAP (1300)

MODULE - E.M.S. CONTROL ASM  
127002-04-000  
(SEE DETAIL CA)

SECURE WITH SCREW  
G32-10-06B

GROMMET  
114208-05-000

RED GRN

CIRCUIT BREAKER  
20/30A, 120V  
83209-10-000

CIRCUIT BREAKER  
20, 120V  
83209-05-000

14 GA BLK FROM SCRAP (1300)

CIRCUIT BREAKER  
20A, 120V  
83209-05-000

CIRCUIT BREAKER  
15A, 120V  
83209-01-000  
15/20A, 120V  
83209-03-000

CIRCUIT BREAKER  
30A, 120V  
83209-04-000

LOAD CENTER  
109877-01-000  
SCREW  
G67-10-12B (4)  
(SHOWN WITH COVER REMOVED)

TO NEUTRAL BAR  
FROM (YEL) BREAKER  
(YEL-2) WIRE  
FROM (WHT) BREAKER  
(WHT) WIRE

CIRCUIT BREAKER  
30A, 120V  
83209-04-000

CONNECTOR  
8356-01-000  
8356-02-000

14 GA WHT FROM SCRAP (1300)

14 GA BLK FROM SCRAP (1300)

LOAD CENTER - 120/240, 100A  
141258-01-000  
COVER  
141258-02-000  
SCREW  
G67-10-12B (4)  
(SHOWN WITH COVER REMOVED)

12 GA BLK FROM SCRAP (1300)

MODULE - EMS CONTROL ASM  
127002-08-000  
(SEE DETAIL CA)

GROMMET  
114208-05-000

9 AFTER 01-07-02.

8 PRIOR TO 01-07-02.

7 ALL WIRES ARE TO BE 500MM LONG INSIDE OF BOX.

6 WIRE MUST BE 400MM LONG INSIDE BOX, ALL OTHERS TO BE 300MM.

5 WITHOUT (54E) OR (21M)

4 ATTACH WIRES TO BACKSIDE OF LOAD CENTER, USE EXISTING HOLES AND TIE-WIRE 116673-01-000.

3. ALL 110V STRANDED WIRE W/O TERMINALS TO BE STRIPPED 10MM AND SOLDER DIPPED.


2. GROUND WIRES ARE NOT SHOWN FOR CLARITY.

1. ALL GROUND WIRES TO BE COVERED WITH TUBING 8041-02-000.

DETAIL CA

BLU  
PUR  
BRN

GROUND WIRE



- (79J) INVERTER/CHARGER - 1,500 WATT
- (54E) WASHER/DRYER
- (265) CODES/STANDARDS - CSA/CMVSS
- (21M) WASHER/DRYER - PREP
- (1B1) CODES/STANDARDS - USA
- (12D) ELECTRICAL SYSTEM - 30 AMP
- (120) (1B1) (265) (79J)

FOR ELECTRICAL TROUBLE SPECIFICATIONS SEE DWG NO 126783-01-000




FOR ELECTRICAL CALLOUTS SEE DWG NO 121339-01-000

FIG 1/000  
02 P. SERIES  
DO NOT SCALE DRAWING  
LOAD CENTER/ATS ASM  
SHEET 3 PART NO 137998









- 3 BOARD IS NOT ATTACHED TO A.T.S. TO ALLOW FOR PROPER ROUTING.
- 2 NOT USED WITH P36C, P366D, P390D.
- 1 CORD INSTALLED BY LINE.

- 78J INVERTER/CHARGER-1,500 WATT
- 78J ELECTRICAL SYSTEM-50 AMP
- 670 GEN-7.5KW-ONAN-QUIET DIESEL
- 39C GEN-6.5KW-ONAN-LP-MARO-GOLD
- 12D ELECTRICAL SYSTEM-30 AMP
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA
- 1B1 265

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000



X-X FOR ELECTRICAL CALLOUTS SEE DWG NO. 121338-01-000

FIRST DED 02 P-SERIES

DO NOT SCALE DRAWING

TITLE: LOAD CENTER/ATS ASM

SHEET 6 PART NO 137998



265 CODES/STANDARDS-CSA/CMVSS  
 1B1 CODES/STANDARDS USA

1B1 265

**WINNEBAGO**

DTN: \_\_\_\_\_ ORIG. DATE: 10/23/00  
 DWG: \_\_\_\_\_ ALL DIMENSIONS ARE IN MILLIMETERS  
 P.E.: \_\_\_\_\_  
 V.E.: \_\_\_\_\_ FIRST USED  
 DWG: \_\_\_\_\_ 02 P-SERIES

UNSPECIFIED TOLERANCES ARE:	MATERIAL:
HOLES DIA (X) .1	
ONE-PLACE (X,XX) .1	1.5
TWO-PLACE (X,XXX) .0	0.50
THREE .1	

THIRD ANGLE PROJECTION





DO NOT SCALE DRAWING

TITLE: WIRING INSTL-EXTERIOR LAMPS  
 SHEET 1 of 2 PART NO. 137235

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

X-X FOR ELECTRICAL CALLOUTS SEE DWG NO. 121338-01-000

1 INSTALL WITH WIRES TOWARD ROOF.



(240) TRAILER HITCH

2 LAMP TO BE ASSEMBLED TO PLATE ASM PRIOR TO ITS ATTACHMENT TO THE FRONT END.



1 CONNECTOR-PLUG, TRAILER (1113589-01-000) TO BE SUPPLIED IN COACH WITH (240)

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000



X-X FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

DETAIL BA (SHOWN FROM REAR SIDE)



FIRST USED	02 P-SERIES
TITLE:	DO NOT SCALE DRAWING
WIRING INSTL-EXTERIOR LAMPS	
SHEET 2	PART NO 137235



WIRING DIAGRAM-TANK , WATER  
(WIRE ASM 96449)



WIRING DIAGRAM-TANK ,MAIN HOLDING  
(WIRE ASM 96450)



WIRING DIAGRAM-TANK ,AUX HOLDING  
(WIRE ASM 96451)

**WINNEBAGO** 93 MOTORHOMES








DPTR	DATE	UNSPECIFIED TOLERANCES ARE:	MATERIAL:
CHR	DATE	WHOLE DIM (XX)	*
P E	DATE	ONE-PLACE (X.XX)	*
M E	DATE	TWO-PLACE (X.XXX)	*
QMR	DATE	ANGLE	*
	DATE	TWO ANGLE PROJECTION	⊕ ←

LAYOUT NO. \_\_\_\_\_ TITLE: **WIRING DIAGRAM-HOLDING TANKS**

DIA # SCALE: NONE DO NOT SCALE DRAWING SIZE: 110664

ALL DIMENSIONS ARE IN MILLIMETERS SHEET 1 OF 1 ID NO


⚠ SEE WIRING DIAGRAM-BODY FOR ADDITIONAL INFORMATION.



- NOTES:
- (5) CONNECT PURPLE-2 TO INVERTER WITH FEATURE (40B).
  - (4) SLIT AS NEEDED TO RUN WIRES.
  - 3. WHERE WIRES PASS THROUGH HOLES IN STEEL AND ARE NOT OTHERWISE PROTECTED, USE GROMMET 92908-02-000.
  - (2) REMOVE VINYL FROM CUTOUT AT INSTALLATION.
  - (1) NOT USED WITH (20C) SOUND SYSTEM-DLX.

(X-X) FOR DETAIL CALLOUTS SEE DWG NO. 130375-01-000

WIRING INSTL-TV/VCR\_FRONT  
 SHEET 4 OF 10 I.F. NO. 137576



- 2 BEND TABS ON ALL 4 SIDES TO SECURE MOUNTING BRACKET TO DASH OPENING.
- 1 SUPPLIED WITH MOUNTING KIT 135420-07-000

NOTES:

(55L) RADIO-AM/FM CASSETTE/CD




P SERIES

TITLE:		RADIO INSTL	
DO NOT SCALE DRAWING	SHEET 5 OF 7	SIZE	DWG NO 137566
		1/4"	



DWG NO	SHEET	DESCRIPTION
I33004-01	1	W/O SOLAR PANEL LIGHT
I33004-02	2	WITH SOLAR PANEL LIGHT
I33004-03	3	WITH SOLAR PANEL LIGHT

RELEASE	REV A	DATE	DPTR	ADM	DWG NO	133004
REV ZONE	REVISION RECORD		DATE	DTR-ORIG		




38  
DEEPEST  
POINT OF  
PANEL

- NOTES:
1. SUGGESTED VENDOR: VENTLINE.
  2. BLACK PANEL WITH WHITE GRAPHICS.
  3. LETTERS ON MAIN HEADING TO BE 5MM HIGH.
  4. CUTOUT FOR PANEL TO BE 135 X 350 MIN/ 140 X 380 MAX.
  5. SWITCH RATING SHALL BE EMBOSSED ON THE SIDE OF THE 12V SWITCHES.

SEE CHART  
FOR COLOR VARIATIONS  
OF THIS PART

WINNEBAGO			
DTR	DATE	UNSPECIFIED TOLERANCES ARE:	MATERIAL:
CHR	DATE	WHOLE DIM (X)	+
P E	DATE	ONE-PLACE (X,XX)	+
M E	DATE	TWO-PLACE (X,XXX)	+
ENR	DATE	ANGLE	+
DATE	DATE	THIRD ANGLE	+
DATE	DATE	PROJECTION	+
LAYOUT NO	TITLE: PANEL-MONITOR		
DIA #	SCALE: 0:8	DO NOT SCALE DRAWING	SHEET 1 OF 3
ALL DIMENSIONS ARE IN MILLIMETERS			DWG NO 133004




- PIN #
- 1. 16 RED GENERATOR METER (+)
  - 2. 16 YEL GENERATOR START
  - 3. 16 BRN GENERATOR STOP
  - 4. 16 BLK GENERATOR (-)

HOUSING-AMP  
(UNIVERSAL MATE-N-LOK)  
1-480702-0  
CONTACT-PIN  
350538-1

- PIN #
- 1. 14 BLK (HOUSE +12VDC)
  - 2. 14 (CHASSIS +12VDC)
  - 3. 14 WHT (GROUND)
  - 4. 20 RED (WATER TANK)
  - 5. 20 BRN (BLACK TANK)
  - 6. 20 GRY (GRAY TANK)
  - 7. 12 RED/WHT (REMOTE WATER PUMP SWITCH)
  - 8. 12 RED (WATER PUMP SWITCH)
  - 9. 12 WHT/RED (REMOTE WATER PUMP)
  - 10. BLANK
  - 11. BLANK
  - 12. 20 WHT/GRN (LP TANK SENSOR)
  - 13. 16 YEL (WATER HEATER IGNITION)
  - 14. BLANK
  - 15. 20 WHT/BLU (WATER HEATER INDICATOR)

HOUSING-AMP  
(UNIVERSAL MATE-N-LOK)  
1-480710-0  
CONTACT-PIN  
350538-1

TITLE		PANEL-MONITOR	
DO NOT SCALE DRAWING	SHEET 2 OF 3	SIZE I.D.	OWC NO 133004
		PAGE 235	



- PIN #
- 1. 16 RED GENERATOR METER (+)
  - 2. 16 YEL GENERATOR START
  - 3. 16 BRN GENERATOR STOP
  - 4. 16 BLK GENERATOR (-)

HOUSING-AMP  
(UNIVERSAL MATE-N-LOK)  
1-480702-0  
CONTACT-PIN  
350538-1

- PIN #
- 1. 14 BLK (HOUSE +12VDC)
  - 2. 14 (CHASSIS +12VDC)
  - 3. 14 WHT (GROUND)
  - 4. 20 RED (WATER TANK)
  - 5. 20 BRN (BLACK TANK)
  - 6. 20 GRY (GRAY TANK)
  - 7. 12 RED/WHT (REMOTE WATER PUMP SWITCH)
  - 8. 12 RED (WATER PUMP SWITCH)
  - 9. 12 WHT/RED (REMOTE WATER PUMP)
  - 10. BLANK
  - 11. BLANK
  - 12. 20 WHT/GRN (LP TANK SENSOR)
  - 13. 16 YEL (WATER HEATER IGNITION)
  - 14. BLANK
  - 15. 20 WHT/BLU (WATER HEATER INDICATOR)

HOUSING-AMP  
(UNIVERSAL MATE-N-LOK)  
1-480710-0  
CONTACT-PIN  
350538-1

HOUSING-AMP  
UNIVERSAL-MATE-N-LOK  
1-480698-0  
PIN  
350538-0

PIN#  
1-16 BLK  
2-16 RED

HOUSING-AMP  
UNIVERSAL-MATE-N-LOK  
1-480699-0  
PIN  
350537-0

PIN#  
1-16 GRN  
2-16 RED


TITLE		PANEL-MONITOR	
DO NOT SCALE DRAWING	SHEET 3 OF 3	SIZE I D	OWG NO 133004




# WITH HEAT PUMP

## VENDOR SUPPLIED HARNESS

ORG WIRE IS REMOVED FROM TERMINAL AND CONNECTED TO ORG/BLK WIRE THEN WHT/BLK WIRE IS CONNECTED TO THE TERMINAL WHERE TH ORG WIRE WAS.




## WINNEBAGO SUPPLIED HARNESS




## THERMOSTAT

- 1-GRY (FREEZE SWITCH & EXCLUSION RELAY)
- 2-RED (+12VDC)
- 3-GRY (FREEZE SWITCH & EXCLUSION RELAY)
- 4-BLU (-12VDC)
- 5-YEL (COOLING COMPRESSOR #1)
- 6-ORG (COOLING COMPRESSOR #2)
- 7-BLK (FAN HIGH)
- 8-WHT (HEAT PUMP)
- 9-PUR (FAN LOW)



## LOAD SHEDDER BOARD



## FURNACE

- 1-YEL (12VDC NEGATIVE)
- 2-BLU (FROM T-STAT)
- 3-RED (12VDC POSITIVE)
- 4-BLU

WIRING DIAGRAM-THERMOSTAT, EXT  
(WIRE ASM 138131)  
(WITH HEAT PUMP)

NOTES: 1 RLC FOR 2001 THIS RESET WAS DELETED.

TERMINALS

NO.	PART NUMBER	DESCRIPTION
B-1	50003-01	TERMINAL-PIN, 16-14 GA.,.156 DIA
B-2	50004-01	TERMINAL-RECP, 16-14 GA.,.156 DIA
B-11	50003-02	TERMINAL-PIN, 16-14 GA.,.180 DIA
B-12	50004-02	TERMINAL-RECP, 16-14 GA.,.180 DIA
WP-1	106950-01	TERMINAL-PIN, 16-14 GA
WP-2	106950-02	TERMINAL-PIN, 10-12 GA
WP-3	106950-03	TERMINAL-PIN, 8 GA
R-1	35416-01	TERMINAL-RING, 8 GA, #10 STUD
R-2	35416-02	TERMINAL-RING, 6 GA, #10 STUD
R-3	35416-03	TERMINAL-RING, 12-10 GA, #10 STUD
R-4	35416-04	TERMINAL-RING, 16-14 GA, #10 STUD
R-5	37018-01	TERMINAL-RING, 12-10 GA, 5/16 STUD
R-6	102777-01	TERMINAL-RING, #6 STUD, 14 GA
R-7	102777-02	TERMINAL-RING, #6 STUD, 10 GA
R-8	102777-03	TERMINAL-RING, #6 STUD, 8 GA
R-9	33787-01	TERMINAL-RING, 14 GA, #10 STUD
R-60	8325-01	TERMINAL-RING, 16-14 GA, 1/4 STUD
R-61	8326-01	TERMINAL-RING, 16-14 GA, 3/8 STUD
R-62	8327-01	TERMINAL-RING, 16-14 GA, #10 STUD
R-63	8328-01	TERMINAL-RING, 12-10 GA, #10 STUD
R-64	8328-02	TERMINAL-RING, 12-10 GA, 3/8 STUD
R-65	8329-01	TERMINAL-RING, 8 GA, 3/8 STUD
R-66	8331-01	TERMINAL-RING, 4 GA, 3/8 STUD
R-67	8332-01	TERMINAL-RING, 6 GA, 1/4 STUD
R-68	8332-02	TERMINAL-RING, 10 GA, 1/4 STUD
R-69	8350-01	TERMINAL-RING, 6 GA, 3/8 STUD
R-70	99275-02	TERMINAL-RING, 8 GA, 7/16 STUD
R-71	101397-01	TERMINAL-RING, 16-14 GA, #10 STUD
R-91	88791-01	TERMINAL-RING, 1/0 GA, 3/8, 90 DEG.
R-92	88791-02	TERMINAL-RING, 2 GA, 3/8, 90 DEG
R-93	8348-01	TERMINAL-RING, 2 GA, 3/8 STUD
R-94	99275-01	TERMINAL-RING, 1/0 GA, 7/16 STUD
RF-51	7944-01	TERMINAL-RING, 12-10 GA, #8 STUD
RF-52	7945-01	TERMINAL-RING, 16-14 GA, #8 STUD
TR-1	47443-01	TERMINAL-RECP, 16-14 GA, .25, INS
TR-2	47443-02	TERMINAL-RECP, 12-10 GA, .25, INS
TR-11	47443-03	TERMINAL-RECP, 16-14 GA, .19, INS
TR-12	47443-04	TERMINAL-RECP, 16-14 GA, .11, INS
TR-21	80015-01	TERMINAL-RECP, 22-18 GA, .250, 90 DEG
TR-22	80015-02	TERMINAL-RECP, 16-14 GA, .190, 90 DEG
TR-23	80015-03	TERMINAL-RECP, 16-14 GA, .250, 90 DEG
TR-51	7940-01	TERMINAL-RECP, 16-14 GA, .25, UNINS
TR-52	23809-01	TERMINAL-RECP, 16-14 GA, .19, UNINS
TR-53	23809-02	TERMINAL-RECP, 18-20 GA, .25, UNINS
TR-54	49270-01	TERMINAL-RECP, 18-20 GA, .19, UNINS
TT-1	85745-02	TERMINAL-TAB, 16-14 GA, .25, INS
TT-51	7942-01	TERMINAL-TAB, 16-14 GA, .25, UNINS
TT-52	7943-01	TERMINAL-TAB, 12-10 GA, .25, UNINS

SPLICES

NO.	PART NUMBER	DESCRIPTION
BS-1	31876-01	SPLICE-BUTT, 16-14 GA, BLUE
BS-2	31876-02	SPLICE-BUTT, 12-10 GA, YELLOW
BS-3	31876-03	SPLICE-BUTT, 22-18 GA, RED
BS-SB	100070-01	SPLICE-BUTT, 14-16 GA, SHRINK, BLUE
BS-RB	112823-01	SPLICE-BUTT, 14-22 GA, REDUCER
S-1	7946-01	SPLICE, 4000-10000 CMA
S-2	23808-01	SPLICE, 12000-18000 CMA
SH-1	58028-01	SPLICE-HAT
S-10	101173-01	SPLICE-BARREL, 26300 CMA

NO.	PART NUMBER	DESCRIPTION
SP-1	90986-02	PLUG ASM-ELECTRIC STEP
SP-2	142524-01-000	HOUSING-4 PIN
	098261-01-000	SOCKET-CONNECTOR
	098262-07-000	SEAL-CONNECTOR
	098261-02-000 (3)	SOCKET-CONNECTOR
098262-01-000 (3)	SEAL-CONNECTOR	
HR-1	63910-01	HOUSING-RELAY
MP-8	125323-02	HOUSING-PIN, 8 CAVITY
MP-10	125323-01	HOUSING-PIN, 10 CAVITY
MPP	125324-01	TERMINAL-MALE, M/P, 150
CAV-1	125325-01	SEAL-CAVITY, 150-SERIES M/P
CON-3	98262-03	SEAL-CONNECTOR
LS-8	125323-03	LOCK-SECONDARY 8 POSITION
LS-10	125323-04	LOCK-SECONDARY 10 POSITION
H-8	108355-01	HOUSING-SWITCH
I-2	7956-02	SHRINK WRAP .375 DIA
I-5	7956-05	SHRINK WRAP .25 DIA


NO.	PART NUMBER	DESCRIPTION
GEN-1	125323-02-000	HOUSING-8 POSN, MALE, 150 SERIES
	125324-01-000 (4)	TERMINAL-MALE, M/P, 150
	098262-03-000 (4)	SEAL-CONNECTOR
	125325-01-000 (4)	SEAL-CAVITY, 150 SERIES M/P
125323-03-000	LOCK-SECONDARY 8 POSITION	
GEN-2	125323-01-000	HOUSING-10 POSN, MALE, 150 SERIES
	125324-01-000 (5)	TERMINAL-MALE, M/P, 150
	098262-03-000 (5)	SEAL-CONNECTOR
	125325-01-000 (5)	SEAL-CAVITY, 150 SERIES M/P
125323-04-000	LOCK-SECONDARY 10 POSITION	

HOUSINGS AND TERMINALS

NO.	PART NUMBER	DESCRIPTION
HS-2	88474-10	HOUSING-SOCKET, 2 CAVITY
HS-3	88474-09	HOUSING-SOCKET, 3 CAVITY
HS-4	88474-08	HOUSING-SOCKET, 4 CAVITY
HS-5	88474-07	HOUSING-SOCKET, 5 CAVITY
HS-6	88474-06	HOUSING-SOCKET, 6 CAVITY
HS-7	88474-05	HOUSING-SOCKET, 6 CAVITY
HS-9	88474-03	HOUSING-SOCKET, 9 CAVITY
HS-12	88474-01	HOUSING-SOCKET, 12 CAVITY
HS-15	88474-02	HOUSING-SOCKET, 15 CAVITY
HP-2	88473-10	HOUSING-PIN, 2 CAVITY
HP-3	88473-09	HOUSING-PIN, 3 CAVITY
HP-4	88473-08	HOUSING-PIN, 4 CAVITY
HP-5	88473-07	HOUSING-PIN, 5 CAVITY
HP-6	88473-06	HOUSING-PIN, 6 CAVITY
HP-7	88473-05	HOUSING-PIN, 6 CAVITY
HP-8	88473-04	HOUSING-PIN, 8 CAVITY
HP-9	88473-03	HOUSING-PIN, 9 CAVITY
HP-12	88473-01	HOUSING-PIN, 12 CAVITY
HP-15	88473-02	HOUSING-PIN, 15 CAVITY
HS2HA	137208-01	HOUSING-SOCKET, 2 CAVITY-HIGH AMP
HP2HA	137207-01	HOUSING-PIN, 2 CAVITY-HIGH AMP
TS-1	88476-01	SOCKET-CONNECTOR, 16-14 GA
TS-2	88476-02	SOCKET-CONNECTOR, 12-10 GA
TP-1	88475-01	PIN-CONNECTOR, 16-14 GA
TP-2	88475-02	PIN-CONNECTOR, 12-10 GA
TS-HA	137210-01	SOCKET-CONNECTOR, 10AWG HIGH AMP
TP-HA	137209-01	PIN-CONNECTOR, 10AWG HIGH AMP

RELEASE A 10/19/95  
 REVISION RECORD  
 DATE 12/3/99  
 PART NO 121339

BALLOON CALLOUT LEGEND



**WINNEBAGO**

DATE: 10/17/95  
 ALL DIMENSIONS ARE IN MILLIMETERS  
 FIRST USED: 96 MH'S

UNSPECIFIED TOLERANCES ARE:  
 HOLE DIA: .015  
 ONE-PLACE: .015  
 TWO-PLACE: .015  
 HOLE: .015

THIRD ANGLE PROJECTION

DO NOT SCALE DRAWING

TITLE: PART LISTING-ELECT. TERMS  
 SHEET 1 of 7 PART NO 121339

FOR RECP-BLANK, DET-X DENOTES DETAIL VIEW.

WIRE-SINGLE INS CONDUCTOR, STRANDED

NO.	PART NUMBER	DESCRIPTION
16-Y 16-W	89360-01 89360-02	WIRE, 16 GA. YELLOW WIRE, 16 GA. WHITE
14-Y 14-W	48554-02 48554-04	WIRE, 14 GA. YELLOW WIRE, 14 GA. WHITE
12-Y 12-W	48555-02 48555-04	WIRE, 12 GA. YELLOW WIRE, 12 GA. WHITE
10-Y 10-W	8000-03 8000-05	WIRE, 10 GA. YELLOW WIRE, 10 GA. WHITE
8-B 8-G	8005-01 8005-03	WIRE, 8 GA. BLACK WIRE, 8 GA. GREEN
6-B 6-G	70065-01 70065-03	WIRE, 6 GA. BLACK WIRE, 6 GA. GREEN
18-WX	121015-01	WIRE, 18 GA. WHITE, XLPE
16-YX 16-WX	116675-01 116675-02	WIRE, 16 GA. YELLOW, XLPE WIRE, 16 GA. WHITE, XLPE
14-YX 14-WX	98586-01 98586-02	WIRE, 14 GA. YELLOW, XLPE WIRE, 14 GA. WHITE, XLPE
12-YX 12-WX	98609-01 98609-02	WIRE, 12 GA. YELLOW, XLPE WIRE, 12 GA. WHITE, XLPE
10-YX 10-WX	116676-03 116676-04	WIRE, 10 GA. YELLOW, XLPE WIRE, 10 GA. WHITE, XLPE
8-BX 8-GX	116674-01 116674-02	WIRE, 8 GA. BLACK, XLPE WIRE, 8 GA. GREEN, XLPE
6-BX 6-GX	116687-01 116687-02	WIRE, 6 GA. BLACK, XLPE WIRE, 6 GA. GREEN, XLPE

RECEPTACLES

NO.	PART NUMBER	DESCRIPTION
RCP-1	86738-02-CHT	RECEPTACLE-SINGLE, FLUSH MOUNT
RCP-2	86738-01-CHT	RECEPTACLE-DOUBLE, FLUSH MOUNT
RCP-3	58707-01-000	RECEPTACLE-SINGLE, SURFACE MOUNT
RCP-B	58707-02-000	RECEPTACLE-BLANK, JUNCTION
RCP-E	131826-01-CHT	INCLUDES COVER & GASKET

WIRE-NM SHEATHED CABLE

NO.	PART NUMBER	DESCRIPTION
14 UL	8027-01-000	WIRE 14-2 ROMEX W/GROUND (UL)
14 CA	8023-02-000	WIRE 14-2 ROMEX W/GROUND (CAN)
12 UL	8026-01-000	WIRE 12-2 ROMEX W/GROUND (UL)
12 CA	8023-01-000	WIRE 12-2 ROMEX W/GROUND (CAN)
12-3 UL	8026-03-000	WIRE 12-3 ROMEX W/GROUND (UL)
12-3 CA	8023-03-000	WIRE 12-3 ROMEX W/GROUND (CAN)
10 UL	8022-01-000	WIRE 10-2 ROMEX W/GROUND (UL)
10 CA	24743-01-000	WIRE 10-2 ROMEX W/GROUND (CAN)
6-3 UL	108914-01-000	WIRE 6-3 ROMEX W/GROUND (UL)
6-3 CA	113136-01-000	WIRE 6-3 ROMEX W/GROUND (CAN)
6-2 UL	108914-02-000	WIRE 6-2 ROMEX W/GROUND (UL)
4-3 UL	128375-01-000	WIRE 4-3 ROMEX W/GROUND (UL)
4-3 CA	128375-01-000	WIRE 4-3 ROMEX W/GROUND (CAN)

POWER CORDS

NO.	PART NUMBER	DESCRIPTION
PC-10 28	8054-01-000	POWER CORD 10 GA, 30 AMP, 28 FT. (UL/CA)
PC-10 35	8054-02-000	POWER CORD 10 GA, 30 AMP, 35 FT. (UL/CA)
PC-10 30-CA	8052-01-000	SUPERCEDED BY 8054-01-000
PC-6 36	108934-01-000	POWER CORD 6 GA, 50 AMP, 36 FT. (UL/CA)
PC-6 36-FX	108934-02-000	POWER CORD 6 GA, 50 AMP, 36 FT. (UL/CSA) SUPERFLEX
PC-6 36-CA	113096-01-000	SUPERCEDED BY 108934-02-000

CIRCUIT COLOR LEGEND

110V CIRCUIT	WIRE COLOR	COAXIAL CIRCUIT
A/C CIRCUIT 1	RED	CABLE INPUT W/O SPLITTER
A/C CIRCUIT 2	GRN	REAR TV W/O SPLITTER
GENERAL RECPS 1	BLU	ANTENNA
GENERAL RECPS 2	BRN	FRONT TV
GENERAL RECPS 3	PUR	VCR INPUT
GENERAL RECPS 4	GRY	
REFRIGERATOR/ CONVERTER	YEL	EXT ENT CTR
MICROWAVE	BLK	AUX INPUT
WATER HEATER	WHT	
WASHER/DRYER	GLD	
DISHWASHER	SIL	
	ORG	SATELLITE PLATE INPUT
	ORG/ORG	SATELLITE PLATE OUTPUT
	RED/RED	CABLE INPUT W/SPLITTER
	GRN/GRN	REAR TV W/SPLITTER
	PUR/PUR	VCR OUTPUT

CONDUIT

NO.	PART NUMBER	DESCRIPTION	TEMP.
C-4	41953-07-000	CONDUIT-CONVOLUTE,SLIT .25"ID	190°
C-6	41953-06-000	CONDUIT-CONVOLUTE,SLIT .38"ID	190°
C-8	41953-01-000	CONDUIT-CONVOLUTE,SLIT .50"ID	190°
C-10	41953-02-000	CONDUIT-CONVOLUTE,SLIT .63"ID	190°
C-16	41953-03-000	CONDUIT-CONVOLUTE,SLIT 1.0"ID	190°
CX-8	41953-09-000	CONDUIT-CONVOLUTE,SLIT .50"ID	370°
CX-12	41953-10-000	CONDUIT-CONVOLUTE,SLIT .75"ID	370°
CX-16	41953-11-000	CONDUIT-CONVOLUTE,SLIT 1.0"ID	370°
CX-20	41953-13-000	CONDUIT-CONVOLUTE,SLIT 1.25"ID	370°
CX-24	41953-14-000	CONDUIT-CONVOLUTE,SLIT 1.50"ID	370°
CN-10	41953-05-000	CONDUIT-CONVOLUTE,NOT SLIT .63"ID	190°
CN-16	41953-12-000	CONDUIT-CONVOLUTE,NOT SLIT 1.0"ID	190°








BATTERY CABLE LEGEND

COLOR	DESCRIPTION
PURPLE	CHASSIS BATTERY TO SOLENOID
BLUE	HYDRAULIC JACKS PUMP
RED	BATTERY TO STARTER
GREEN	BATTERY TO GENERATOR
YELLOW	COACH BATTERY TO SOLENOID



121339

FIRST USED 96 MH'S  
DO NOT SCALE DRAWING  
TITLE: PART LISTING-ELECT. TERMS  
SHEET 2 PART NO 121339







LAMP ASM-PACKAGE, PANCAKE

NO	PART NUMBER	DESCRIPTION
LF1-1	LAMP 98024-01-CHT SCREW G11-08-16U (4) CONNECTOR 58028-01-000 (2)	LAMP ASM, FROSTED LENS, 1 BULB W/SWITCH PROGRESSIVE DYNAMICS INC. 
LF2-1	LAMP 98024-03-CHT SCREW G11-08-16U (6) CONNECTOR 58028-01-000 (2)	LAMP ASM, FROSTED LENS, 2 BULB W/SWITCH PROGRESSIVE DYNAMICS INC. 
LO1-1	LAMP 98024-05-CHT SCREW G11-08-16U (4) CONNECTOR 58028-01-000 (2)	LAMP ASM, OPTI CLEAR LENS, 1 BULB W/SWITCH PROGRESSIVE DYNAMICS INC. 
LO2-1	LAMP 98024-06-CHT SCREW G11-08-16U (6) CONNECTOR 58028-01-000 (2)	LAMP ASM, OPTI CLEAR LENS, 2 BULB W/SWITCH PROGRESSIVE DYNAMICS INC. 
LF1N1	LAMP 98024-07-CHT SCREW G11-08-16U (4) CONNECTOR 58028-01-000 (2)	LAMP ASM, FROSTED LENS, 1 BULB W/O SWITCH PROGRESSIVE DYNAMICS INC. 
LF2N1	LAMP 98024-08-CHT SCREW G11-08-16U (6) CONNECTOR 58028-01-000 (2)	LAMP ASM, FROSTED LENS, 2 BULB W/O SWITCH PROGRESSIVE DYNAMICS INC. 
LFSN1	LAMP 98024-09-CHT SCREW G11-08-16U (6) CONNECTOR 58028-01-000 (2)	LAMP ASM, SINGLE FROSTED LENS, 2 BULB W/O SWITCH PROGRESSIVE DYNAMICS INC. 




LAMP ASM-PACKAGE, HALOGEN

NO	PART NUMBER	DESCRIPTION
HAL	LAMP 123775-01-CHT SCREW (SUPPLIED) CONNECTOR 58028-01-000 (2)	LAMP ASM-HALOGEN, READING 1 BULB 
HAL-S	LAMP 123775-01-CHT SPACER 123775-02-CHT SCREW G13-06-16U (3) CONNECTOR 58028-01-000 (2)	LAMP ASM-HALOGEN, READING WITH 3/4" SPACER 1 BULB 


LAMP ASM-PACKAGE, PANCAKE

NO	PART NUMBER	DESCRIPTION
LF1-2	LAMP 137417-01-CHT SCREW G11-08-16U (4) CONNECTOR 58028-01-000 (2)	LAMP ASM, FROSTED LENS, 1 BULB W/SWITCH PROGRESSIVE DYNAMICS INC. 
LF2-2	LAMP 137417-04-CHT SCREW G11-08-16U (6) CONNECTOR 58028-01-000 (2)	LAMP ASM, FROSTED LENS, 2 BULB W/SWITCH PROGRESSIVE DYNAMICS INC. 
LO1-2	LAMP 137417-02-CHT SCREW G11-08-16U (4) CONNECTOR 58028-01-000 (2)	LAMP ASM, OPTI CLEAR LENS, 1 BULB W/SWITCH PROGRESSIVE DYNAMICS INC. 
LO2-2	LAMP 137417-05-CHT SCREW G11-08-16U (6) CONNECTOR 58028-01-000 (2)	LAMP ASM, OPTI CLEAR LENS, 2 BULB W/SWITCH PROGRESSIVE DYNAMICS INC. 
LF1N2	LAMP 137417-03-CHT SCREW G11-08-16U (4) CONNECTOR 58028-01-000 (2)	LAMP ASM, FROSTED LENS, 1 BULB W/O SWITCH PROGRESSIVE DYNAMICS INC. 
LFSN2	LAMP 137417-06-CHT SCREW G11-08-16U (6) CONNECTOR 58028-01-000 (2)	LAMP ASM, SINGLE FROSTED LENS, 2 BULB W/O SWITCH PROGRESSIVE DYNAMICS INC. 

LAMP ASM-PACKAGE, PORCH

NO	PART NUMBER	DESCRIPTION
LEXT-1	LAMP 97917-01-CHT SCREW G67-10-129 (4) CONNECTOR 58028-01-000 (2)	LAMP ASM-PORCH, SURFACE MOUNT BARGMAN 
LEXT-2UL	LAMP 8089-01-000 SCREW G68-06-10E (2) CONNECTOR 58028-01-000 (2)	LAMP ASM-PORCH, RECESSED UL LIST JRV PROD 
LEXT-2CA	LAMP 8089-02-000 SCREW G68-06-10E (2) CONNECTOR 58028-01-000 (2)	LAMP ASM-PORCH, RECESSED CAN LIST JRV PROD 

LEGEND



FIRST USED 96 MH'S

DO NOT SCALE DRAWING










TITLE: PART LISTING-ELECT. TERMS







SHEET 3 PART NO 121339






LAMP ASM-PACKAGE, FLUORESCENT

LAMP ASM-PACKAGE, MAKEUP LAMP


NO	PART NUMBER	DESCRIPTION
FLU-1	LAMP 91936-02-CHT SCREW G11-08-12U (4) CONNECTOR 58028-01-000 (2)	LAMP ASM-FLUORESCENT 12" 2 BULB W/SWITCH THIN-LITE 
FLU-2	LAMP 91936-01-CHT SCREW G11-08-12U (4) CONNECTOR 58028-01-000 (2)	LAMP ASM-FLUORESCENT 18" 2 BULB W/SWITCH THIN-LITE 
FLU-3	LAMP 127327-01-CHT SCREW G11-08-12U (2) CONNECTOR 58028-01-000 (2)	LAMP ASM-FLUORESCENT 18" 1-1/2" BULB W/SWITCH THIN-LITE 
FLU-4	LAMP 130338-01-CHT SCREW G11-08-12U (4) CONNECTOR 58028-01-000 (2)	LAMP ASM-FLUORESCENT 18" 2 BULB SURFACE MOUNT W/SWITCH THIN-LITE 
FLU-5	LAMP 91936-06-CHT SCREW G11-08-12U (4) CONNECTOR 58028-01-000 (2)	LAMP ASM-FLUORESCENT 12" 2 BULB W/SWITCH THIN-LITE  CUTOUT-122 X 336
FLUN1	LAMP 91936-04-CHT SCREW G11-08-12U (4) CONNECTOR 58028-01-000 (2)	LAMP ASM-FLUORESCENT 12" 2 BULB W/O SWITCH THIN-LITE 
FLUN2	LAMP 91936-03-CHT SCREW G11-08-12U (4) CONNECTOR 58028-01-000 (2)	LAMP ASM-FLUORESCENT 18" 2 BULB W/O SWITCH THIN-LITE 
FLUN3	LAMP 91936-07-CHT SCREW G11-08-12U (4) CONNECTOR 58028-01-000 (2)	LAMP ASM-FLUORESCENT 12" 2 BULB W/O SWITCH THIN-LITE  CUTOUT-122 X 336
FLUN4	LAMP 91936-05-CHT SCREW G11-08-12U (6) CONNECTOR 58028-01-000 (2)	LAMP ASM-FLUORESCENT 18" 2 BULB W/O SWITCH THIN-LITE  CUTOUT-122 X 480

NO	PART NUMBER	DESCRIPTION
LMU3-1	LAMP 110235-01-CHT SCREW W/SPACER (SUPPLIED) CONNECTOR 58028-01-000 (2)	LAMP ASM-MAKEUP (W/O MIRROR) 3 BULB (SUPPLIED) PROGRESSIVE DYNAMICS 
LMM3-2	LAMP 123774-03-CHT SCREW (SUPPLIED) CONNECTOR 58028-01-000 (2)	LAMP ASM-MAKEUP (W/MIRROR) 3 BULB GUSTOFSON 
LMU3-2	LAMP 138116-01-CHT SCREW (SUPPLIED) BULB 123918-01-000 (3) CONNECTOR 58028-01-000 (2)	LAMP ASM-MAKEUP (W/O MIRROR) 3 BULB GUSTOFSON 
LMU4-1	LAMP 110235-02-CHT SCREW G11-08-16U (2) BULB 123918-01-000 (4) CONNECTOR 58028-01-000 (2)	LAMP ASM-MAKEUP (W/O MIRROR) 4 BULB PROGRESSIVE DYNAMICS 
LMU4-2	LAMP 138116-02-CHT SCREW (SUPPLIED) BULB 123918-01-000 (4) CONNECTOR 58028-01-000 (2)	LAMP ASM-MAKEUP (W/O MIRROR) 4 BULB GUSTOFSON 
LMM4-2	LAMP 123774-01-CHT SCREW G11-08-16U (2) BULB 123918-01-000 (4) CONNECTOR 58028-01-000 (2)	LAMP ASM-MAKEUP (W/MIRROR) 4 BULB GUSTOFSON 

LAMP ASM-PACKAGE, OTHER






NO	PART NUMBER	DESCRIPTION
LSH-1	LAMP 121935-01-CHT SCREW G11-08-16U (4) CONNECTOR 58028-01-000 (2)	LAMP ASM-SHOWER PROGRESSIVE DYNAMICS INC. 
LCR-1	LAMP 61424-01-000 SCREW G11-08-12U (4) CONNECTOR 58028-01-000 (2)	LAMP ASM-COURTESY, AISLE RAMCO (RECTANGULAR) 
LCS-1	LAMP 108354-01-CHT SCREW G11-08-12U (4) CONNECTOR 58028-01-000 (2)	LAMP ASM-COURTESY, AISLE ITC MARINE (SQUARE) 

LEGEND





FIRST USED 96 MH'S  
DO NOT SCALE DRAWING  
TITLE: PART LISTING-ELECT. TERMS  
SHEET 4 PART NO 121339


ANTENNA ASM-PACKAGE

NO	PART NUMBER	DESCRIPTION
ANT-1	ANTENNA 76319-24-000 HARDWARE - INTERIOR 76319-25-000 BUMPER 69726-02-000 (2) CLIP 80734-02-000	ROOF MOUNT TV ANTENNA ASM 25.5" MAST  600 MAX COAX LENGTH
ANT-2	ANTENNA 76319-23-000 HARDWARE - INTERIOR 76319-25-000 BUMPER 69726-02-000 (2) ADAPTER SUPPLIED W/ANTENNA	ROOF MOUNT TV ANTENNA ASM 44.5" MAST  600 MAX COAX LENGTH
ANT-2W	ANTENNA 76319-23-000 HARDWARE - INTERIOR 76319-25-000 BUMPER 69726-02-000 (2) ADAPTER SUPPLIED W/ANTENNA WEDGE 76319-26-000	ROOF MOUNT TV ANTENNA ASM 44.5" MAST  600 MAX COAX LENGTH
ANTEXT-1	CABLE ASM-EXTENS 77069-02-000	RADIO ANTENNA CABLE EXTENSION 2400MM USABLE LENGTH 
ANTKIT-1	ADAPTER-PLATE 76319-06-000 SCREW G11-08-0BT (6) CLIP-WIRE 80734-02-000 SCREW G11-08-0BT	PLATE ASM-ADAPTERS CABLE ROOF MOUNTING PLATE W/ CABLE-CABLE ADAPTER, FITTINGS, AND CABLE RETAINING CLIP 

SATELLITE DISH INSTL

NO	PART NUMBER	DESCRIPTION
DM-1	SATELLITE DISH 137135-02-000 SCREW G67-10-12B (8) PLATE & BRACKET (SUPPLIED) SCREW G67-10-12B (10)	SATELLITE DISH ANTENNA ASM MANUAL SETUP 
DA-1	SATELLITE DISH 141454-01-CHT SCREW G67-10-12B (16) PLATE & BRACKET (SUPPLIED) SCREW G67-10-12B (10)	SATELLITE DISH ANTENNA ASM AUTOMATIC SETUP 



LEGEND





FIRST USED	96 MH'S
DO NOT SCALE DRAWING	
TITLE: PART LISTING-ELECT. TERMS	
SHEET 5	PART NO 121339






SPACERS

RECEPTACLE PACKAGE - GF I

NO	PART NUMBER	DESCRIPTION
GF1 US	RECEPTACLE 84100-01-CHT BOX 91910-02-000 COVER SUPPLIED W/ RECEPTACLE WIRE-BONDING 133678-03-000 SCREW G13-07-12B (4) CONNECTOR 8313-01-000	GF1 RECEPTACLE WITH COVER AND BOX FOR US APPLICATION 
GF1 CAN	RECEPTACLE 84100-01-CHT BOX 91910-01-000 COVER SUPPLIED W/ RECEPTACLE WIRE-BONDING 133678-03-000 SCREW G13-07-12B (4) CONNECTOR 8313-01-000	GF1 RECEPTACLE WITH COVER AND BOX FOR CANADA APPLICATION 

RECEPTACLE PACKAGE - GF I

NO	PART NUMBER	DESCRIPTION
GF1-L US	RECEPTACLE 84100-01-CHT BOX 133070-01-000 COVER SUPPLIED W/ RECEPTACLE WIRE-BONDING 133678-03-000 SCREW G13-07-12B (4) CONNECTOR 8313-01-000	GF1 RECEPTACLE WITH COVER AND BOX FOR US APPLICATION 
GF1-L CAN	RECEPTACLE 84100-01-CHT BOX 133070-02-000 COVER SUPPLIED W/ RECEPTACLE WIRE-BONDING 133678-03-000 SCREW G13-07-12B (4) CONNECTOR 8313-01-000	GF1 RECEPTACLE WITH COVER AND BOX FOR CANADA APPLICATION 

NO	PART NUMBER	DESCRIPTION
SP-01	SPACER 102568-01-XXX	STANDARD 110V RECEPTACLE SPACER (WOOD) 
SP-02	SPACER 102568-02-XXX	WOOD SPACER FOR CEILING MOUNTED A/C PREP BOX (US) 
SP-03	SPACER 102568-03-XXX	WOOD SPACER FOR CEILING MOUNTED A/C PREP BOX (CANADA) 
SP-04	SPACER 133713-01-XXX	STANDARD 110V RECEPTACLE SPACER (WOOD) 
SP-21	SPACER 126052-01-XXX	WOOD SPACER FOR 1 - 110V RECEPTACLE AND 1 - REAR TV (12V) JACK 


LEGEND

MISC.	SPACER
PART NUMBER LISTING XXXX XXX	XXXX PART NUMBER

FIRST USED 96 MH'S  
DO NOT SCALE DRAWING  
TITLE: PART LISTING-ELECT. TERMS  
SHEET 6 PART NO 121339  
PAGE A-6


PREP-A/C, RECESSED (W/OUT FACTORY A/C)

NO	PART NUMBER	DESCRIPTION
PREP A/C-US	BOX 91910-02-000	BOX AND EQUIPMENT USED FOR A/C PREP (W/OUT FACTORY A/C). US APPLICATION (RECESSED IN ROOF)
	COVER 84099-02-CHT	
	LABEL 91243-01-000	
	SCREW G67-10-12B (4)	
	CONNECTOR 8313-01-000 (3)	
PREP A/C-CAN	BOX 91910-01-000	BOX AND EQUIPMENT USED FOR A/C PREP (W/OUT FACTORY A/C). CANADA APPLICATION (RECESSED IN ROOF)
	COVER 84099-02-CHT	
	LABEL 91243-01-000	
	SCREW G67-10-12B (4)	
	CONNECTOR 8313-01-000 (3)	




CONNECTION BOX, GENERATOR SERVICE FEED

NO	PART NUMBER	DESCRIPTION
J-GEN 30	BOX 8289-01-000	BOX AND EQUIPMENT USED FOR CONNECTING THE GENERATOR LEADS TO THE SERVICE ENTRANCE WIRES (US & CA APPLICATION)
	COVER 8294-01-000	
J-GEN 30-US	SCREW G67-10-10B (2)	
	WIRE ASM-GROUND 133678-02-000	
J-GEN 30-CA	WIRE NUT-GREY 8314-01-000 (3)	
	SCREW-GRND 103291-01-000	
	CONNECTOR-WIRE 8356-01-000	




PREP-A/C, SURFACE (W/OUT FACTORY A/C)

NO	PART NUMBER	DESCRIPTION
PREP SURF	BOX 93603-01-000	SURFACE MOUNT, US AND CANADA, BOX AND EQUIPMENT FOR A/C PREP (W/OUT FACTORY A/C). TYPICALLY LOCATED ON OVERHEAD CABINET INNER WALL OR ON CEILING.
	COVER 53337-01-000	
	LABEL 91243-01-000	
	SCREW-GRND 103291-01-000	
	WIRE-BONDING 8019-01-000	
	SCREW G11-08-12B (2)	
	TERMINAL 8328-01-000	
	CONNECTOR 8313-01-000 (2)	
	CONNECTOR 8311-01-000	



CONNECTION BOX-POWER CORD

NO	PART NUMBER	DESCRIPTION
J-PC 30	BOX 8289-01-000	CONNECTION BOX IN POWER CORD COMPT FOR POWER CORD (US & CA APPLICATION)
	COVER 8294-01-000	
J-PC 30-US	SCREW G67-10-10B (2)	
	WIRE ASM-GROUND 133678-02-000	
J-PC 30-CA	CONNECTOR 8314-01-000 (3)	
	SCREW-GRND 103291-01-000	
	CONNECTOR 8356-02-000	
	CONNECTOR (PC) 8355-01-000	




CONNECTION BOX-GENERATOR RECEPTACLE

NO	PART NUMBER	DESCRIPTION
J-RCP 30	BOX 8289-01-000	CONNECTION BOX IN POWER CORD COMPT FOR THE GENERATOR RECEPTACLE (US & CA APPLICATION)
	RECEPTACLE 24924-02-000	
J-RCP 30-US	COVER 69238-01-000	
	SCREW G67-10-10B (2)	
J-RCP 30-CA	WIRE ASM-GROUND 133678-02-000	
	WIRE ASM-GROUND 133678-04-000	
	SCREW-GRND 103291-01-000	
	CONNECTOR 8314-01-000	



LEGEND



FIRST USED	96 MH'S
TITLE:	DO NOT SCALE DRAWING
PART LISTING-ELECT. TERMS	
SHEET 7	PART NO 121339

CODE GA/COLOR	FROM	TO
A 14 YEL	GALLEY CEILING LAMP SWITCH	GALLEY CEILING LAMP
B 12 YEL	OVERCURRENT PROTECTION (30A BREAKER TYPICAL)	POWER PASSENGER SEAT ("BUDDY SEAT")
C 12 WHT	POWER PASSENGER SEAT	GROUND
D 14 YEL	SHOWER OVHD LAMP SWITCH SEE WIRE PF, START OF 97	SHOWER OVHD LAMP
E 095038-01-	PHONE INPUT JACK	REAR PHONE JACK
F 095038-01-	PHONE INPUT JACK	EXTERIOR PHONE JACK
G 12/ 10 YEL	OVERCURRENT PROTECTION (30A BREAKER TYPICAL)	HIGH SPEED HEATER FAN (USE 10 IF OVER 6' RUN)
H 095038-01-	PHONE INPUT JACK	FRONT PHONE JACK
J 6 BLK	OVERCURRENT PROTECTION (45 OR 55A BREAKER TYP)	COACH 12V PANEL/ CONVERTER BATTERY CHARGE
K 6 BLK	OVERCURRENT PROTECTION (45 OR 55A BREAKER TYP)	COACH 12V PANEL
L 6 GRN	CONVERTER 45 OR 55 AMP	GROUND
M 6 BLK	OVERCURRENT PROTECTION (45 OR 50A BREAKER )	CONVERTER BATTERY CHARGE
N 10 WHT	REFRIGERATOR	GROUND
P 10YEL(BLK)	OVERCURRENT PROTECTION (20A FUSE TYPICAL)	REFRIGERATOR (3 WAY)
R 8 GRN	REFRIGERATOR CHASSIS	GROUND
S 8 OR 6 GRN	GROUND BAR (LEFT SIDE)	CHASSIS GROUND

CODE GA/COLOR	FROM	TO
T 8 OR 6 GRN	GROUND BAR (RIGHT SIDE)	CHASSIS GROUND
U 6 GRN	CONVERTER CHASSIS	GROUND
W 8 GRN	- GROUND STUD	- GROUND STUD
X 14 YEL	- CHASSIS BRAKE LAMP CIRCUIT	- CENTER MOUNT BRAKE LAMP
Y 16 YEL	VOLUME CONTROL	RADIO/TV SPEAKER
AA 16 WHT	SERVICE ENGINE SOON LAMP	VEHICLE SERVICE ENGINE SOON LAMP CIRCUIT
AB 16 WHT	WATER TANK LEVEL SENSORS	GROUND
AC 16 WHT	MAIN HOLDING TANK SENSORS (BLACK WATER)	GROUND
AD 16 WHT	AUXILIARY HOLDING TANK #1 (GRAY WATER)	GROUND
AE 16 WHT	AUXILIARY HOLDING TANK #2 (GRAY WATER)	GROUND
AF 12 YEL	WATER PUMP SWITCH #1	MONITOR PANEL WATER PUMP SWITCH
AG 12 YEL	WATER PUMP SWITCH #1	MONITOR PANEL WATER PUMP SWITCH
AH 14 YEL	OVERCURRENT PROTECTION (10A FUSE TYPICAL)	BRAKE LAMP SWITCH WARNING LAMP (IGNITION RUN/START FED)
AJ 12 WHT	CHASSIS GROUND	BODY GROUND
AK 12 WHT	CHASSIS GROUND	BODY GROUND
AL 12 YEL	HEATER CONTROL (LOW SPEED)	BLOWER MOTOR (LOW SPEED)

CODE GA/COLOR	FROM	TO
AM 12YEL(WHT)	HEATER CONTROL (MEDIUM/LOW SPEED)	BLOWER MOTOR (MEDIUM/LOW SPEED)
AN 12 YEL	HEATER CONTROL (MEDIUM/HIGH SPEED)	BLOWER MOTOR (MEDIUM/HIGH SPEED)
AP 14 YEL	IGNITION SWITCH ACCESSORY FEED	OVERCURRENT PROTECTION (15A FUSE TYPICAL)
AR 14 WHT	HORN, FOG LAMPS	GROUND
AS 16 WHT	DASH RADIO	RIGHT FRONT SPEAKER (NEGATIVE)
AT 16 WHT	DASH RADIO	LEFT FRONT SPEAKER (NEGATIVE)
AU 16 YEL	OVERCURRENT PROTECTION (15A BREAKER TYPICAL)	FRONT CARGO LAMP SWITCH (IGNITION ACCESSORY FED)
AW 16 YEL	FRONT CARGO LAMP SWITCH	REAR CARGO LAMP SWITCH
AX 16 YEL	FRONT CARGO LAMP SWITCH	REAR CARGO LAMP SWITCH
AY 16 YEL	REAR CARGO LAMP SWITCH	CARGO LAMPS
BA 14 WHT	WINDSHIELD WIPER MOTOR	GROUND
BB 16 YEL	OVERCURRENT PROTECTION (6A BREAKER TYPICAL)	INSTRUMENT PANEL GAUGES (IGNITION ACCESSORY FED)
BC 14 WHT	INDICATOR LAMPS	GROUND
BD 14 YEL	OVERCURRENT PROTECTION (10A FUSE TYPICAL)	BRAKE LAMP SWITCH
BE 12 WHT	BLOWER MOTOR	GROUND
BF 14 WHT	WASHER BOTTLE PUMP/HORN	GROUND

CODE GA/COLOR	FROM	TO
BG 14 YEL	FUEL SENDER	FUEL GAUGE
BH 14 YEL	RUN ONLY POWER RELAY	ENGINE WIRING
BJ 16 YEL	OVERCURRENT PROTECTION (10A FUSE TYPICAL)	ENGINE WIRING (IGNITION RUN/START FED)
BK 14 YEL	OVERCURRENT PROTECTION (10A FUSE TYPICAL)	HORN RELAY FEED
BL 16 WHT	CIGAR LIGHTER	GROUND
BM 16 YEL	CHASSIS BATTERY POWER	CIGAR LIGHTER
BN 16 YEL	ACCESSORY POWER	SPOTLAMP
BP 14 WHT	POWER MIRROR	GROUND
BR 14 YEL	POWER MIRROR (RIGHT SIDE)	POWER MIRROR CONTROL SWITCH
BS 14 YEL	POWER MIRROR HEAT SWITCH	POWER MIRRORS
BT 14 YEL	POWER MIRROR (LEFT SIDE)	POWER MIRROR CONTROL SWITCH
BU 14 YEL	RUN ONLY POWER	POWER MIRROR HEAT/ CONTROL SWITCHES
BW 12 YEL	IGNITION SWITCH	ACCESSORY CIRCUIT FEED
BX 12YEL(ORN)	IGNITION SWITCH RUN ONLY SOURCE	GENERAL(TURN, BACK UP,DASH IGNITION CIRCUIT,ETC)
BY 12YEL/8BLK	OVERCURRENT PROTECTION (16GA FUSELINK)(8GA PASSTHRU)	CHASSIS BATTERY SOURCE(AUTO AC BLOWER,POWER DRIVER SEAT,ETC)
CA 12 YEL	OVERCURRENT PROTECTION (16GA FUSELINK TYPICAL)	CHASSIS BATTERY SOURCE

CODE GA/COLOR	FROM	TO
CB 12 YEL	IGNITION SWITCH START SOURCE	START CIRCUIT SOURCE
CC 16 YEL	ALTERNATOR	ALTERNATOR WARNING LAMP
CD 16 YEL	OIL PRESSURE WARNING SENDER	OIL PRESSURE WARNING LAMP
CE 16 YEL	WATER TEMPERATURE WARNING SENDER	WATER TEMPERATURE WARNING LAMP
CF 14 YEL	REAR TV JACK	POWER FEED SWITCH
CG 14 YEL	CLUTCH/NEUTRAL SWITCH	START ISOLATION RELAY
CH 14 YEL	START RELAY	ENGINE WIRING
CJ 14 YEL	WINDSHIELD WIPER/WASHER CONTROL SWITCH	WINDSHIELD WASHER PUMP
CK 16 YEL	TELEVISION	SPEAKER (POSITIVE)
CL 16 WHT	TELEVISION	SPEAKER (NEGATIVE)
CM 10 YEL	OVERCURRENT PROTECTION (15A BREAKER TYPICAL)	INVERTER FEED
CN 10 WHT	INVERTER	GROUND
CP 12 WHT	INVERTER CHASSIS	GROUND
CR 16 WHT	VEHICLE CHECK ENGINE LAMP CIRCUIT	CHECK ENGINE LAMP
CS 16 WHT	REMOTE THERMOSTAT (RC TERM/ORG EXPORT AIR)	GROUND
CT 16 YEL	DAYTIME RUNNING LAMP MODULE OUTPUT(PIN 30)	LOW BEAM HEADLAMP CIRCUIT

CODE GA/COLOR	FROM	TO
CU 16 YEL	DAYTIME RUNNING LAMP MODULE ENABLE(PIN 85)	RUN/START CIRCUIT
CW 14 YEL	DAYTIME RUNNING LAMP MODULE POWER(PIN 87A)	CHASSIS BATTERY POWER
CX 16 WHT	DAYTIME RUNNING LAMP MODULE GROUND(PIN 87)	GROUND
CY 16 YEL	DAYTIME RUNNING LAMP MODULE HIGH BEAM DISABLE(PIN 86)	HIGH BEAM HEADLAMP CIRCUIT
DA 12 YEL	SHOWER SUMP SYSTEM PUMP SWITCH	SHOWER SUMP SYSTEM PUMP
DB 12 WHT	SHOWER SUMP SYSTEM PUMP	GROUND
DC 16 YEL	REAR ROOF AIR CONDITIONER EXHAUST CIRCUIT	THERMOSTAT
DD 16 YEL	REAR ROOF AIR CONDITIONER COOL CIRCUIT	THERMOSTAT (Y TERM-EXPORT AIR/YEL)
DE 16 YEL	REAR ROOF AIR CONDITIONER HIGH SPEED FAN CIRCUIT	THERMOSTAT (H TERM-EXPORT AIR/BLU)
DF 16 YEL	REAR ROOF AIR CONDITIONER LOW SPEED FAN CIRCUIT	THERMOSTAT (G TERM-EXPORT AIR/RED)
DG 12YEL(GRY)	IGNITION SWITCH	ACCESSORY/RUN FEED
DH 14 YEL	EMERGENCY SHUTDOWN GAUGE	FUEL SOLENOID (DIESEL ENGINE)
DJ 16 YEL	TV/RADIO SPEAKER SWITCHING RELAY OUTPUT	LEFT REAR SPEAKER POSITIVE
DK 16 WHT	TV/RADIO SPEAKER SWITCHING RELAY OUTPUT	LEFT REAR SPEAKER NEGATIVE
DL 16 YEL	TV/RADIO SPEAKER SWITCHING RELAY OUTPUT	RIGHT REAR SPEAKER POSITIVE
DM 16 WHT	TV/RADIO SPEAKER SWITCHING RELAY OUTPUT	RIGHT REAR SPEAKER NEGATIVE

CODE GA/COLOR	FROM	TO
DN 10 YEL	BATTERY DISCONNECT RELAY	CIRCUIT BREAKER SLIDEOUT ROOM CIRCUIT BRKR
DP 14 YEL	TV/RADIO SPEAKER FEED SELECT SWITCH	TV/RADIO SPEAKER SWITCHING RELAY COIL INPUT OR AMPLIFIER
DR 16 YEL	SLIDEOUT ROOM SWITCH (ROOM ONE EXTEND)	HWH WIRING (ROOM ONE EXTEND)
DS 10 WHT	SLIDEOUT ROOM CONTROL SWITCH	GROUND
DT 16 YEL	SLIDEOUT ROOM RELAY (PIN 30)	SLIDEOUT ROOM CONTROL SWITCH
DJ 16 YEL	SLIDEOUT ROOM SWITCH(G OR M) (ROOM ONE RETRACT)	HWH WIRING (ROOM ONE RETRACT)
DW 16 WHT	SLIDEOUT ROOM SWITCH (G) (SWITCHED GROUND TO PUMP)	HWH WIRING (SWITCHED GROUND TO PUMP)
DX 16 WHT	HWH WIRING (G) (GROUND)	SLIDEOUT ROOM SWITCH (GROUND)
DY 16 WHT	HWH WIRING (G) (JACK SENSE)	SLIDEOUT ROOM RELAY SWITCHED GROUND)
EA 16 YEL	HWH WIRING (G) (ACCESSORY POWER)	SLIDEOUT ROOM RELAY (ACCESSORY POWER)
EB 16 YEL	SLIDEOUT ROOM RELAY (G) (SWITCHED ACCESSORY POWER)	FRT/RR SLIDEOUT ROOM SWITCH (SWITCHED EXTEND/RETRACT PWR)
EC 10 YEL	CHASSIS BATTERY POWER SOURCE (BATTERY MODE SOLENOID POST)	THRU FUSE TO AMP SOURCE SELECT RELAY(PIN 87)(OPTION 21V,95 Q)
ED 10 YEL	COACH BATTERY POWER SOURCE (BATTERY MODE SOLENOID POST)	THRU FUSE TO AMP SOURCE SELECT RELAY(PIN 87A)(OPTION 21V,95Q)
EE 16 YEL	AIR RIDE SUSPENSION LEFT DOWN SWITCH POSITION	AIR RIDE SUSPENSION LEFT HEIGHT CONTROL BOX
EF 16 YEL	AIR RIDE SUSPENSION LEFT UP SWITCH POSITION	AIR RIDE SUSPENSION LEFT HEIGHT CONTROL BOX
EG 16 WHT	AIR RIDE SUSPENSION WIRE ASM GROUND	AIR RIDE SUSPENSION CONTROL LAMP GROUNDS

CODE GA/COLOR	FROM	TO
EH 16 YEL	AIR RIDE SUSPENSION RIGHT DOWN SWITCH POSITION	AIR RIDE SUSPENSION RIGHT HEIGHT CONTROL BOX
EJ 16 YEL	AIR RIDE SUSPENSION RIGHT UP SWITCH POSITION	AIR RIDE SUSPENSION RIGHT HEIGHT CONTROL BOX
EK 16 YEL	AIR RIDE SUSPENSION AUTO MODE SWITCH POSITION	AIR RIDE SUSPENSION HEIGHT CONTROL BOXES
EL 16 YEL	RUN ONLY POWER	AIR RIDE SUSPENSION AUTO/MANUAL MODE SWITCH
EM 16 YEL	AIR RIDE SUSPENSION COMPRESSOR	COMPRESSOR ON WARNING LAMP
EN 16 YEL	AIR RIDE SUSPENSION MANUAL MODE SWITCH POSITION	LEVEL CONTROL SWITCHES AND INDICATOR LAMP
EP 14 YEL	OVERCURRENT PROTECTION (15A BREAKER TYPICAL)	SPOTLAMP
ER 16 YEL	OVERCURRENT PROTECTION (6A BREAKER TYPICAL)	ELECTRIC STEP KILL SWITCH
ES 16 YEL	ELECTRIC STEP KILL SWITCH	ELECTRIC STEP
ET 16 YEL	OVERCURRENT PROTECTION (6A BREAKER TYPICAL)	REFRIGERATOR (2 WAY)
EU 16 WHT	REFRIGERATOR (2 WAY)	GROUND
EW 14 YEL	FUEL HEATER SWITCH	FUEL HEATER (DIESEL ENGINE)
EX 14 YEL	TELEVISION POWER SWITCH	TELEVISION WALL PLATE
EY 12YELLTBLU	OVERCURRENT PROTECTION (16GA FUSELINK TYPICAL)	IGNITION SWITCH FEED #2
FA 14 YEL	DRIVER'S DOOR PASSENGER SIDE POWER WINDOW SWITCH(DOWN,PIN2)	PASSENGER'S POWER WINDOW SWITCH(PIN 2)
FB 14 YEL	DRIVER'S DOOR PASSENGER SIDE POWER WINDOW SWITCH(UP,PIN 4)	PASSENGER'S POWER WINDOW SWITCH(PIN 4)



CODE GA/COLOR	FROM	TO
FC 14 YEL	PASSENGER'S DOOR POWER WINDOW SWITCH(DOWN,PIN 1)	PASSENGER'S DOOR POWER WINDOW MOTOR(DOWN)
FD 14 YEL	PASSENGER'S DOOR POWER WINDOW SWITCH(UP,PIN 5)	PASSENGER'S DOOR POWER WINDOW MOTOR(UP)
FG 10 YEL	AMPLIFIER POWER SOURCE SELECT RELAY (PIN 30)	AMPLIFIER POWER FEED (DELUXE SOUND SYSTEM,95 LUXOR)
FH 10 WHT	AMPLIFIER (DELUXE SOUND SYSTEM,95 LUXOR)	GROUND
FJ 12 YEL	WATER PUMP SWITCH #2 (THREE SWITCH SYSTEM)	WATER PUMP SWITCH #1 (THREE SWITCH SYSTEM)
FK 12 YEL	WATER PUMP SWITCH #2 (THREE SWITCH SYSTEM)	WATER PUMP SWITCH #1 (THREE SWITCH SYSTEM)
FL 14 YEL	SECOND PORCH LAMP SWITCH	SECOND PORCH LAMP
FM 14 WHT	SOLENOID MOUNTING BOLT	GROUND
FN 16 YEL	SOURCE SELECTOR SWITCH (DELUXE SOUND SYSTEM,95 LUXOR)	AMP & EQUALIZER REMOTE TRIGGER (DELUXE SOUND SYSTEM,95 LUXOR)
FP 16 YEL	EXHAUST BRAKE SWITCH (DIESEL PUSHER CHASSIS)	CHASSIS EXHAUST BRAKE HARNESS & BRAKE ON DASH INDICATOR LAMP
FR 14 YEL	FORD RUN/ACCESSORY IGNITION CIRCUIT(WHT/PUR,10A FUSED)	DOCKING LAMPS, RELAY TRIGGER, REAR MONITOR CAMERA FEED
FS 14 YEL	DOCKING LAMPS RELAY(PIN 87)	DOCKING LAMPS
FT 14 WHT	DOCKING LAMPS	GROUND
FU 14 YEL	AUTOMOTIVE AIR WIRING	FORD A/C COMPRESSOR CLUTCH SWITCH CIRCUIT
FW 14 YEL	DOCKING LAMPS SWITCH	DOCKING LAMPS RELAY(PIN 30)
FX 12YELLTBLU	OVERCURRENT PROTECTION (30A BRKR OR FUSE)	POWER DRIVER SEAT (I E ,6 WAY)

CODE GA/COLOR	FROM	TO
FY 12 WHT	POWER DRIVER SEAT (I E ,6 WAY)	GROUND
GA 14 YEL	WATER SYSTEM WINTERIZATION SWITCH	WINTERIZATION VALVE
GB 14 YEL	WATER HEATER BYPASS SWITCH	WATER HEATER BYPASS VALVE
GC 16 YEL	SLIDEOUT ROOM SPDT SWITCH (M) (SWITCHED WIRE)	HWH WIRING (SWITCHED WIRE)
GD 16 YEL	WIPER CONTROL MODULE	WIPER MOTOR (S TERMINAL)
GE 16 YEL	SWITCHED DOME LAMP FEED	DOME LAMP
GF 16 WHT	COMMON REAR CHANNEL SPEAKER RETURN	REAR SPEAKERS
GG 16 YEL	RADIO REMOTE TRIGGER (DELUXE SOUND OPTION)	SOURCE SELECTOR SWITCH (LUXOR)
GH 14 WHT	GLOW PLUG WAIT LAMP (DIESEL ENGINE)	ENGINE SENDER
GJ 16 YEL	COACH BATTERY POWER (UPSTREAM OF DISCONNECT)	LP DETECTOR AND/OR SOLAR PANEL WIRING OVERCURRENT PROTECTION
GK 14 YEL	AIR HORN SWITCH	CHASSIS HORN
GL 16 WHT	WATER/HOLDING TANKS LEVEL SENSORS	GROUND
GM 16 YEL	JET AIR RIDE SUSPENSION PRESSURE SENSORS	CHECK REAR AIR SUSPENSION DASH WARNING LAMP
GN 16 YEL	REAR TV SPEAKER OUTPUT (POSITIVE)	REAR TV SPEAKER (POSITIVE)
GP 16 WHT	REAR TV SPEAKER OUTPUT (NEGATIVE)	REAR TV SPEAKER (NEGATIVE)
GR 14 YEL	THERMOSTATICALLY CONTROLLED ROOF VENT (SEND)	THERMOSTAT (RETURN)

CODE GA/COLOR	FROM	TO
GS 14 YEL	THERMOSTATICALLY CONTROLLED ROOF VENT (RETURN)	THERMOSTAT (RETURN)
GT 16 YEL	RADIO POWER SWITCH (MEMORY FEED)	RADIO (MEMORY FEED)
GU 16 YEL	DEFOG MODULE OUTPUT	DEFOG RELAY, INDICATOR LAMP
GW 16 WHT	DEFOG SWITCH ON/OFF	DEFOG MODULE ON/OFF
GX 16/12 WHT	STEP COVER SWITCH (REF AAA-16/KA-12)	GROUND
GY 12 YEL	DEFOG RELAY	DEFOG UNIT
HA 14 YEL	READING LAMPS SWITCH (93 VANS)	READING LAMPS
HB 14 YEL	MOOD LAMPS SWITCH (93 VANS)	MOOD LAMPS
HC 14 YEL	12V POWER SOURCE (93 VANS)	OVERCURRENT PROTECTION (15A FUSE TYPICAL)
HD 14 YEL	SOFA SLIDE MOTOR POSITIVE (94 VANS)	SOFA MONOPLEX CONTROLLER
HE 14 WHT	SOFA SLIDE MOTOR NEGATIVE (94 VANS)	SOFA MONOPLEX CONTROLLER
HF 14 YEL	SOFA RECLINE MOTOR POSITIVE (94 VANS)	SOFA MONOPLEX CONTROLLER
HG 14 WHT	SOFA RECLINE MOTOR NEGATIVE (94 VANS)	SOFA MONOPLEX CONTROLLER
HH 16 YEL	SOFA MONOPLEX SWITCH (94 VANS)	SOFA MONOPLEX CONTROLLER
HJ 16 WHT	SOFA MONOPLEX SWITCH (94 VANS)	GROUND
HK 14 WHT	SOFA MONOPLEX CONTROLLER (94 VANS)	GROUND

CODE GA/COLOR	FROM	TO
HL 14 YEL	FLOOD LAMP SWITCH (94 VANS)	FLOOD LAMP
HM 16 YEL	REAR TV SPEAKER OUTPUT (POSITIVE)	REAR TV SPEAKER (POSITIVE)
HN 16 WHT	REAR TV SPEAKER OUTPUT (NEGATIVE)	REAR TV SPEAKER (NEGATIVE)
HP 16 YEL	OVERCURRENT PROTECTION (94 VANS)	REAR AC
HR 14 YEL	SWITCH (94 1200 MODEL VAN)	12VOLT RECEPTACLE
HS 16 YEL	SOLAR PANEL (1HS INDICATOR TO BATTERY)	COACH BATTERY THRU OVERCURRENT PROTECTION
HT 16 WHT	SOLAR PANEL (1HT INDICATOR TO GROUND)	GROUND
HU 16 YEL	GENERATOR SWITCH (LED)	GENERATOR (POSITION B)
HW 16 YEL	LICENSE PLATE LAMP FEED	LICENSE PLATE LAMP
HX 16 YEL	CHASSIS CLEARANCE LAMP CRT #2	CLEARANCE/MARKER LAMPS
HY 12 WHT	DEFOG UNIT	GROUND
JA 14 YEL	OVERCURRENT PROTECTION (15A FUSE/BREAKER TYPICAL)	WATER PUMP, MONITOR PANEL, ETC ("CLEAN CIRCUIT", REF JP)
JB 14 YEL	OVERCURRENT PROTECTION (15A FUSE/BREAKER TYPICAL)	FURNACE, ROOF VENT, ETC (REF JM)
JC 14 YEL	OVERCURRENT PROTECTION (15A FUSE/BREAKER TYPICAL)	COACH LIGHTING, ETC CIRCUIT #1 (REF NC)
JD 14 YEL	OVERCURRENT PROTECTION (15A FUSE/BREAKER TYPICAL)	COACH LIGHTING, ETC CIRCUIT #2 (REF ND)
JE 14 YEL	OVERCURRENT PROTECTION (15A FUSE/BREAKER TYPICAL)	COACH LIGHTING, ETC CIRCUIT #3 (REF NE)

CODE GA/COLOR	FROM	TO
JF 14 YEL	OVERCURRENT PROTECTION (15A FUSE/BREAKER TYPICAL)	COACH LIGHTING, ETC CIRCUIT #4 (REF NF)
JG 14 YEL	OVERCURRENT PROTECTION (15A FUSE/BREAKER TYPICAL)	COACH LIGHTING, ETC(ALT CLEAN) CIRCUIT #5 (REF JN)
JH 14 YEL	MAIN FURNACE (12V POWER)	MAIN FURNACE THERMOSTAT
JJ 14 YEL	MAIN FURNACE (HEAT)	MAIN FURNACE THERMOSTAT
JK 14 YEL	AUXILIARY FURNACE	AUXILIARY FURNACE THERMOSTAT
JL 14 YEL	AUXILIARY FURNACE	AUXILIARY FURNACE THERMOSTAT
JM 14 WHT	MAIN FURNACE	GROUND
JN 14 WHT	COACH LIGHTING CIRCUIT #5 (REF JG)	GROUND(ALTERNATE CLEAN CIRCUIT FOR LINEAR CONVERTER)
JP 14 WHT	CLEAN CIRCUIT DEVICES (REF JA)	GROUND
JR 16 YEL	MONITOR PANEL	LP TANK #2 LEVEL SENSOR
JS 12 YEL	MONITOR PANEL WATER PUMP SWITCH	WATER PUMP
JT 16 YEL	MONITOR PANEL	LP TANK #1 LEVEL SENSOR
JU 14 YEL	MONITOR PANEL WATER HEATER SWITCH	WATER HEATER (BLU)
JW 14 YEL	MONITOR PANEL WATER HEATER SWITCH	WATER HEATER (BRN)
JX 14 WHT	WATER HEATER	GROUND
JY 12 WHT	WATER PUMP	GROUND

CODE GA/COLOR	FROM	TO
KA 10 YEL	OVERCURRENT PROTECTION (25A BREAKER TYPICAL)	ELECTRIC STEP BATTERY POWER
KB 10 YEL	OVERCURRENT PROTECTION (25A BREAKER TYPICAL)	ELECTRIC STEP KILL SWITCH (OLD STEP WIRING STYLE)
KC 10 YEL	ELECTRIC STEP KILL SWITCH (OLD STEP WIRING STYLE)	ELECTRIC STEP
KD 18 WHT	ELECTRIC STEP DOOR JAMB SWITCH	ELECTRIC STEP
KE 14 YEL	RUN ONLY POWER SOURCE	GENERAL PURPOSE(RELAY TRIGGER, REAR AUTO HTR,DRL,MONITOR,ETC)
KF 16 WHT	COACH BATTERY DISCONNECT RELAY SWITCH	GROUND
KG 14 YEL	POWER LIFT VENT (BLU)	POWER LIFT SWITCH(UP)
KH 14 YEL	POWER LIFT VENT (RED)	POWER LIFT SWITCH(DOWN)
KJ 14 YEL	POWER LIFT VENT (BLK)	FAN SWITCH
KK 16 YEL	REAR STEREO	RIGHT SPEAKER (POSITIVE)
KL 16 WHT	REAR STEREO	RIGHT SPEAKER (NEGATIVE)
KM 14 YEL	POWER LIFT VENT LAMP	LAMP SWITCH
KN 16 YEL	REAR STEREO	LEFT SPEAKER (POSITIVE)
KP 16 WHT	REAR STEREO	LEFT SPEAKER (NEGATIVE)
KR 14 WHT	REAR STEREO ANTENNA	GROUND
KS 14 YEL	REAR AUTO HEATER SWITCH (HIGH SPEED)	REAR AUTO HEATER

CODE GA/COLOR	FROM	TO
KT 14 YEL	REAR AUTO HEATER SWITCH (MEDIUM SPEED)	REAR AUTO HEATER
KU 14 YEL	REAR AUTO HEATER SWITCH (LOW SPEED)	REAR AUTO HEATER
KW 16 YEL	DASH RADIO	RIGHT FRONT SPEAKER (POSITIVE)
KX 16 YEL	DASH RADIO	RIGHT REAR SPEAKER (POSITIVE)
KY 16 YEL	DASH RADIO	LEFT FRONT SPEAKER (POSITIVE)
LA 16 YEL	DASH RADIO	LEFT REAR SPEAKER (POSITIVE)
LB 16 WHT	DASH RADIO	RIGHT REAR SPEAKER (NEGATIVE)
LC 16 WHT	DASH RADIO	LEFT REAR SPEAKER (NEGATIVE)
LD 14 YEL	IGNITION SWITCH ACCESSORY POWER SOURCE	GENERAL PURPOSE(AUX FANS,RELAY TRIGGER,ETC )
LE 14 YEL	AUXILIARY DEFROST FANS SWITCH (HIGH SPEED)	AUXILIARY DEFROST FANS (BLK)
LF 14 YEL	AUXILIARY DEFROST FANS SWITCH (LOW SPEED)	AUXILIARY DEFROST FANS (RED)
LG 16 YEL	COACH BATTERY DISCONNECT RELAY (TERMINAL I)	COACH BATTERY DISCONNECT RELAY SWITCH
LH 16 YEL	COACH BATTERY DISCONNECT RELAY (TERMINAL S)	COACH BATTERY DISCONNECT RELAY SWITCH
LJ 16 YEL	COACH BATTERY DISCONNECT RELAY BATTERY SIDE FUSE FEED	COACH BATTERY DISCONNECT RELAY SWITCH
LK 16 YEL	COACH BATTERY DISCONNECT RELAY LOAD SIDE FUSE FEED	COACH BATTERY DISCONNECT RELAY SWITCH/INDICATOR LAMP
LL 16 WHT	GENERATOR SWITCH (START)	GENERATOR (RED)

CODE GA/COLOR	FROM	TO
LM 16 WHT	GENERATOR SWITCH (STOP)	GENERATOR (ORN)
LN 16 WHT	GENERATOR SWITCH/INDICATOR (GROUND)	GENERATOR (GRN)
LP 16 YEL	GENERATOR SWITCH/INDICATOR (RUN)	GENERATOR (BLU)
LR 14 YEL	BATTERY MODE SWITCH (AUX START SWITCH)	BATTERY MODE SOLENOID (AUX START SOLENOID)
LS 12 YEL	OVERCURRENT PROTECTION 20A BREAKER TYPICAL,COACH FEED	GENERAL PURPOSE(BATTERY MODE, RADIO POWER,BATTERY CONDITION)
LT 16 YEL	BATTERY CONDITION SWITCH	VOLTMETER (POWER FEED)
LU 14 YEL	CHASSIS BRAKE LAMP CIRCUIT	VEHICLE BRAKES, TAG AXLE CONTROL MODULE,ETC
LW 14 YEL	WIPER CONTROL MODULE (PARK)	WINDSHIELD WIPER MOTOR (FRONT)
LX 14 YEL	WIPER CONTROL MODULE (LOW SPEED)	WINDSHIELD WIPER MOTOR (FRONT)
LY 14 YEL	WIPER CONTROL MODULE (HIGH SPEED)	WINDSHIELD WIPER MOTOR (FRONT)
MA 14 YEL	WIPER CONTROL MODULE (WASHER BOTTLE PUMP)	WINDSHIELD WASHER BOTTLE PUMP (FRONT)
MB 14 YEL	CHASSIS WINDSHIELD WIPER FEED CIRCUIT	OVERCURRENT PROTECTION (6A BREAKER TYPICAL)
MC 16 WHT	INSTRUMENT PANEL LAMPS	GROUND
MD 14 YEL	OVERCURRENT PROTECTION (15A BREAKER TYPICAL)	REMOTE MIRROR RELAY/POWER WINDOW FEED
ME 14 YEL	OVERCURRENT PROTECTION (15A BREAKER TYPICAL)	AIR HORN RELAY FEED/ MARKER LAMPS RELAY FEED
MF 14 YEL	OVERCURRENT PROTECTION (15A BREAKER TYPICAL)	FOG LAMP RELAY FEED/ SPOT LAMP FEED

CODE GA/COLOR	FROM	TO
MG 14 WHT	GENERAL PURPOSE(RELAYS,DASH DEVICES,ETC )	GROUND
MH 16 WHT	CHASSIS CHOKE LAMP INDICATOR CIRCUIT	CHOKE LAMP
MJ 14 YEL	CHASSIS WINDSHIELD WIPER FEED CIRCUIT	WIPER CONTROL MODULE (POWER FEED)
MK 14 YEL	CHASSIS BATTERY POWER FEED CIRCUIT	GENERAL PURPOSE(CIGAR LIGHTER, DOME/COURTESY LAMPS,ETC)
ML 16 YEL	CHASSIS INSTRUMENT PANEL LAMPS FEED CIRCUIT	INSTRUMENT PANEL LAMPS
MM 14 YEL	CHASSIS CLEARANCE LAMP CRT #1 (BRN TYPICAL)	CLEARANCE/MARKER LAMPS
MN 14 WHT	DOME LAMP SWITCHED GROUND	DOME LAMP SWITCH(DOOR JAMB, INSTRUMENT PANEL SWITCH,ETC)
MP 18/16 WHT	ELEC STEP DOOR JAMB SWITCH, LP TANK SENDER, ETC	GROUND
MR 14 YEL	REAR WINDOW WIPER SWITCH (LOW SPEED)	REAR WINDOW WIPER MOTOR (LOW SPEED)
MS 14 WHT	CLEARANCE/MARKER LAMPS	GROUND
MT 8 WHT	ELECTRIC STEP	GROUND
MU 14 WHT	GENERAL PURPOSE(CIGAR LIGHTER, DOME LAMPS,12 V OUTLETS,ETC)	GROUND
MW 16 YEL	VEHICLE CHECK ENGINE LAMP CIRCUIT	CHECK ENGINE LAMP
MX 16 YEL	WINDSHIELD WIPER SWITCH	WIPER RELAY
MY 14 YEL	VEHICLE HEADLAMP FEED CIRCUIT	DIMMER MODULE
NA 14 YEL	VEHICLE HEADLAMP LOW BEAM CIRCUIT	DIMMER MODULE

CODE GA/COLOR	FROM	TO
NB 14 YEL	VEHICLE HEADLAMP HIGH BEAM CIRCUIT	DIMMER MODULE
NC 14 WHT	COACH LIGHTING CIRCUIT #1 (REF JC)	GROUND
ND 14 WHT	COACH LIGHTING CIRCUIT #2 (REF JD)	GROUND
NE 14 WHT	COACH LIGHTING CIRCUIT #3 (REF JE)	GROUND
NF 14 WHT	COACH LIGHTING CIRCUIT #4 (REF JF)	GROUND
NG 16 YEL	FOG LAMPS SWITCH	FOG LAMPS RELAY
NH 14 YEL	FOG LAMPS RELAY	FOG LAMPS
NJ 16 YEL	CHASSIS HORN FEED CIRCUIT	AIR HORN SWITCH
NK 14 YEL	AIR HORN SWITCH	AIR HORN AIR TANK AIR RELEASE VALVE
NL 14 YEL	AR HORN RELAY	AIR HORN AIR COMPRESSOR
NM 14 YEL	OVERCURRENT PROTECTION (15A FUSE TYPICAL)	COACH LIGHTING CIRCUIT #6 (REF PM)
NN 16 YEL	LEFT POWER MIRROR MOTOR (HORIZONTAL CONTROL, YEL)	POWER MIRROR CONTROL SWITCH
NR 16 YEL	LEFT POWER MIRROR (VERTICAL CONTROL, WHT)	POWER MIRROR CONTROL SWITCH
NS 14 YEL	POWER MIRROR HEATER SWITCH	POWER MIRRORS (RED)
NT 14 YEL	POWER MIRROR RELAY	POWER MIRROR CONTROL SWITCH
NU 14 YEL	AISLE LAMPS SWITCH #1	AISLE LAMPS SWITCH #2

CODE GA/COLOR	FROM	TO
NW 14 YEL	FRONT COMPARTMENT LAMPS SWITCH	COMPARTMENT LAMPS
NX 14 YEL	INTERSTATE COMMERCE COMMITTEE COURTESY BLINK SWITCH	CLEARANCE LAMPS
NY 14 YEL	AISLE LAMPS SWITCH #1	AISLE LAMPS SWITCH #2
PA 14 WHT	REAR AUTO HEATER	GROUND
PB 14 WHT	REAR WINDOW WIPER MOTOR	GROUND
PC 14 YEL	BEDROOM CEILING LAMP SWITCH	BEDROOM CEILING LAMP
PD 14 YEL	MAKE UP LAMP #1 SWITCH	MAKE UP LAMP #1
PE 14 YEL	BATH CEILING LAMP SWITCH	BATH CEILING LAMP
PF 14 YEL	SHOWER LAMP SWITCH WIRE D WAS FIRST USED ON C'S	SHOWER LAMP
PG 14 YEL	WARDROBE LAMP SWITCH	WARDROBE LAMP
PH 14 YEL	AISLE LAMPS SWITCH	AISLE LAMPS
PJ 14 YEL	PORCH LAMP SWITCH	PORCH LAMP
PK 14 YEL	STRIP LAMP SWITCH	STRIP LAMP
PL 14 YEL	FRONT CEILING LAMP SWITCH	FRONT CEILING LAMP
PM 14 WHT	COACH LIGHTING CIRCUIT #6 (REF NM)	GROUND
PN 16 WHT	RIGHT POWER MIRROR (COMMON,BLK)	POWER MIRROR CONTROL SWITCH

CODE GA/COLOR	FROM	TO
PP 16 YEL	RIGHT POWER MIRROR (HORIZONTAL CONTROL, YEL)	POWER MIRROR CONTROL SWITCH
PR 16 YEL	RIGHT POWER MIRROR (VERTICAL CONTROL, WHT)	POWER MIRROR CONTROL SWITCH
PS 14 YEL	MAP LAMP SWITCH	MAP LAMP
PT 14 YEL	BEVERAGE TRAY LAMP SWITCH	BEVERAGE TRAY LAMP
PU 14 YEL	DUMP LAMP SWITCH	DUMP LAMP
PW 14 YEL	OVERCURRENT PROTECTION (15A BREAKER TYPICAL)	POWER DOOR LOCK/UNLOCK RELAY (PIN 30)
PX 16 YEL	POWER DOOR LOCK SWITCH (LOCK) (PIN 1)	POWER DOOR LOCK RELAY (PIN 86)
PY 16 WHT	POWER DOOR LOCK SWITCH (UNLOCK) (PIN 5)	POWER DOOR UNLOCK RELAY (PIN 86)
RA 14 YEL	VEHICLE LEFT FRONT TURN SIGNAL CIRCUIT	LEFT FRONT TURN SIGNAL/MARKER LAMP
RB 14 YEL	VEHICLE RIGHT FRONT TURN SIGNAL CIRCUIT	RIGHT FRONT TURN SIGNAL/MARKER LAMP
RC 14 WHT	FRONT AUTOMOTIVE LAMPS(TURN, MARKER,ETC)	GROUND
RD 14 YEL	OVERCURRENT PROTECTION (15 A FUSE TYPICAL)	HAZARD FLASHER, HORN RELAY
RE 12 YEL	RADIATOR FAN RELAY#1 (COMMON)	RADIATOR FAN #1
RF 12 YEL	RADIATOR FAN RELAY #2 (COMMON)	RADIATOR FAN #2
RG 14 WHT	RADIATOR FAN THERMOSTAT SWITCH	RADIATOR FAN RELAYS (COILS, TRIGGER)
RH 12YEL(BLK)	OVERCURRENT PROTECTION (25A BREAKER TYPICAL)	RADIATOR FAN RELAY #1 (NORMALLY OPEN)

CODE GA/COLOR	FROM	TO
RJ 12YEL(BLK)	OVERCURRENT PROTECTION (25A BREAKER TYPICAL)	RADIATOR FAN RELAY #2 (NORMALLY OPEN)
RK 12 WHT	RADIATOR FAN #1	GROUND
RL 12 WHT	RADIATOR FAN #2	GROUND
RM 14 WHT	VEHICLE IGNITION SWITCH GROUND DURING START CIRCUIT	BULB CHECK(LOW TAG AIR,PARK BRAKE,ETC)
RN 14 YEL	AUTOMOTIVE AIR CONDITIONER THERMOSTAT CUTOFF SWITCH	AUTOMOTIVE AIR CONDITIONER COMPRESSOR CLUTCH
RP 14 YEL	AUTOMOTIVE AIR CONDITIONER COOLANT FAN CONTROL	COOLANT FAN RELAY
RR 14 YEL	BRAKE LAMP SWITCH	TURN SIGNAL SWITCH
RS 14 YEL	HEADLAMP SWITCH INSTRUMENT PANEL LAMP FEED SWITCH	OVERCURRENT PROTECTION (5A FUSE TYPICAL)
RT 14 YEL	HORN RELAY (COMMON)	HORN
RU 14 YEL	HORN RELAY (COIL)	HORN SWITCH
RW 14 YEL	HAZARD FLASHER	TURN SIGNAL SWITCH
RX 14 YEL	EUL WARNING LAMP	EUL MODULE
RY 14 WHT	INSTRUMENT CLUSTER/ EUL MODULE	GROUND
SA 14 YEL	ENGINE WATER TEMPERATURE SENDER	ENGINE WATER TEMPERATURE GAUGE
SB 14 YEL	ENGINE OIL PRESSURE SENDER	ENGINE OIL PRESSURE GAUGE
SC 14 YEL	VEHICLE RIGHT REAR TURN SIGNAL/BRAKE LAMP CIRCUIT	RIGHT REAR TURN SIGNAL/ BRAKE LAMPS

CODE GA/COLOR	FROM	TO
SD 14 YEL	VEHICLE LEFT REAR TURN SIGNAL/BRAKE LAMP CIRCUIT	LEFT REAR TURN SIGNAL/ BRAKE LAMPS
SE 16YEL(WHT)	SPEED SENSOR (TWISTED PAIR)	SPEEDOMETER AND SPEED CONTROL MODULE
SF 16WHT(BLK)	SPEED SENSOR (TWISTED PAIR)	SPEEDOMETER AND SPEED CONTROL MODULE
SG 14 YEL	IGNITION SWITCH START FEED	GENERAL(NEUTRAL SAFETY SWITCH, FUEL PUMP RELAY COIL,ETC)
SH 14 YEL	IGNITION SWITCH RUN/START FEED	GENERAL(IGNITION COIL RELAY NORMALLY OPEN CONTACT,ETC)
SJ 12YEL(BLK)	OVERCURRENT PROTECTION (16GA FUSELINK TYPICAL)	CHASSIS BATTERY FEED
SK 12YEL(WHT)	OVERCURRENT PROTECTION (16GA FUSELINK TYPICAL)	CHASSIS BATTERY HEADLAMP SWITCH FEED #1
SL 12YEL(BLU)	OVERCURRENT PROTECTION (16GA FUSELINK TYPICAL)	CHASSIS BATTERY IGNITION SWITCH FEED #1
SM 12YEL(BLK)	OVERCURRENT PROTECTION (16GA FUSELINK TYPICAL)	RADIATOR FAN #1 CIRCUIT BREAKER FEED
SN 12YEL(BLK)	OVERCURRENT PROTECTION (16GA FUSELINK TYPICAL)	RADIATOR FAN #2 CIRCUIT BREAKER FEED
SP 14 YEL	HEADLAMP SWITCH MARKER CIRCUIT FEED	OVERCURRENT PROTECTION (15A FUSE TYPICAL)
SR 12YEL(BRN)	IGNITION SWITCH RUN ONLY FEED	OVERCURRENT PROTECTION (15A FUSE TYPICAL)
SS 12YEL(WHT)	IGNITION SWITCH ACCESSORY FEED	OVERCURRENT PROTECTION (15A FUSE TYPICAL)
ST 14 YEL	OVERCURRENT PROTECTION (15A FUSE TYPICAL)	TURNS/BACK UP CIRCUIT FEED
SU	STARTER SOLENOID BATTERY TERMINAL	ALTERNATOR BATTERY TERMINAL
SW 14 YEL	TURN SIGNAL FLASHER	TURN SIGNAL SWITCH

CODE GA/COLOR	FROM	TO
SX 14 YEL	REAR WINDOW WASHER SWITCH	REAR WINDOW WASHER BOTTLE PUMP
SY 14 YEL	IGNITION COIL	TACHOMETER
TA 14 YEL	OVERCURRENT PROTECTION (15A FUSE TYPICAL)	IGNITION RUN ONLY GENERAL FEED (RADIATOR FAN RELAY COIL,ETC)
TB 12 YEL	OVERCURRENT PROTECTION (25A FUSE TYPICAL)	IGNITION RUN ONLY GENERAL FEED (AUTO AC BLOWER(NOT HIGH),ETC)
TC 14 YEL	OVERCURRENT PROTECTION (15A FUSE TYPICAL)	IGNITION RUN ONLY GENERAL FEED (DOOR LOCKS,REAR WIPER,ETC )
TD 14 YEL	OVERCURRENT PROTECTION (15A FUSE TYPICAL)	CHASSIS BATTERY GENERAL FEED
TE 16 WHT	GENERATOR	GENERATOR LOW OIL INDICATOR LAMP
TF 16 YEL	GENERATOR	GENERATOR LOW OIL INDICATOR LAMP
TG 16 YEL	TELEVISION	SPEAKER RIGHT (POSITIVE)
TH 16 WHT	TELEVISION	SPEAKER RIGHT (NEGATIVE)
TJ 16 YEL	TELEVISION	SPEAKER LEFT (POSITIVE)
TK 16 WHT	TELEVISION	SPEAKER LEFT (NEGATIVE)
TL 16 YEL	FRONT RIGHT TV SPEAKER NEGATIVE,SERIES CONNECTION	FRONT LEFT TV SPEAKER POSITIVE,SERIES CONNECTION
TM 16 WHT	STEP COVER SWITCH	STEP COVER SOLENOID MOVES STEP OUT
TN 14 YEL	STARTER SOLENOID BATTERY TERMINAL	ALTERNATOR REGULATOR
TP 14 WHT	REAR AUTOMOTIVE LAMPS(TURN, MARKER,ETC)	GROUND

CODE GA/COLOR	FROM	TO
TR 14 YEL	VEHICLE BACK UP CIRCUIT FEED	BACK UP LAMPS
TS 14 YEL	STARTER SOLENOID (I TERMINAL)	ENGINE WIRING (IGNITION MODULE)
TT 14 YEL	NEUTRAL SAFETY SWITCH	STARTER SOLENOID (S TERMINAL)
TU 14 WHT	IGNITION COIL RELAY (COIL)	GROUND
TW 14 YEL	IGNITION SWITCH START/RUN FEED	IGNITION COIL
TX 14 YEL	IGNITION COIL RELAY (COMMON)	IGNITION COIL
TY 14 YEL	ALTERNATOR (T TERMINAL)	CHOKE HEATER
UA 14 YEL	FUEL PUMP FUSE	OIL PRESSURE CUTOOUT SWITCH/ FUEL PUMP RELAY(NO),ETC
UB 14 YEL	INERTIA SWITCH (FUEL PUMP SHUTOFF)	FUEL PUMP RELAY (NORMALLY CLOSED)
UC 14 YEL	FUEL PUMP RELAY (COMMON)	FUEL PUMP
UD 16 WHT	FUEL GAUGE	FUEL SENDER
UE 14 YEL	INERTIA SWITCH (FUEL PUMP SHUTOFF)	OIL PRESSURE CUTOFF SWITCH
UF 14 WHT	FUEL PUMP	GROUND
UG 14 WHT	FUEL PUMP RELAY (COIL)	GROUND
UH 16 YEL	LP DETECTOR (SHUTOFF SYSTEM,YEL)	LP SAFETY VALVE
UJ 16 YEL	LP DETECTOR (SHUTOFF SYSTEM,YEL)	LP SAFETY SWITCH



CODE GA/COLOR	FROM	TO
UK 16 WHT	LP DETECTOR (BLK)(REF WB)	GROUND
UL 16 WHT	EUL LAMP	EUL MODULE
UM 16 WHT	DOOR JAMB DOME LAMP SWITCH	GROUND
UN 16 WHT	SEAT BELT LAMP	EUL MODULE
UP 16 YEL	SEAT BELT LAMP	SEAT BELT BUZZER
UR 16 WHT	PARK BRAKE SWITCH	PARK BRAKE LAMP
US 16 YEL	OVERCURRENT PROTECTION (6A BREAKER TYPICAL)	COACH BATTERY FEED TO BATTERY CONDITION SWITCH
UT 14 YEL	DOOR JAMB DOME LAMP SWITCH (SWITCH POSITIVE)	DOME LAMP
UU 16 YEL	WATER HEATER	VACUUM VALVE SOLENOID
UW 16 WHT	VACUUM VALVE SOLENOID	GROUND
UX 16 YEL	LP DETECTOR #2 (SHUTOFF SYSTEM,YEL)	LP SAFETY VALVE
UY 16 YEL	LP DETECTOR #2 (SHUTOFF SYSTEM,YEL)	LP SAFETY VALVE
WA 14 YEL	EXTERIOR SERVICE LAMP SWITCH	EXTERIOR SERVICE LAMP
WB 16 YEL	OVERCURRENT PROTECTION (6A BREAKER TYPICAL)	LP DETECTOR (REF UK)
WC 14 YEL	OVERCURRENT PROTECTION (15A BREAKER TYPICAL)	COMPARTMENT LAMPS (REF WE)
WD 14 WHT	AISLE LAMPS	GROUND

CODE GA/COLOR	FROM	TO
WE 14 WHT	COMPARTMENT LAMPS (REF WC)	GROUND
WF 12YEL(WHT)	OVERCURRENT PROTECTION (30A BREAKER TYPICAL)	PARK BRAKE COMPRESSOR SOENOID
WG 12YEL(BLK)	OVERCURRENT PROTECTION (30A BREAKER TYPICAL)	IGNITION RELAY
WH 14 YEL	OVERCURRENT PROTECTION (15A BREAKER TYPICAL)	IGNITION SWITCH RUN ONLY FEED
WJ 12 YEL	OVERCURRENT PROTECTION (20A BREAKER TYPICAL)	IGNITION SWITCH ACCESSORY FEED RELAY
WK 14 YEL	OVERCURRENT PROTECTION (15A BREAKER TYPICAL)	IGNITION SWITCH ACCESSORY FEED
WL 14 YEL	POWER DOOR LOCK RELAY (PIN 30)	POWER DOOR LOCK MOTOR(S) (LOCK)
WM 14 WHT	POWER DOOR UNLOCK RELAY (PIN 30)	POWER DOOR LOCK MOTOR(S) (UNLOCK)
WN 16 YEL	RADIO POWER SWITCH (ACCESSORY POWER)	DASH RADIO (ACCESSORY POWER)
WP 10 YEL	OVERCURRENT PROTECTION (25A BREAKER TYPICAL)	FRONT PANEL LOADS(INVERTER, RADIO)(96 M-SERIES)
WR 14 YEL	OVERCURRENT PROTENTION (15A BREAKER TYPICAL)	POWER SEAT LIFT SWITCH
WS 14 WHT	POWER SEAT LIFT SWITCH	GROUND
WT 14 YEL	POWER SEAT LIFT SWITCH (UP)	MOTOR (POSITIVE UP)
WU 14 WHT	POWER SEAT LIFT SWITCH (DOWN)	MOTOR (POSITIVE DOWN)
WW 14 WHT	SPOT LAMP SWITCH	GROUND
WX 14 YEL	HALLWAY CEILING LAMP SWITCH	HALLWAY CEILING LAMP

CODE GA/COLOR	FROM	TO
WY 10 WHT	AUTOMOTIVE AIR CONDITIONER MOTOR	GROUND
XA 12/10 YEL	VEHICLE AUTOMOTIVE AIR FEED CIRCUIT	AUTOMOTIVE AIR CONDITIONER BLOWER (USE 10 IF OVER 6')
XB 14 YEL	DRIVER'S DOOR POWER WINDOW SWITCH(PIN 5)	DRIVER'S DOOR POWER WINDOW MOTOR(POSITIVE UP)
XC 14 WHT	DRIVER'S DOOR POWER WINDOW SWITCH(PIN 1)	DRIVER'S DOOR POWER WINDOW MOTOR(POSITIVE DOWN)
XD 16 WHT	MONITOR PANEL	HOLDING TANK LEVEL SENSOR (FULL)
XE 16 WHT	MONITOR PANEL	HOLDING TANK LEVEL SENSOR (3/4)
XF 16 WHT	MONITOR PANEL	HOLDING TANK LEVEL SENSOR (1/2)
XG 16 WHT	MONITOR PANEL	HOLDING TANK LEVEL SENSOR (1/4)
XH 16 YEL	MONITOR PANEL	WATER TANK LEVEL SENSOR
XJ 16 YEL	MONITOR PANEL	BLACK HOLDING LEVEL SENSOR (MAIN TANK)
XK 16 YEL	MONITOR PANEL	GRAY AUXILIARY HOLDING TANK #1 LEVEL SENSOR (AUX TANK #1)
XL 16 YEL	MONITOR PANEL	GRAY AUXILIARY HOLDING TANK #2 LEVEL SENSOR (AUX TANK #2)
XM 14 YEL	OVERCURRENT PROTECTION (18GA FUSELINK TYPICAL)	IGNITION START RELAY
XN 16 YEL	FRONT ROOF AIR CONDITIONER (EXHAUST)	THERMOSTAT (EX TERMINAL)
XP 16 YEL	FRONT ROOF AIR CONDITIONER (COOL)	THERMOSTAT (Y TERMINAL)(Y EXPORT AIR)
XR 16 YEL	FRONT ROOF AIR CONDITIONER (HIGH SPEED BLOWER)	THERMOSTAT (GH TERMINAL)(H EXPORT AIR)

CODE GA/COLOR	FROM	TO
XS 16 YEL	FRONT ROOF AIR CONDITIONER (LOW SPEED BLOWER)	THERMOSTAT (GL TERMINAL)(G EXPORT AIR)
XT 14 YEL	IGNITION START RELAY #1 (NORMALLY CLOSED CONTACT)	IGNITION START RELAY #2 (COMMON CONTACT)
XU 14 YEL	DINETTE OVHD LAMP SWITCH	DINETTE OVHD LAMP
XW 14 WHT	IGNITION SWITCH ACCESSORY FEED RELAY CIRCUIT	GROUND
XX 14 YEL	GALLEY LAMP SWITCH	GALLEY LAMP
XY 14 YEL	MAKE UP LAMP #2 SWITCH	MAKE UP LAMP #2
YA 14 YEL	TAG AXLE PRESSURE CONTROL SWITCH	COMPRESSOR SOLENOID/ SOLENOID AIR VALVE
YB 14 WHT	LOW AIR PRESSURE SWITCH	GROUND
YC 10YEL(BLU)	OVERCURRENT PROTECTION (30A BREAKER TYPICAL)	TAG AXLE COMPRESSOR SOLENOID
YD 14 WHT	TAG AXLE MOUNTING PLATE SCREW	GROUND
YE 10 WHT	TAG AXLE COMPRESSOR	GROUND
YF 12 WHT	TAG AXLE BRAKE CONTROL MODULE/BRAKE MAGNET	GROUND
YG 12YEL(BLK)	OVERCURRENT PROTECTION (20A BREAKER TYPICAL)	TAG AXLE BRAKE CONTROL MODULE
YH 12YEL(BLU)	TAG AXLE BRAKE CONTROL MODULE	TAG AXLE BRAKE MAGNET
YJ 10YEL(WHT)	TAG AXLE COMPRESSOR SOLENOID	TAG AXLE COMPRESSOR
YK 14 YEL	BEDROOM CEILING LAMP SWITCH#1 (2 SWITCH SYSTEM)	BEDROOM CEILING LAMP SWITCH #2 (2 SWITCH SYSTEM)

CODE GA/COLOR	FROM	TO
YL 14 YEL	BEDROOM CEILING LAMP SWITCH #1 (2 SWITCH SYSTEM)	BEDROOM CEILING LAMP SWITCH #2 (2 SWITCH SYSTEM)
YM 14 YEL	HALLWAY CEILING LAMP SWITCH #1 (2 SWITCH SYSTEM)	HALLWAY CEILING LAMP SWITCH #2 (2 SWITCH SYSTEM)
YN 14 YEL	HALLWAY CEILING LAMP SWITCH #1 (2 SWITCH SYSTEM)	HALLWAY CEILING LAMP SWITCH #2 (2 SWITCH SYSTEM)
YP 14 YEL	VALANCE LAMP SWITCH #1 (2 SWITCH SYSTEM)	VALANCE LAMP SWITCH #2 (2 SWITCH SYSTEM)
YR 14 YEL	VALANCE LAMP SWITCH #1 (2 SWITCH SYSTEM)	VALANCE LAMP SWITCH #2 (2 SWITCH SYSTEM)
YS 14 YEL	VALANCE LAMP SWITCH	VALANCE LAMP
YT 14 YEL	FRONT VALANCE LAMP SWITCH	FRONT VALANCE LAMP
YU 14 YEL	REAR VALANCE LAMP SWITCH	REAR VALANCE LAMP
YW 14 WHT	DOOR BELL SWITCH	DOOR BELL
YX 14 YEL	IGNITION SWITCH RUN/START FEED	ALTERNATOR WARNING LAMP
YY 14 YEL	ALTERNATOR VOLTAGE REGULATOR	ALTERNATOR WARNING LAMP
AAA 16 WHT	STEP COVER SWITCH (REF GX)	STEP COVER SOLENOID MOVES STEP IN
AAB 14 YEL	DINETTE READING LAMPS	DINETTE READING LAMP SWITCH
AAC 14 YEL	LOUNGE READING LAMPS	LOUNGE READING LAMP SWITCH
AAD 14 YEL	FORD CHASSIS TRAILER MARKER LAMP CIRCUIT (BR/WHT)	TRAILER CONNECTOR SOCKET MARKER LAMPS
AAE 14 YEL	FORD CHASSIS TRAILER BACKUP LAMP CIRCUIT (BLK/LT GRN)	TRAILER CONNECTOR SOCKET BACKUP LAMPS

CODE GA/COLOR	FROM	TO
AAF 14 YEL	FORD CHASSIS TRAILER LEFT TURN/BRAKE LAMP CIRCUIT (YEL)	TRAILER CONNECTOR SOCKET LEFT TURN/BRAKE LAMP
AAG 14 YEL	FORD CHASSIS TRAILER RIGHT TURN/BRAKE LAMP CIRCUIT (DKG)	TRAILER CONNECTOR SOCKET RIGHT TURN/BRAKE LAMP
AAH 14 YEL	BATH-VENT,POWER	BATH-VENT, THERMOSTAT
AAJ 14 YEL	BATH-VENT,POWER	BATH-VENT, THERMOSTAT
AAK 16 WHT	SWITCH-WATER PUMP (MULTIPLEX SYSTEM)	LATCHING RELAY (WITH 4 OR MORE SWITCHES)
AAL 16 WHT	SWITCH-WATER PUMP (MULTIPLEX SYSTEM)	GROUND
AAM 14 YEL	CHASSIS SUPPLIED WIRE ASM (DARK BLUE)(GM)	RIGHT TAIL LAMP PARK (WIE)
AAN 14 YEL	CHASSIS SUPPLIED WIRE ASM (PURPLE) (GM)	LEFT TAIL LAMP PARK (WIE)
AAP 10 YEL	55 AMP BREAKER JUMPER WIRE	30 AMP BREAKER
AAR 14 YEL	TV/RADIO SPEAKER FEED SELECTOR SWITCH	TV SPEAKER AMPLIFIER
AAS 16 YEL	TV SPEAKER (NEGATIVE) BEDROOM SPEAKERS IN SERIES	TV SPEAKER (POSITIVE)
AAT 16 YEL	AMPLIFIER POSITIVE OUT (AAU NEGATIVE)	FRONT WOOFER (WITH DELUXE SOUND SYSTEM)
AAU 16 WHT	AMPLIFIER NEGATIVE OUT (AAT POSITIVE)	FRONT WOOFER (WITH DELUXE SOUND SYSTEM)
AAW 16 YEL	AMPLIFIER POSITIVE OUT (AAX NEGATIVE)	REAR WOOFER (WITH DELUXE SOUND SYSTEM)
AAX 16 WHT	AMPLIFIER NEGATIVE OUT (AAW POSITIVE)	REAR WOOFER (WITH DELUXE SOUND SYSTEM)
AAZ 10 YEL	SLIDEOUT ROOM CONTROL SWITCH	SLIDEOUT DRIVE MOTOR LEAD #1

CODE GA/COLOR	FROM	TO
AAZ 10 YEL	SLIDEOUT ROOM CONTROL SWITCH	SLIDEOUT DRIVE MOTOR LEAD #2
BBA 16 WHT	SLIDEOUT WIRING (PARK BRAKE SW)(SWITCHED GRD)	SLIDEOUT ROOM RELAY (GROUND TERMINAL)
BBB 16 YEL	SLIDEOUT ROOM CIRCUIT BREAKER (6 AMP)	SLIDEOUT ROOM RELAY (PIN 86 & 87)
BBC 16 YEL	LOAD SHEDDER MONITOR PANEL (RED WIRE)	LOAD SHEDDER CONTROL BOARD (RED WIRE)
BBD 16 YEL	LOAD SHEDDER MONITOR PANEL (BLUE WIRE)	LOAD SHEDDER CONTROL BOARD (BLUE WIRE)
BBE 16 YEL	LOAD SHEDDER MONITOR PANEL (BLACK WIRE)	LOAD SHEDDER CONTROL BOARD (BLACK WIRE)
BBF 16 YEL	LOAD SHEDDER MONITOR PANEL (GRAY WIRE)	LOAD SHEDDER CONTROL BOARD (GRAY WIRE)
BBG 14 YEL	DINETTE CEILING LAMP SWITCH	DINETTE CEILING LAMP
BBH 16 YEL	REAR COMPRESSOR SIGNAL REAR THERMOSTAT	LOAD SHEDDER CONTROL BOARD
BBJ 16 YEL	LOAD SHEDDER CONTROL BOARD	REAR A/C (COOL)
BBK 12 WHT	JET AIR/TAG AXLE WIRING	GROUND, CHASSIS
BBL 14 YEL	OVHD SWITCH	OVHD HALOGEN LAMPS
BBM 16 YEL	SLIDEOUT ROOM SWITCH (ROOM TWO EXTEND)	HWH WIRING (ROOM TWO EXTEND)
BBN 16 YEL	SLIDEOUT ROOM SWITCH (ROOM TWO RETRACT)	HWH WIRING (ROOM TWO RETRACT)
BBP 14 YEL	ICC COURTESY BLINK SWITCH	ICC COURTESY BLINK RELAY
BBR 14 YEL	ICC COURTESY BLINK RELAY	CLEARANCE LAMPS

CODE GA/COLOR	FROM	TO
BBS 14 YEL	CHASSIS FUSE PANEL	ICC COURTESY BLINK RELAY
BBT 14 YEL	DOCKING LAMP SWITCH TRIGGER RELAY	DOCKING LAMP SWITCH
BBU 12 YEL	DOCKING LAMP CIRCUIT BREAKER	DOCKING LAMP RELAY
BBW 14 YEL	FORD LEFT HAND LOW BEAM CIRCUIT	LEFT HAND LOW BEAM
BBX 14 YEL	FORD RIGHT HAND LOW BEAM CIRCUIT	RIGHT HAND LOW BEAM
BBY 14 YEL	SWITCH-MONITOR PANEL (IN EXT WATER CENTER)	EXTERIOR MONITOR PANEL (IN EXT WATER CENTER)
BBZ 14 YEL	OVERCURRENT PROTECTION (15A FUSE/BREAKER TYPICAL)	AUXILIARY FURNACE (CCA)
CCA 14 WHT	AUXILIARY FURNACE	GROUND
CCB 16 YEL	EXTERIOR MONITOR PANEL	WATER TANK LEVEL SENSOR
CCC 16 YEL	EXTERIOR MONITOR PANEL	MAIN HOLDING TANK LEVEL SENSOR
CCD 16 YEL	EXTERIOR MONITOR PANEL	AUX HOLDING TANK LEVEL SENSOR
CCE 14 YEL	COMPARTMENT LAMP SWITCH	COMPARTMENT LAMP
CCF 14 YEL	COMPARTMENT LAMP SWITCH	COMPARTMENT LAMP
CCG 14 YEL	COMPARTMENT LAMP SWITCH	COMPARTMENT LAMP
CCH 14 YEL	COMPARTMENT LAMP SWITCH	COMPARTMENT LAMP
CCJ 14 YEL	COMPARTMENT LAMP SWITCH	COMPARTMENT LAMP

CODE GA/COLOR	FROM	TO
CCK 14 YEL	COMPARTMENT LAMP SWITCH	COMPARTMENT LAMP
CCL 14 YEL	COMPARTMENT LAMP SWITCH	COMPARTMENT LAMP
CCM 14 YEL	COMPARTMENT LAMP SWITCH	COMPARTMENT LAMP
CCN 16 YEL	THERMOSTATE LOW SPEED FAN SIGNAL	CENTRAL AIR AND LOAD SHEDDER
CCP 16 YEL	LOAD SHEDDER COMPRESSOR TWO CONTROL RELAY	CENTRAL A/C COMPRESSOR TWO
CCR 14 YEL	SWITCH-MONITOR PANEL (IN EXT WATER CENTER)	EXTERIOR MONITOR PANEL (IN EXT WATER CENTER)
CCS 16 YEL	NOISE FILTER	RADIO POWER INPUT
CCT 16 YEL	REAR RIGHT TV SPEAKER NEGATIVE,SERIES CONNECTION	REAR LEFT TV SPEAKER POSITIVE,SERIES CONNECTION
CCU 16 YEL	GM DOME LAMP POWER	DOME LAMP
CCW 12 YEL	DUAL MODE SOLENOID (CHASSIS SIDE)	FUSE HOLDER (30 AMP)
CCX 16 YEL	ORG WIRE ON AIR COMPRESSOR	AIR PRESSURE SWITCH ON AIR TANK
CCY 16 YEL	HWH WIRING (BATTERY POWER)	SLIDEOUT ROOM SWITCH (POSITIVE)
CCZ 16 YEL	HWH WIRING (SWITCHED BATTERY POWER)	FRT/RR SLIDEOUT ROOM SWITCH (SWITCHED EXTEND/RETRACT PWR)
DDA 16 YEL	HWH WIRING (PUMP RELAY CONTROL)	SLIDEOUT ROOM SWITCH (POSITIVE)
ddb 14 YEL	REAR AUTO HEATER CIRCUIT BREAKER	REAR AUTO HEATER RELAY (POWER)
DDC 14 YEL	REAR AUTO HEATER RELAY (SWITCHED POWER)	REAR AUTO HEATER SWITCH (COMMON TERMINAL)

CODE GA/COLOR	FROM	TO
DDD 14 YEL	MODULE-CHARGE CONTROL RELAY OUTPUT	AUX-START SOLENOID RELAY
DDE 14 YEL	AUX-START SOLENOID RELAY	AUX-START SOLENOID
DDF 10 YEL	HEATER BLOWER CIRCUIT BREAKER	HEATER BLOWER RELAY
DDG 10 YEL	CIRCUIT BREAKER BUSS BAR	CHASSIS BATTERY FEED CIRCUIT BREAKER
DDH 14 YEL	FREIGHTLINER RUN ONLY TRIGGER CIRCUIT	HEATER BLOWER RELAY
DDJ 14 YEL	FREIGHTLINER PARKING BRAKE TRIGGER CIRCUIT	HWH WIRE ASM-PARKING BRAKE SENSOR WIRE
DDK 16 YEL	HWH WIRING (PUMP RELAY CONTROL)	REAR SLIDEOUT ROOM SWITCH (POSITIVE)
DDL 14 WHT	FRONT LEFT AUTOMOTIVE LAMPS	GROUND
DDM 14 WHT	FRONT RIGHT AUTOMOTIVE LAMPS	GROUND
DDN 16 YEL	TIMER MODULE	CHECK ANTENNA LIGHT
DDP 12 YEL	OVERCURRENT PROTECTION (20A BREAKER TYPICAL)	INVERTER FEED (INVERTER NUMBER 2)
DDR 12 WHT	INVERTER (INVERTER NUMBER 2)	GROUND
DDS 12 WHT	INVERTER CHASSIS (INVERTER NUMBER 2)	GROUND
DDT 12 YEL	POWER COMPT DOOR LOCK RELAY (RIGHT SIDE)	POWER COMPT DOOR LOCK MOTOR(S) (RIGHT SIDE)
DDU 12 WHT	POWER COMPT DOOR UNLOCK RELAY (RIGHT SIDE)	POWER COMPT LOCK MOTOR(S) (UNLOCK) (RIGHT SIDE)
DDV 12 YEL	POWER COMPT DOOR LOCK RELAY (LEFT SIDE)	POWER COMPT LOCK MOTOR(S) (LOCK) (LEFT SIDE)

CODE GA/COLOR	FROM	TO
DDW 12 WHT	POWER COMPT DOOR UNLOCK RELAY (LEFT SIDE)	POWER COMPT LOCK MOTOR(S) (UNLOCK) (LEFT SIDE)
DDX 12 YEL	OVERCURRENT PROTECTION (20A BREAKER TYPICAL)	POWER COMPT DOOR LOCK/ UNLOCK RELAY (RIGHT SIDE)
DDY 12 YEL	OVERCURRENT PROTECTION (20A BREAKER TYPICAL)	POWER COMPT DOOR LOCK/ UNLOCK RELAY (LEFT SIDE)
DDZ 12 YEL	POWER COMPT DOOR LOCK SWITCH (LOCK) (PIN 1)	POWER COMPT DOOR LOCK RELAY (PIN 86)
EEA 12 WHT	POWER COMPT DOOR LOCK SWITCH (UNLOCK) (PIN 5)	POWER COMPT DOOR UNLOCK RELAY (PIN 86)
EEB 12 WHT	POWER COMPT DOOR LOCK RELAYS (LEFT SIDE)	GROUND
EEC 12 YEL	25 AMP BREAKER IN 12 VOLT PANEL	SOFA RECLINER SWITCH SOFA 4-WAY RECLINER
EED 12 WHT	SOFA RECLINER SWITCH SOFA 4-WAY RECLINER	GROUND
EEE 14 YEL	OVERCURRENT PROTECTION (15A BREAKER TYPICAL)	12V POWER JACK
EEF 14 WHT	12V POWER JACK	GROUND
EEG 12 WHT	POWER COMPT DOOR LOCK RELAYS (RIGHT SIDE)	GROUND
EEH 12 YEL	SOFA RECLINER SWITCH EXTEND	SOFA RECLINER MOTOR SOFA 4-WAY
EEJ 12 YEL	SOFA RECLINER SWITCH RETRACT	SOFA RECLINER MOTOR SOFA 4-WAY
E EK 16 YEL	AUDIO AMPLIFIER	LH FRT SPKR (+)
EEL 16 WHT	AUDIO AMPLIFIER	LH FRT SPKR (-)
EEM 16 YEL	AUDIO AMPLIFIER	RH FRT SPKR (+)

CODE GA/COLOR	FROM	TO
EEN 16 WHT	AUDIO AMPLIFIER	RH FRT SPKR (-)
E EP 16 YEL	AUDIO AMPLIFIER	LH RR SPKR (+)
EER 16 WHT	AUDIO AMPLIFIER	LH RR SPKR (-)
EES 16 YEL	AUDIO AMPLIFIER	RH RR SPKR (+)
EET 16 WHT	AUDIO AMPLIFIER	RH RR SPKR (-)
E EU 16 YEL	AUDIO AMPLIFIER	CTR CHANNEL SPKR (+)
E EW 16 WHT	AUDIO AMPLIFIER	CTR CHANNEL SPKR (-)
E EX 12/10 YEL	PASSENGER AUTO A/C FEED CIRCUIT	PASSENGER AUTO A/C BLOWER (USE 10 IF OVER 6')
E EY 10 WHT	PASSENGER AUTO A/C MOTOR	GROUND
E EZ 12/10 YEL	OVERCURRENT PROTECTION (30A BREAKER TYPICAL)	PASSENGER HI-SPEED HEATER FAN (USER 10 IF OVER 6')
E FA 10 YEL	PASSENGER HEATER BLOWER CIRCUIT BREAKER	PASSENGER HEATER BLOWER RELAY
E FB 10 YEL	OVERCURRENT PORTECTION (30A BREAKER TYPICAL)	POWER LOUNGE CHAIR
E FC 10 WHT	POWER LOUNGE CHAIR	GROUND
E FD 12 YEL	OVERCURRENT PROTECTION (30A BREAKER TYPICAL)	AWNING CONTROL BOX (12V POSITIVE)
E FE 12 WHT	AWNING CONTROL BOX	GROUND
E FF 12 YEL	AWNING CONTROL BOX	DOOR AWNING (MOTOR POSITIVE)

CODE GA/COLOR	FROM	TO
FFG 12 WHT	DOOR AWNING (MOTOR GROUND)	AWNING CONTROL BOX
FFH 12 YEL	AWNING CONTROL BOX	PATIO AWNING (MOTOR POSITIVE)
FFJ 12 WHT	PATIO AWNING (MOTOR GROUND)	AWNING CONTROL BOX
FFK 16 YEL	AWNING CONTROL BOX	DOOR AWNING SWITCH (EXTEND)
FFL 16 YEL	DOOR AWNING SWITCH (COMMON)	AWNING CONTROL BOX
FFM 16 YEL	AWNING CONTROL BOX	DOOR AWNING SWITCH (RETRACT)
FFN 16 YEL	AWNING CONTROL BOX	PATIO AWNING SWITCH (EXTEND)
FFP 16 YEL	PATIO AWNING SWITCH (COMMON)	AWNING CONTROL BOX
FFR 16 YEL	AWNING CONTROL BOX	PATIO AWNING SWITCH (RETRACT)
FFS 14 WHT	RELAY (PIN 30)	AWNING CONTROL BOX
FFT 14 WHT	PATIO AWNING SWITCH	AWNING CONTROL BOX
FFU 16 YEL	AWNING SELECTOR SWITCH (DOOR AWNING)	AWNING CONTROL SWITCH (DOOR AWNING)
FFV 16 YEL	AWNING SELECTOR SWITCH (PATIO AWNING)	AWNING CONTROL SWITCH (PATIO AWNING)
FFW 14 YEL	LOUNGE LAMPS SWITCH #1	LOUNGE LAMPS SWITCH #2
FFX 14 YEL	LOUNGE LAMPS SWITCH #1	LOUNGE LAMPS SWITCH #2
FFY 14 YEL	CEILING FAN SWITCH	CEILING FAN

CODE GA/COLOR	FROM	TO
FFZ 14 YEL	OVERCURRENT PROTECTION (15A FUSE/BREAKER TYPICAL)	COACH LIGHTING, ETC CIRCUIT #7 (REF GGA)
GGA 14 WHT	COACH LIGHTING (REF-FFZ)	GROUND
GGB 14 YEL	POWER LIFT VENT	POWER LIFT SWITCH (UP)
GGC 14 YEL	POWER LIFT VENT	POWER LIFT SWITCH (DOWN)
GGD 16 YEL	CONTROL MODULE	OPERATOR PANEL (STOP)
GGE 16 YEL	CONTROL MODULE	OPERATOR PANEL (GRN LED)
GGF 16 YEL	CONTROL MODULE	OPERATOR PANEL (RED LED)
GGG 16 YEL	CONTROL MODULE	FRONT ENCODER (SIGNAL)
GGH 16 YEL	CONTROL MODULE	FRONT ENCODER (+)
GGJ 16 WHT	CONTROL MODULE	FRONT ENCODER (-)
G GK 16 YEL	CONTROL MODULE	REAR ENCODER (SIGNAL)
GGL 16 YEL	CONTROL MODULE	REAR ENCODER (+)
GGM 16 WHT	CONTROL MODULE	REAR ENCODER (-)
GGN 12 YEL	CONTROL MODULE	SLIDEOUT ACTUATOR DRIVE LEAD #1
G GP 12 YEL	CONTROL MODULE	SLIDEOUT ACTUATOR DRIVE LEAD #2
GGR 16 YEL	FRONT ROOF HEAT PUMP	THERMOSTAT (W TERMINAL)

CODE GA/COLOR	FROM	TO
GGG 16 YEL	REAR ROOF HEAT PUMP	THERMOSTAT (W TERMINAL)
GGT 12 YEL	SOFA RECLINER SWITCH EXTEND	SOFA RECLINER MOTOR SOFA 4-WAY
GGU 12 YEL	SOFA RECLINER SWITCH RETRACT	SOFA RECLINER MOTOR SOFA 4-WAY
GGV 14 WHT	GPS (BLACK WIRE)	GROUND
GGW 16 YEL	GPS (GREEN/WHITE WIRE)	VEHICLE SPEED SENSOR (CHASSIS SUPPLIED)
GGX 14 YEL	10 OHM RESISTOR *	BEDROOM CEILING FAN (LOW SPEED)
GGY 14 YEL	BATHROOM VENT SWITCH	BATHROOM VENT
GGZ 14 YEL	BEDROOM VENT SWITCH	BEDROOM VENT
HHA 14 YEL	OVERCURRENT PROTECTION (15A FUSE/BREAKER TYPICAL)	COACH VENTS/LAMPS (REF HHB)
HHB 14 WHT	COACH VENTS/LAMPS (REF HHA)	GROUND
HHC 12 YEL	STEP COVER SWITCH	STEP COVER MOTOR
HHD 12 YEL	STEP COVER SWITCH	STEP COVER MOTOR
HHE 16 YEL	SLIDEOUT ROOM SWITCH (ROOM THREE EXTEND)	HWH WIRING (ROOM THREE EXTEND)
HHF 16 YEL	SLIDEOUT ROOM SWITCH (ROOM THREE RETRACT)	HWH WIRING (ROOM THREE RETRACT)
HHG 16 YEL	SLIDEOUT ROOM SWITCH (ROOM FOUR EXTEND)	HWH WIRING (ROOM FOUR EXTEND)
HHH 16 YEL	SLIDEOUT ROOM SWITCH (ROOM FOUR RETRACT)	SLIDEOUT ROOM SWITCH (ROOM FOUR RETRACT)

CODE GA/COLOR	FROM	TO
HHJ 14 YEL	110V WATER HEATER TRIGGER SWITCH	WATER HEATER RELAY
HHK 16 YEL	DRIVER'S POWER SUNVISOR SWITCH	DRIVER'S POWER SUNVISOR
HHL 16 YEL	DRIVER'S POWER SUNVISOR SWITCH	DRIVER'S POWER SUNVISOR
HHM 16 YEL	PASS POWER SUNVISOR SWITCH	PASS POWER SUNVISOR
HHN 16 YEL	PASS POWER SUNVISOR SWITCH	PASS POWER SUNVISOR
HHP 14 YEL	HOT WATER HEAT CONTROL BOARD (F1)	ZONE 1 FAN SPEED SWITCH
HHR 14 YEL	ZONE 1 FAN SPEED SWITCH	ZONE 1 AIR FAN HEATER
HHS 16 YEL	HOT WATER HEAT CONTROL BOARD (TC)	ZONE 2 & 3 THERMOSTAT
HHT 16 YEL	HOT WATER HEAT CONTROL BOARD (T2)	ZONE 2 THERMOSTAT
HHU 14 YEL	HOT WATER HEAT CONTROL BOARD (F2)	ZONE 2 FAN SPEED SWITCH
HHV 14 YEL	ZONE 2 FAN SPEED SWITCH	ZONE 2 AIR FAN HEATER
HHW 16 YEL	HOT WATER HEAT CONTROL BOARD (T3)	ZONE 3 THERMOSTAT
HHX 14 YEL	HOT WATER HEAT CONTROL BOARD (F3)	ZONE 3 AIR FAN HEATER
HHY 16 WHT	AWNING CONTROL BOX	WIND SENSOR (NEGATIVE)
HHZ 16 YEL	AWNING CONTROL BOX	WIND SENSOR (POSITIVE)
JJA 16 YEL	AWNING CONTROL BOX	WIND SENSOR TEMPERATURE OUTPUT



<b>CODE GA/COLOR</b>	<b>FROM</b>	<b>TO</b>
JJB 16 YEL	AWNING CONTROL BOX	WIND SENSOR SPEED OUTPUT