


- 9. VENT PIPE MUST PROJECT 51 MM MIN AND 63.5 MM MAX ABOVE ROOF FOR PROPER FIT AND FUNCTION.
 - 8. SEE DWG 61607-01-000 FOR INSTL OF GROMMET.
 - 7. SEAL ALL AROUND SHOWER WITH SILICONE 78474-01-CHT.
 - 6. FOR CAN UNITS EACH HOLDING TANK SHALL HAVE A CSA APPROVAL STAMPED NEAR THE TAPMO APPROVAL.
 - 5. EXPOSED PIPE ABOVE ROOF TO BE PAINTED 37163-01-000.
 - 4. ALL EXTERIOR OPENINGS AROUND PIPE TO BE SEALED.
 - 3. ALL PIPE AND FITTINGS TO BE ASSEMBLED WITH SOLVENT 4020-01-000.
 - 2. SLOPE OF TRAP ARM MUST BE 6 PER 300.
 - 1. SLOPE OF HORIZONTAL PIPING TO BE 6 PER 305 MIN.
- NOTES:**
- 9. VENT PIPE MUST PROJECT 51 MM MIN AND 63.5 MM MAX ABOVE ROOF FOR PROPER FIT AND FUNCTION.
 - 8. SEE DWG 61607-01-000 FOR INSTL OF GROMMET.
 - 7. SEAL ALL AROUND SHOWER WITH SILICONE 78474-01-CHT.
 - 6. FOR CAN UNITS EACH HOLDING TANK SHALL HAVE A CSA APPROVAL STAMPED NEAR THE TAPMO APPROVAL.
 - 5. EXPOSED PIPE ABOVE ROOF TO BE PAINTED 37163-01-000.
 - 4. ALL EXTERIOR OPENINGS AROUND PIPE TO BE SEALED.
 - 3. ALL PIPE AND FITTINGS TO BE ASSEMBLED WITH SOLVENT 4020-01-000.
 - 2. SLOPE OF TRAP ARM MUST BE 6 PER 300.
 - 1. SLOPE OF HORIZONTAL PIPING TO BE 6 PER 305 MIN.
- NOT USED ON CANADIAN UNITS.**
- TRIM P-TRAP EXTENSION TO FIT.**
- SECURE VENT TUBES TO FLOOR.**

FOR DRAINAGE CALLOUTS SEE DWG NO. 116229-01-000


WINNEBAGO 92 W/1F527RC	
DATE	UNSPECIFIED TOLERANCES ARE: MATERIAL:
CHG#	WHOLE DIM (IN)
REV	ONE-PLACE (IN.X1)
REV	TWO-PLACE (IN.XXX)
REV	THREE-PLACE (IN.XXXX)
REV	FOUR-PLACE (IN.XXXXX)
REV	FIVE-PLACE (IN.XXXXXX)
REV	SIX-PLACE (IN.XXXXXXX)
REV	SEVEN-PLACE (IN.XXXXXXXX)
REV	EIGHT-PLACE (IN.XXXXXXXXX)
REV	NINE-PLACE (IN.XXXXXXXXXX)
REV	TEN-PLACE (IN.XXXXXXXXXXX)
REV	ELEVEN-PLACE (IN.XXXXXXXXXXX)
REV	TWELVE-PLACE (IN.XXXXXXXXXXX)
REV	THIRTEEN-PLACE (IN.XXXXXXXXXXX)
REV	FOURTEEN-PLACE (IN.XXXXXXXXXXX)
REV	FIFTEEN-PLACE (IN.XXXXXXXXXXX)
REV	SIXTEEN-PLACE (IN.XXXXXXXXXXX)
REV	SEVENTEEN-PLACE (IN.XXXXXXXXXXX)
REV	EIGHTEEN-PLACE (IN.XXXXXXXXXXX)
REV	NINETEEN-PLACE (IN.XXXXXXXXXXX)
REV	TWENTY-PLACE (IN.XXXXXXXXXXX)
REV	TWENTY-ONE-PLACE (IN.XXXXXXXXXXX)
REV	TWENTY-TWO-PLACE (IN.XXXXXXXXXXX)
REV	TWENTY-THREE-PLACE (IN.XXXXXXXXXXX)
REV	TWENTY-FOUR-PLACE (IN.XXXXXXXXXXX)
REV	TWENTY-FIVE-PLACE (IN.XXXXXXXXXXX)
REV	TWENTY-SIX-PLACE (IN.XXXXXXXXXXX)
REV	TWENTY-SEVEN-PLACE (IN.XXXXXXXXXXX)
REV	TWENTY-EIGHT-PLACE (IN.XXXXXXXXXXX)
REV	TWENTY-NINE-PLACE (IN.XXXXXXXXXXX)
REV	THIRTY-PLACE (IN.XXXXXXXXXXX)
REV	THIRTY-ONE-PLACE (IN.XXXXXXXXXXX)
REV	THIRTY-TWO-PLACE (IN.XXXXXXXXXXX)
REV	THIRTY-THREE-PLACE (IN.XXXXXXXXXXX)
REV	THIRTY-FOUR-PLACE (IN.XXXXXXXXXXX)
REV	THIRTY-FIVE-PLACE (IN.XXXXXXXXXXX)
REV	THIRTY-SIX-PLACE (IN.XXXXXXXXXXX)
REV	THIRTY-SEVEN-PLACE (IN.XXXXXXXXXXX)
REV	THIRTY-EIGHT-PLACE (IN.XXXXXXXXXXX)
REV	THIRTY-NINE-PLACE (IN.XXXXXXXXXXX)
REV	FOURTY-PLACE (IN.XXXXXXXXXXX)
REV	FOURTY-ONE-PLACE (IN.XXXXXXXXXXX)
REV	FOURTY-TWO-PLACE (IN.XXXXXXXXXXX)
REV	FOURTY-THREE-PLACE (IN.XXXXXXXXXXX)
REV	FOURTY-FOUR-PLACE (IN.XXXXXXXXXXX)
REV	FOURTY-FIVE-PLACE (IN.XXXXXXXXXXX)
REV	FOURTY-SIX-PLACE (IN.XXXXXXXXXXX)
REV	FOURTY-SEVEN-PLACE (IN.XXXXXXXXXXX)
REV	FOURTY-EIGHT-PLACE (IN.XXXXXXXXXXX)
REV	FOURTY-NINE-PLACE (IN.XXXXXXXXXXX)
REV	FIFTY-PLACE (IN.XXXXXXXXXXX)
REV	FIFTY-ONE-PLACE (IN.XXXXXXXXXXX)
REV	FIFTY-TWO-PLACE (IN.XXXXXXXXXXX)
REV	FIFTY-THREE-PLACE (IN.XXXXXXXXXXX)
REV	FIFTY-FOUR-PLACE (IN.XXXXXXXXXXX)
REV	FIFTY-FIVE-PLACE (IN.XXXXXXXXXXX)
REV	FIFTY-SIX-PLACE (IN.XXXXXXXXXXX)
REV	FIFTY-SEVEN-PLACE (IN.XXXXXXXXXXX)
REV	FIFTY-EIGHT-PLACE (IN.XXXXXXXXXXX)
REV	FIFTY-NINE-PLACE (IN.XXXXXXXXXXX)
REV	SIXTY-PLACE (IN.XXXXXXXXXXX)
REV	SIXTY-ONE-PLACE (IN.XXXXXXXXXXX)
REV	SIXTY-TWO-PLACE (IN.XXXXXXXXXXX)
REV	SIXTY-THREE-PLACE (IN.XXXXXXXXXXX)
REV	SIXTY-FOUR-PLACE (IN.XXXXXXXXXXX)
REV	SIXTY-FIVE-PLACE (IN.XXXXXXXXXXX)
REV	SIXTY-SIX-PLACE (IN.XXXXXXXXXXX)
REV	SIXTY-SEVEN-PLACE (IN.XXXXXXXXXXX)
REV	SIXTY-EIGHT-PLACE (IN.XXXXXXXXXXX)
REV	SIXTY-NINE-PLACE (IN.XXXXXXXXXXX)
REV	SEVENTY-PLACE (IN.XXXXXXXXXXX)
REV	SEVENTY-ONE-PLACE (IN.XXXXXXXXXXX)
REV	SEVENTY-TWO-PLACE (IN.XXXXXXXXXXX)
REV	SEVENTY-THREE-PLACE (IN.XXXXXXXXXXX)
REV	SEVENTY-FOUR-PLACE (IN.XXXXXXXXXXX)
REV	SEVENTY-FIVE-PLACE (IN.XXXXXXXXXXX)
REV	SEVENTY-SIX-PLACE (IN.XXXXXXXXXXX)
REV	SEVENTY-SEVEN-PLACE (IN.XXXXXXXXXXX)
REV	SEVENTY-EIGHT-PLACE (IN.XXXXXXXXXXX)
REV	SEVENTY-NINE-PLACE (IN.XXXXXXXXXXX)
REV	EIGHTY-PLACE (IN.XXXXXXXXXXX)
REV	EIGHTY-ONE-PLACE (IN.XXXXXXXXXXX)
REV	EIGHTY-TWO-PLACE (IN.XXXXXXXXXXX)
REV	EIGHTY-THREE-PLACE (IN.XXXXXXXXXXX)
REV	EIGHTY-FOUR-PLACE (IN.XXXXXXXXXXX)
REV	EIGHTY-FIVE-PLACE (IN.XXXXXXXXXXX)
REV	EIGHTY-SIX-PLACE (IN.XXXXXXXXXXX)
REV	EIGHTY-SEVEN-PLACE (IN.XXXXXXXXXXX)
REV	EIGHTY-EIGHT-PLACE (IN.XXXXXXXXXXX)
REV	EIGHTY-NINE-PLACE (IN.XXXXXXXXXXX)
REV	NINETY-PLACE (IN.XXXXXXXXXXX)
REV	NINETY-ONE-PLACE (IN.XXXXXXXXXXX)
REV	NINETY-TWO-PLACE (IN.XXXXXXXXXXX)
REV	NINETY-THREE-PLACE (IN.XXXXXXXXXXX)
REV	NINETY-FOUR-PLACE (IN.XXXXXXXXXXX)
REV	NINETY-FIVE-PLACE (IN.XXXXXXXXXXX)
REV	NINETY-SIX-PLACE (IN.XXXXXXXXXXX)
REV	NINETY-SEVEN-PLACE (IN.XXXXXXXXXXX)
REV	NINETY-EIGHT-PLACE (IN.XXXXXXXXXXX)
REV	NINETY-NINE-PLACE (IN.XXXXXXXXXXX)
REV	HUNDRED-PLACE (IN.XXXXXXXXXXX)




- Ⓐ. CAPSEAL. SEE SEALANT MANUAL.
 - Ⓑ. USE STAPLE 8408-01-000 TO ATTACH TO SIDEWALL.
 - Ⓒ. MOUNT SHIELD TO HEATER FLANGE ABOVE EXHAUST VENT.
3. ALL TUBING TO BE SECURED AT 1219 SPACING MAXIMUM WITH CLAMP 10495-01-000. AND SCREW 667-10-12B.
 2. PLASTIC FITTINGS TO BE SEALED WITH SEALANT 84456-01-000.
 1. TUBING TO BE INSTALLED WITH SUFFICIENT SLOPE TO PROVIDE DRAINAGE TO NEAREST VALVE.

LEGEND	
HOT	—————
COLD	-----


WINNIEGAGO		92 W/1F427RC
DATE	UNSPECIFIED TOLERANCES ARE:	MATERIAL
CHG#	FRAC	ONE-PLACE (X.X)
DATE	FRAC	TWO-PLACE (X.XX)
DATE	FRAC	THREE-PLACE (X.XXX)
DATE	FRAC	FOUR-PLACE (X.XXXX)
DATE	FRAC	FIVE-PLACE (X.XXXXX)
DATE	FRAC	SIX-PLACE (X.XXXXXX)
DATE	FRAC	SEVEN-PLACE (X.XXXXXXX)
DATE	FRAC	EIGHT-PLACE (X.XXXXXXX)
DATE	FRAC	NINE-PLACE (X.XXXXXXX)
DATE	FRAC	TEN-PLACE (X.XXXXXXX)
DATE	FRAC	ELEVEN-PLACE (X.XXXXXXX)
DATE	FRAC	TWELVE-PLACE (X.XXXXXXX)
DATE	FRAC	THIRTEEN-PLACE (X.XXXXXXX)
DATE	FRAC	FOURTEEN-PLACE (X.XXXXXXX)
DATE	FRAC	FIFTEEN-PLACE (X.XXXXXXX)
DATE	FRAC	SIXTEEN-PLACE (X.XXXXXXX)
DATE	FRAC	SEVENTEEN-PLACE (X.XXXXXXX)
DATE	FRAC	EIGHTEEN-PLACE (X.XXXXXXX)
DATE	FRAC	NINETEEN-PLACE (X.XXXXXXX)
DATE	FRAC	TWENTY-PLACE (X.XXXXXXX)
DATE	FRAC	TWENTY-ONE-PLACE (X.XXXXXXX)
DATE	FRAC	TWENTY-TWO-PLACE (X.XXXXXXX)
DATE	FRAC	TWENTY-THREE-PLACE (X.XXXXXXX)
DATE	FRAC	TWENTY-FOUR-PLACE (X.XXXXXXX)
DATE	FRAC	TWENTY-FIVE-PLACE (X.XXXXXXX)
DATE	FRAC	TWENTY-SIX-PLACE (X.XXXXXXX)
DATE	FRAC	TWENTY-SEVEN-PLACE (X.XXXXXXX)
DATE	FRAC	TWENTY-EIGHT-PLACE (X.XXXXXXX)
DATE	FRAC	TWENTY-NINE-PLACE (X.XXXXXXX)
DATE	FRAC	THIRTY-PLACE (X.XXXXXXX)
DATE	FRAC	THIRTY-ONE-PLACE (X.XXXXXXX)
DATE	FRAC	THIRTY-TWO-PLACE (X.XXXXXXX)
DATE	FRAC	THIRTY-THREE-PLACE (X.XXXXXXX)
DATE	FRAC	THIRTY-FOUR-PLACE (X.XXXXXXX)
DATE	FRAC	THIRTY-FIVE-PLACE (X.XXXXXXX)
DATE	FRAC	THIRTY-SIX-PLACE (X.XXXXXXX)
DATE	FRAC	THIRTY-SEVEN-PLACE (X.XXXXXXX)
DATE	FRAC	THIRTY-EIGHT-PLACE (X.XXXXXXX)
DATE	FRAC	THIRTY-NINE-PLACE (X.XXXXXXX)
DATE	FRAC	FOURTY-PLACE (X.XXXXXXX)
DATE	FRAC	FOURTY-ONE-PLACE (X.XXXXXXX)
DATE	FRAC	FOURTY-TWO-PLACE (X.XXXXXXX)
DATE	FRAC	FOURTY-THREE-PLACE (X.XXXXXXX)
DATE	FRAC	FOURTY-FOUR-PLACE (X.XXXXXXX)
DATE	FRAC	FOURTY-FIVE-PLACE (X.XXXXXXX)
DATE	FRAC	FOURTY-SIX-PLACE (X.XXXXXXX)
DATE	FRAC	FOURTY-SEVEN-PLACE (X.XXXXXXX)
DATE	FRAC	FOURTY-EIGHT-PLACE (X.XXXXXXX)
DATE	FRAC	FOURTY-NINE-PLACE (X.XXXXXXX)
DATE	FRAC	FIFTY-PLACE (X.XXXXXXX)
DATE	FRAC	FIFTY-ONE-PLACE (X.XXXXXXX)
DATE	FRAC	FIFTY-TWO-PLACE (X.XXXXXXX)
DATE	FRAC	FIFTY-THREE-PLACE (X.XXXXXXX)
DATE	FRAC	FIFTY-FOUR-PLACE (X.XXXXXXX)
DATE	FRAC	FIFTY-FIVE-PLACE (X.XXXXXXX)
DATE	FRAC	FIFTY-SIX-PLACE (X.XXXXXXX)
DATE	FRAC	FIFTY-SEVEN-PLACE (X.XXXXXXX)
DATE	FRAC	FIFTY-EIGHT-PLACE (X.XXXXXXX)
DATE	FRAC	FIFTY-NINE-PLACE (X.XXXXXXX)
DATE	FRAC	SIXTY-PLACE (X.XXXXXXX)
DATE	FRAC	SIXTY-ONE-PLACE (X.XXXXXXX)
DATE	FRAC	SIXTY-TWO-PLACE (X.XXXXXXX)
DATE	FRAC	SIXTY-THREE-PLACE (X.XXXXXXX)
DATE	FRAC	SIXTY-FOUR-PLACE (X.XXXXXXX)
DATE	FRAC	SIXTY-FIVE-PLACE (X.XXXXXXX)
DATE	FRAC	SIXTY-SIX-PLACE (X.XXXXXXX)
DATE	FRAC	SIXTY-SEVEN-PLACE (X.XXXXXXX)
DATE	FRAC	SIXTY-EIGHT-PLACE (X.XXXXXXX)
DATE	FRAC	SIXTY-NINE-PLACE (X.XXXXXXX)
DATE	FRAC	SEVENTY-PLACE (X.XXXXXXX)
DATE	FRAC	SEVENTY-ONE-PLACE (X.XXXXXXX)
DATE	FRAC	SEVENTY-TWO-PLACE (X.XXXXXXX)
DATE	FRAC	SEVENTY-THREE-PLACE (X.XXXXXXX)
DATE	FRAC	SEVENTY-FOUR-PLACE (X.XXXXXXX)
DATE	FRAC	SEVENTY-FIVE-PLACE (X.XXXXXXX)
DATE	FRAC	SEVENTY-SIX-PLACE (X.XXXXXXX)
DATE	FRAC	SEVENTY-SEVEN-PLACE (X.XXXXXXX)
DATE	FRAC	SEVENTY-EIGHT-PLACE (X.XXXXXXX)
DATE	FRAC	SEVENTY-NINE-PLACE (X.XXXXXXX)
DATE	FRAC	EIGHTY-PLACE (X.XXXXXXX)
DATE	FRAC	EIGHTY-ONE-PLACE (X.XXXXXXX)
DATE	FRAC	EIGHTY-TWO-PLACE (X.XXXXXXX)
DATE	FRAC	EIGHTY-THREE-PLACE (X.XXXXXXX)
DATE	FRAC	EIGHTY-FOUR-PLACE (X.XXXXXXX)
DATE	FRAC	EIGHTY-FIVE-PLACE (X.XXXXXXX)
DATE	FRAC	EIGHTY-SIX-PLACE (X.XXXXXXX)
DATE	FRAC	EIGHTY-SEVEN-PLACE (X.XXXXXXX)
DATE	FRAC	EIGHTY-EIGHT-PLACE (X.XXXXXXX)
DATE	FRAC	EIGHTY-NINE-PLACE (X.XXXXXXX)
DATE	FRAC	NINETY-PLACE (X.XXXXXXX)
DATE	FRAC	NINETY-ONE-PLACE (X.XXXXXXX)
DATE	FRAC	NINETY-TWO-PLACE (X.XXXXXXX)
DATE	FRAC	NINETY-THREE-PLACE (X.XXXXXXX)
DATE	FRAC	NINETY-FOUR-PLACE (X.XXXXXXX)
DATE	FRAC	NINETY-FIVE-PLACE (X.XXXXXXX)
DATE	FRAC	NINETY-SIX-PLACE (X.XXXXXXX)
DATE	FRAC	NINETY-SEVEN-PLACE (X.XXXXXXX)
DATE	FRAC	NINETY-EIGHT-PLACE (X.XXXXXXX)
DATE	FRAC	NINETY-NINE-PLACE (X.XXXXXXX)
DATE	FRAC	HUNDRED-PLACE (X.XXXXXXX)



VIEW C-C
(MOTOR AID ONLY)



VIEW C-C



DETAIL A

