


WINNEBAGO		93 W/ICG37RW	
DATE	REVISED	BY	REVISION
0800	02	WJ	1
P.E.	01	WJ	1
DWG	01	WJ	1
LAYOUT 637RW3		TITLE: DRAINAGE SYSTEM INSTL	
SCALE: NONE		SHEET 1 OF 1	
ALL DIMENSIONS ARE IN MILLIMETERS		108556	



- ① USE WITHOUT ICE MAKER.
  - ② USE WITH ICE MAKER ONLY.
  - ③ USE WITH DOUBLE CONTROL FAUCET.
  - ④ USE WITH SINGLE CONTROL FAUCET.
  - ⑤ USE WITHOUT EXTERIOR SHOWER.
  - ⑥ USE WITH EXTERIOR SHOWER.
  - ⑦ LOCATE LUMBER TO SUPPORT WATER HEATER.
3. ALL TUBING TO BE SECURED AT 1200 INTERFALS MAX WITH CLIP 91951-01-000 AND SCREW G13-06-16U.
  2. TUBING TO BE INSTALLED WITH SUFFICIENT SLOPE TO PROVIDE DRAINAGE TO NEAREST VALVE.
  1. PLASTIC FITTINGS TO BE SEALED WITH SEALANT 84456-01-000.



LEGEND

HOT	—————
COLD	- - - - -




**WINNEDAGO** 93 G37RW

DATE	UNSPECIFIED TOLERANCES ARE:	MATERIAL
CHGR	WHOLE DIM (IN)	± 0.1
FIN	ONE-PLACE (IN)	±
FIN	TWO-PLACE (IN)	±
FIN	ANGLE	±
FIN	THIRD ANGLE PROJECTION	


LANE# G37RW3 TITLE: WATER SYSTEM INSTL  
 DIA # SCALE: NONE 300 NET SCALE DRAWING SIZE 100mm  
 ALL DIMENSIONS ARE IN MILLIMETERS SHEET 1 OF 3 108963



VIEW A-A (WITH PURIFIER)



VIEW A-A (WITH PURIFIER)



VIEW A-A (W/OUT PURIFIER)

