





DETAIL A




DETAIL C

- 11 LOCATE ON INSIDE OF BACKWALL WHERE POWER CORD PASSES THROUGH. SEAL WITH BEDDING COMPOUND 69639-01-000.
- 10 CENTER BRACKET HORIZONTALLY AND VERTICALLY.
- 9 WIRE ROUTED THRU SIDEWALL.
- 8 LOCATE RECP 350 ABOVE SHELF.
- 7 WIRE ROUTED IN FLOOR.
- 6 CENTER LABEL ON BACK OF LOAD CENTER CABT DOOR.
- 5 SEAL WITH BEDDING COMPOUND 69639-01-000.
4. SEE WIRING DIAGRAM-BODY FOR ADDITIONAL INFORMATION.
3. ALL GROUND WIRES TO BE COVERED WITH TUBING 8041-02-000.
2. ALL 110V WIRES ARE TO BE CLAMPED WITH CLAMP 10497-05-000 WITHIN 200 OF OUTLET BOXES. USE SCREW G67-10-12B.
1. ALL WIRES ARE TO BE CLAMPED WITH CLAMP 10497-05-000 OR CLIP 80734-01-000 EVER-600, USE SCREW G67-10-12B UNLESS OTHERWISE SPECIFIED.


NOTES:

30A, 110V(US)
 LEFT SIDE

WINNIEAGO		94 P33R0
QTY	UNSPECIFIED TOLERANCES ARE:	MATERIAL
CHD	WHOLE DIM (IN)	
F/F	FRACTIONAL DIM (IN)	
M/E	MILLIMETER DIM (MM)	
CON	CONNECTION	
TITLE: WIRING INSTL-BODY		111629
SHEET 1 OF 19		




NOTES:



- ④ WITH TWIN BEDS.
- ③ WITHOUT VACUUM CLEANER.
- ② WITH VACUUM CLEANER.
- ① ALL GROUND WIRES TO BE COVERED WITH TUBING 8041-02-000.

30A, 110V(US)
LOAD CENTER
94 P33RQ

TITLE: WIRING INSTL-BODY	
DO NOT SCALE DRAWING	FILE NO
SHEET 3 OF 19	111629




- 11 CENTER LABEL ON BACK OF LOAD CENTER CABT DOOR.
- 10 LOCATE ON INSIDE OF BACKWALL WHERE POWER CORD PASSES THROUGH SEAL WITH BEDDING COMPOUND 69639-01-000.
- 9 WIRE ROUTED THRU SIDEWALL.
- 8 LOCATE RECP 350 ABOVE SHELF.
- 7 WIRE ROUTED IN FLOOR.
- 6 USE WITH VACUUM CLEANER ONLY.
- 5 SEAL WITH BEDDING COMPOUND 69639-01-000.
- 4 CENTER BRACKET HORIZONTALLY AND VERTICALLY.
3. ALL GROUND WIRES TO BE CLAMPED WITH TUBING 8041-02-000.
2. ALL 110V WIRES ARE TO BE CLAMPED WITH CLAMP 10497-05-000 WITHIN 200 OF OUTLET BOXES. USE SCREW G67-10-12B.
1. ALL WIRES TO BE CLAMPED WITH CLAMP 10495-01-000 OR CLIP 80734-01-000 EVERY 600. USE SCREW G67-10-12B UNLESS OTHERWISE SPECIFIED.

NOTES:

DETAIL H

DETAIL G

30A, 110V (CAN)
LEFT SIDE
94 P33RQ



- RECP-EXTERIOR COVER
90964-01-000
RECP
90961-01-000
BOX
113088-02-000
SCREW
G11-08-20B(4)
WIRE
50235-01-000(2)
(200)
CONNECTOR
8311-01-000
TERMINAL
8328-01-000
SCREW-GROUND, GREEN
103291-01-000
CONNECTOR
8356-01-000


RECP-DINETTE
86738-01-CHT
SPACER
102568-01-XXX

RECP-BEDROOM, RIGHT
86738-01-CHT

30A, 110V(CAN)
RIGHT SIDE
94 P33RQ

TITLE: WIRING INSTL-BODY			
30 AMP SCALE DRAWING	FILE	ENG	NO
SHEET 5 OF 19	16		111629

NOTES:
② WIRE ROUTED IN ROOF.
① WIRE ROUTED IN FLOOR.








30A, 110V (CAN)
LOAD CENTER
94 P33RQ

⚠ ALL GROUND WIRES TO BE COVERED WITH TUBING 8041-02-000.

NOTES:

TITLE: WIRING INSTL-BODY			
DO NOT SCALE DRAWING	FILE	ENG	NO
SHEET 6 OF 19	1	1	111629



2 SEAL EDGES WITH TACKY TAPE.


1 USE 90° CONNECTOR IN 4X4 BOX SHOWN AND STRAIGHT CONNECTOR AT GENERATOR 4X4 BOX CONNECTION.

NOTES:

30A, 110V(US/CAN)
94 P33RQ

TITLE: WIRING INSTL-BODY
SHEET 7 OF 19
111629







- NOTES:
- ③ WIRE IN ROOF.
 - ② WIRE ROUTED IN SIDEWALL.
 - ① WIRE ROUTED IN FLOOR.


50A, 110/220V (US)
RIGHT SIDE
94 P33RQ


TITLE: WIRING INSTL-BODY			
DO NOT SCALE DRAWING	FILE NO	111629	
SHEET 9 OF 19	111629		



Copyright 2009 Winnebago Industries, Inc.














MAIN	A/C CIRCUIT 1
	REFRIGERATOR/CONVERTER
MAIN	A/C CIRCUIT 2
	MICROWAVE
GFI CIRCUIT 1	WASHER/DRYER AND/OR
GFI CIRCUIT 2	ICE MAKER/VAC
APPLIANCE 1	GENERAL RECPS
APPLIANCE 2	

50A, 110/220V (CAN)
LOAD CENTER
94 P33RQ




- NOTES:
- ④ FOR POWER CORD CONNECTION ONLY REMOVE LUGS PROVIDED WITH BOX AND CONNECT DIRECTLY TO RING TERMINALS PROVIDED ON CORD.
 - ③ WRAP WITH BLK TAPE.
 - ② SEAL EDGES WITH TACKY TAPE.
 - ① USE 90° CONNECTOR IN 4X4 BOX SHOWN AND STRAIGHT CONNECTOR AT GENERATOR 4X4 BOX CONNECTION.

50A, 110/220V (US/CAN)
94 933RQ




TITLE: WIRING INSTL-BODY			
DO NOT SCALE DRAWING		SIZE	DWG NO
SHEET	5 OF 19	1/8	111629






CIRCUIT BREAKER
(FRONT VIEW)



SECTION AJ-AJ



12V CIRCUIT BREAKERS
94 P33RQ



