





- 12 PAINT EXPOSED SURFACES BLACK WITH 106112-01-000.
 11 USE WITH 6.5KW GENERATOR.
 10 PROTECT WIRES WITH CONDUIT 41953-01-000 IN THIS AREA.
 9 WIRE ROUTED BELOW FLOOR. CLAMP TO FLOOR AS NECESSARY WITH CLAMP 10497-01-000.
 8 CLAMPS OR WIRE TIES TO BE LOCATED ABOVE STORAGE AREAS, EVERY 500 MM.
 7 WIRE IN SIDEWALL.
 6 WIRE IN ROOF.
 5 USE WITH GENERATOR PREP.
 4 COVER GROUND WIRE WITH TUBING 8041-02-000.
 3 INSTALL RECEPTACLE WITH GROUND TOWARD OUTBOARD SIDE OF VEHICLE.
2. ALL WIRES ARE TO BE CLAMPED WITH CLAMP 10497-05-000 WITHIN 200 OF OUTLET BOXES. USE SCREW 667-10-12B.
1. ALL WIRES TO BE CLAMPED WITH CLAMP 10495-01-000 OR CLIP 80734-01-000 EVERY 600. USE SCREW 667-10-12B UNLESS OTHERWISE SPECIFIED.

NOTES:





WINNERACO		94 G37RW	
QTY	UNSPECIFIED TOLERANCES ARE:	MATERIAL	
CHD	WHOLE DIM (IN)	FRACTIONAL DIM (IN)	
PL	ONE-PLATE (IN)	TWO-PLATE (IN)	
PL	ONE-PLATE (IN)	TWO-PLATE (IN)	
CON	THIRD ANGLE PROJECTION		
DRAWING NO. 111748		SHEET 1 OF 12	
WIRING INSTL-BODY		111748	



12. WIRE TO BE ROUTED THROUGH EXTERIOR RECP TO WARDROBE RECP.
11. COVER GROUND WIRES WITH TUBING 8041-02-000.
10. USE WITH ROOF AIR CONDITIONER.
9. LOCATE TOP OF REFRIGERATOR RECEPTACLE 350 ABOVE SHELF.
8. USE WITHOUT ROOF AIR CONDITIONER.
7. PROTECT WIRES WITH CONDUIT 41953-01-000 IN THIS AREA.
6. WIRE ROUTED BELOW FLOOR. CLAMP TO FLOOR AS NECESSARY WITH CLAMP 10497-01-000.
5. SEAL BACK SIDE OF RECP FACE.
4. WIRE IN SIDEWALL.
3. WIRE IN ROOF.
2. ALL WIRES ARE TO BE CLAMPED WITH CLAMP 10497-05-000 WITHIN 200 OF OUTLET BOXES. USE SCREW G67-10-12B.
1. ALL WIRE TO BE CLAMPED WITH CLAMP 10495-01-000 OR CLIP 80734-01-000 EVERY 700. USE SCREW G67-10-12B UNLESS OTHERWISE SPECIFIED.



NOTES:

110V RIGHT SIDE (US)
94 G37RW




- NOTES:
- USE WITH EXTERIOR ENTERTAINMENT CENTER.
 - USE WITHOUT EXTERIOR ENTERTAINMENT CENTER.
 - ALL GROUND WIRES TO BE COVERED WITH TUBING 8041-02-000.
 - FASTEN ALL WIRES TO SUPPORT. USE ONE SCREW AND CLAMP PER WIRE.

CONTROL CENTER (US)
94 G37RW




TOP VIEW OF BOX



- NOTES:
1. USE WITH ROOF AIR CONDITIONER.
 2. USE WITHOUT ROOF AIR CONDITIONER.
 3. USE WITH 6500 WATT GENERATOR OR LARGER.
 4. ALL GROUND WIRES TO BE COVERED WITH TUBING 8041-02-000.
 5. FASTEN SWITCH TO COVER 74897-01-000 BEFORE FASTENING COVER TO BOX.

DUAL AIR SWITCH
110V (US/CAN)
94 G37RW



- 12 PAINT EXPOSED SURFACES BLACK WITH 106112-01-000.
- 11 USE WITH 6.5KW GENERATOR.
- 10 PROTECT WIRES WITH CONDUIT 41953-01-000 IN THIS AREA.
- 9 WIRE ROUTED BELOW FLOOR. CLAMP TO FLOOR AS NECESSARY WITH CLAMP 10497-01-000.
- 8 CLAMPS OR WIRE TIES TO BE LOCATED ABOVE STORAGE AREAS, EVERY 500 MM.
- 7 WIRE IN SIDEWALL.
- 6 WIRE IN ROOF.
- 5 USE WITH GENERATOR PREP.
- 4 COVER GROUND WIRE WITH TUBING 8041-02-000.
- 3 INSTALL RECEPTACLE WITH GROUND TOWARD OUTBOARD SIDE OF VEHICLE.
2. ALL WIRES ARE TO BE CLAMPED WITH CLAMP 10497-05-000 WITHIN 200 OF OUTLET BOXES. USE SCREW 667-10-12B.
1. ALL WIRES TO BE CLAMPED WITH CLAMP 10495-01-000 OR CLIP 80734-01-000 EVERY 600, USE SCREW 667-10-12B UNLESS OTHERWISE SPECIFIED.





NOTES:

DETAIL F-F

DETAIL H-H


110V LEFT SIDE (CAN)
94 G37RW





CONTROL CENTER (CAN)
94 G37RW

2 ALL GROUND WIRES TO BE COVERED WITH TUBING 8041-02-000.
1 FASTEN ALL WIRES TO SUPPORT, USE ONE SCREW AND CLAMP PER WIRE.



④ WIRE IN SIDEWALL.

③ WIRE IN ROOF.


② USE WITH TV.

1. ALL WIRE TO BE CLAMPED WITH CLAMP 10495-01-000 OR CLIP 80734-01-000 EVERY 600, USE SCREW G67-10-12B UNLESS OTHERWISE SPECIFIED.

NOTES:

12V LEFT (US/CAN)
94 G37RW

TITLE: WIRING INSTL-BODY			
DO NOT SCALE DRAWING	FILE	ING	NO
SHEET 8 OF 12	1E		111748




LAMP-CEILING
98024-03-CHT (2)
SCREW
G11-08-20B (12)
CONNECTOR
58028-01-000 (4)

CONNECTS TO
WIRE ASM-CLEARANCE LAMPS
WIRE ASM-OVHD
103330-02-000

SPEAKER-TV
98819-01-000
GRILLE
93214-01-CHT
SCREW
G12-08-08U (4)

SPEAKER-RADIO
94097-01-000
SPACER
90026-02-CHT
SCREW
G11-08-08B (4)
GRILLE
90026-01-CHT
SCREW
G13-07-12U (4)

LAMP-OVHD, GALLEY
98024-01-CHT
SCREW
G11-08-20B (4)
CONNECTOR
58028-01-000 (2)



DETAIL S-S

TO WIRE ASM-SPEAKER, TV
AND FRONT TV WALL PLATE

LAMP-OVHD, LOUNGE
98024-01-CHT
SCREW
G11-08-20B (4)
CONNECTOR
58028-01-000 (2)


PLATE-SWITCH
98351-05-CHT
SWITCH
89308-01-CHT (3)
SCREW
G11-06-10U (2)

SWITCH ASM-STEP
101713-01-000
BLOCK-SWITCH
75723-02-000
SCREW
G39-08-12U (2)
SEAL-STEP, SWITCH
113285-01-CHT

DETECTOR-LP GAS
103613-01-000
SCREW
668-06-10G (2)

LAMP-COURTESY
61424-01-000
SCREW
G13-07-10T (2)
CONNECTOR
58028-01-000 (2)

WIRE ASM-TANK, AUX HOLDING
96451-06-000
WIRE ASM-TANK, MAIN HOLDING
96450-05-000
AUX HOLDING TANK
MAIN HOLDING TANK



DETAIL P-P

CONNECTORS
TO RANGE HOOD
(2 HOUSINGS)

MONITOR PANEL
102765-04-CHT
SCREW
G11-08-12B (4)
TO REFRIG

TO WATER HEATER

LAMP-CEILING, HALL
98024-03-CHT
SCREW
G11-08-20B (6)
CONNECTOR
58028-01-000 (2)

LAMP-WARDROBE
87694-01-000 (2) ②
SCREW
G11-10-12U (4)
CONNECTOR
58056-01-000 (4)

LAMP-CEILING, BEDROOM
98024-03-CHT
SCREW
G11-08-20B (6)
CONNECTOR
58028-01-000 (2)

LAMP-WARDROBE
98024-01-CHT
SCREW
G11-08-20B (4)
CONNECTOR
58028-01-000 (2)

WALL PLATE-TV
76319-09-000
76319-08-000 ⑧


SWITCH-PUMP, EXT SHOWER
108357-08-CHT
ACTUATOR
108356-02-CHT

WATER PUMP

WIRE ASM-TANK, WATER
96449-01-000

12V RIGHT SIDE (US/CAN)
94 G37RW


ELECTRIC STEP,
LOUNGE CEILING &
FRONT PORCH SWITCHES




DETAIL R-R

- ⑨ USE WITH TV.
- ⑧ USE WITH DECORATIVE PANELING.
- ⑦ PROTECT WIRES WITH CONDUIT 41953-01-000 IN THIS AREA.
- ⑥ WIRE ROUTED BELOW FLOOR. CLAMP TO FLOOR AS NECESSARY WITH CLAMP 10497-01-000.
- ⑤ WIRE IN FLOOR.
- ④ WIRE IN SIDEWALL.
- ③ WIRE IN ROOF.
- ② LOCATE LAMP 100MM FROM HINGE SIDE OF DOOR.
- 1. ALL WIRE TO BE CLAMPED WITH CLAMP 10495-01-000 OR CLIP 80734-01-000 EVERY 600. USE SCREW G67-10-12B UNLESS OTHERWISE SPECIFIED.

NOTES:







NOTES: