


- Ⓐ VENT PIPE MUST PROJECT 51 MM MIN TO 64 MM MAX ABOVE ROOF FOR PROPER FIT AND FUNCTION.
 - Ⓙ SEE DWG 61607-01-000 FOR INSTL OF GROMMET.
 - Ⓚ SEAL ALL AROUND SHOWER PAN WITH SILICONE 78474-01-CHT.
5. FOR CANADIAN UNITS EACH HOLDING TANK SHALL HAVE A CSA APPROVAL STAMPED NEAR THE IAPMO APPROVAL.
 4. ALL EXTERIOR OPENINGS AROUND PIPE TO BE SEALED WITH 69637-01-000.
 3. ALL PIPE AND FITTINGS TO BE ASSEMBLED WITH SOLVENT 4020-01-000.
 2. SLOPE OF TRAP MUST BE 6 PER 300 MINIMUM.
 1. SLOPE OF HORIZONTAL PIPING TO BE 6 PER 300 MINIMUM.

WINNEMAGO 94 F33R0	
DATE	UNSPECIFIED TOLERANCES ARE MATERIAL
CHG	ANGLE DIM IN °
PT	ONE PLACE IN 10
FE	TWO PLACE IN 100
FR	ANGLE
CDR	THIRD PLACE IN 1000
	PROJECTION
LAINT F33R04	TITLE: DRAINAGE SYSTEM INSTL
REV 1	DO NOT SCALE DRAWING
ALL DIMENSIONS ARE IN MILLIMETERS	SHEET 1 OF 1
REF: 106419	110912



- Ⓐ USE WITHOUT MOTOR AID.
- Ⓑ USE WITH MOTOR AID.
- Ⓒ REQUIRED WITH EXTERIOR SHOWER.
- Ⓓ REQUIRED WITHOUT EXTERIOR SHOWER.
- 3. ALL TUBING IS TO BE SECURED AT 1219 MAXIMUM SPACING WITH CLAMP 10495-01-000 AND SCREW G67-10-12B.
- 2. PLASTIC FITTINGS TO BE SEALED WITH SEALANT 84456-01-000.
- 1. TUBING IS TO BE INSTALLED WITH SUFFICIENT SLOPE TO PROVIDE DRAINAGE TO NEAREST VALVE.

LEGEND	
HOT	----
COLD	-----

WINNERAGO 94 F33R0

DATE	UNSPECIFIED TOLERANCES ARE:	MATERIAL
CHG	FRAC (1/16)	
DEC	ONE-PLACE (1/32)	
IN	TWO-PLACE (1/64)	
MM	ANGLE	
CDR	THRU HOLE PROJECTION	

LAND # F33R02 TITLE: WATER SYSTEM INSTL
 DIA # SCALE: NONE 3D NET SCALE DRAWING SIZE: 110914
 ALL DIMENSIONS ARE IN MILLIMETERS SHEET 1 OF 2 1 E 107

