


















1. SEE SHT 1.G-2.G-3 FOR ADDITIONAL INFORMATION

NOTES:







- 9 SEE MANUFACTURER'S WIRING DIAGRAM FOR ADDITIONAL INFORMATION.
- 8 LOCATED ABOVE MICROWAVE.
- 7 USE WITH DISHWASHER OR ICEMAKER.
- 6 WIRE ROUTED BELOW MAIN FLOOR.
- 5 USE WITH WASHER/DRYER.
- 4 WIRE ROUTED IN ROOF.
- 3 WIRE ROUTED IN SIDEWALL.
- 2 PROTECTED BY GFI OUTLET.
- 1 LOCATED BELOW REFRIGERATOR.

(US 50 AMP 110/220V)

TITLE: WIRING DIAGRAM-BODY			
30 NET SCALE DRAWING	11	100	113364
SHEET 6 OF 8	1	1	





- (10) USE WITH VACUUM.
 (9) SEE MANUFACTURER'S WIRING DIAGRAM FOR ADDITIONAL INFORMATION.
 (8) LOCATED ABOVE MICROWAVE.
 (7) USE WITH ICEMAKER.
 (6) WIRE ROUTED BELOW MAIN FLOOR.
 (5) USE WITH WASHER/DRYER.
 (4) WIRE ROUTED IN ROOF.
 (3) WIRE ROUTED IN SIDEWALL.
 (2) PROTECTED BY GFI OUTLET.
 (1) LOCATED BELOW REFRIGERATOR.

NOTES:

(CAN 50 AMP 110/220V)

94 M36WQ

TITLE: WIRING DIAGRAM-BODY			
30 NET SCALE DRAWING	SIZE	DATE	113364
SHEET 8 OF 8	1 E		