




DANGER

Danger of electrical shock, burns or death. Always remove all power sources before attempting any repair, service or diagnostic work. Power can be present from shore power, generator, inverter or battery. All power sources must be disabled and secured before performing any service.




CAUTION

If you lack the skills, tools or equipment to perform diagnostic or repair work leave such work to an authorized Winnebago Industries dealer or other qualified shop.



DETAIL A



DETAIL B


FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

	FOR ELECTRICAL CALLOUTS SEE DWG NO 121339-01-0
---	--

WINNEBAGO		98 322WK
QTR	DATE	UNSPECIFIED TOLERANCES ARE INTERPRET:
CHND	DATE	WHOLE DIM (X)
P E	DATE	ONE-PLACE (X.X)
M E	DATE	TWO-PLACE (X.XX)
CHND	DATE	WHOLE
CHND	DATE	THIRD WHOLE
CHND	DATE	PROTECTION
LANDST	TITLE:	
DATE	WINNIEG INSTL-BODY(110130US)	
ALL DIMENSIONS ARE IN MILLIMETERS	SHEET	1 OF 10
DATE	DESIGNED	126215

- ⑨ NOT USED WITH SIDE TV/VCR. (FEATURE 78A).
- ⑧ NOT USED WITH 29D A/C ROOF-ONE 13,500.
- ⑦ PAINT EXPOSED SURFACES BLACK WITH 106112-01-000.
- ⑥ SEAL WITH BEDDING COMPOUND 69639-01-000.
- ⑤ INSTALL RECP WITH GROUND TOWARD OUTBOARD SIDE OF VEHICLE.
- ④ 40 GEN-4.0KW ONAN GAS
3. ALL GROUND WIRES TO BE COVERED WITH TUBING 8041-02-000.
2. ALL 110V WIRES ARE TO BE CLAMPED WITH CLAMP 10497-05-000 WITHIN 20" OF OUTLET BOXES. USE SCREW G67-10-12B.
1. ALL WIRES TO BE CLAMPED WITH CLAMP 10495-01-000 OR CLIP 8074-01-000 EVERY 200. USE SCREW G67-10-12B UNLESS OTHERWISE SPECIFIED.

NOTES:






- NOTES:
- ⑥ NOT USE WITH SIDE TV/VCR, (FEATURE 78A).
 - ⑤ SEE WIRING INSTL-TV/VCR, SIDE FOR ADDITIONAL INFORMATION.
 - ④ NOT USED WITH 76C ENTERTAINMENT CENTER-EXTERIOR.
 - ③ WITH EXTERIOR ENTERTAINMENT CENTER ONLY, (FEATURE 76C).
 - ② SEAL BACK SIDE OF RCP FACE.
 - ① WIRE ROUTED THRU MAIN FLOOR.

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000	
FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000	

TITLE		DWG NO.	
WIRING INSTL-BODY(110R30US)		126215	
NO. OF PAGES	1	SHEET	2 OF 10

98 322WK








- 9 NOT USED WITH SIDE TV/VCR. (FEATURE 78A).
- 8 NOT USED WITH 29D A/C ROOF-ONE 13,500.
- 7 PAINT EXPOSED SURFACES BLACK WITH 106112-01-000.
- 6 SEAL WITH BEDDING COMPOUND 69639-01-000.
- 5 INSTALL RECP WITH GROUND TOWARD OUTBOARD SIDE OF VEHICLE.
- 4 40N GEN-4.0KW ONAN GAS.
3. ALL GROUND WIRES TO BE COVERED WITH TUBING 8041-02-000.
2. ALL 100V WIRES ARE TO BE CLAMPED WITH CLAMP 10497-05-000 WITHIN 200 OF OUTLET BOXES, USE SCREW G67-10-12B.
1. ALL WIRES TO BE CLAMPED WITH CLAMP 10495-01-000 OR CLIP 80734-01-000 EVERY 1200, USE SCREW G67-10-12B UNLESS OTHERWISE SPECIFIED.

NOTES:

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO 128783-01-000	
X-X	FOR ELECTRICAL CALLOUTS SEE DWG NO 121339-01-000

98 322WK






- NOTES:
- WITH EXTERIOR ENTERTAINMENT CENTER RECP. (FEATURE 76C).
 - WITH EXTERIOR RECP.
 - WITH A/C.
 - WITH A/C PREP.
 - ALL GROUND WIRES TO BE COVERED WITH TUBING 8041-02-000.
 - FASTEN ALL WIRES TO SUPPORT. USE ONE SCREW PER CLAMP.

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 126783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

CONTROL CENTER (CAN)
98 322WK

SPEAKER KIT
110465-01-000 (1/4)
GRILLE
111177-01-CHT
SCREW
(SUPPLIED W/SPEAKER) (4)
SCREW
G56-08-32X (4)



VIEW K-K

- ③ WIRE ASM-WATER PUMP SWITCH
103494-03-000
- ③ SWITCH
108357-08-000
- ③ ACTUATOR
108356-02-CHT
- ② WIRE ASM-JUMPER
103493-01-000

SWITCH PLATE
98351-01-CHT
SWITCH-CEILING, BATH
89308-01-CHT
SCREW
G11-06-10J (2)

PANEL-MONITOR
102765-02-CHT
(W/O ELEC WATER HEATER)
102765-04-CHT
(W/ELEC WATER HEATER)
SCREW
G13-06-16J (4)

TO RIGHT SIDE

WIRE ASM-LEFT
126284-01-000

TO BATH VENT

WIRE ASM-ROOF, CENTER

WALLPLATE TV
86784-01-CHT
SCREW
G67-06-08U (2)

WASHER-PLASTIC
87080-02-CHT (2)
SCREW
G67-08-10U (4)

WIRE ASM-ROOF, FRONT
TO RIGHT SIDE

SWITCH-PLATE
98351-15-CHT
SWITCH
89308-01-CHT
89308-02-CHT
SCREW
G11-06-10U (2)

WIRE ASM-WATER TANK
96449-01-000

TO WATER PUMP
(SEE DETAIL L)


CONTROL CENTER
(SEE SHT 3 OR 6)

TO RIGHT SIDE


TO WIRE ASM-CHASSIS

WIRE ASM-MAIN HOLDING TANK
96450-02-000

WIRE ASM-AUX HOLDING TANK
96451-02-000



DETAIL L



FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000


FOR
ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000

12V LEFT (US/CAN)
98 322WK

TITLE: WIRING INSTL-BODY(12 L)
SHEET 7 OF 10
126215

- NOTES:
- ③ USE WITH EXTERIOR SHOWER, (FEATURE 64R).
 - ② USE WITHOUT EXTERIOR SHOWER, (FEATURE 64R).
 - 1. SEE RADIO INSTALLATION FOR ADDITIONAL INFORMATION.

PLATE-SWITCH
98351-07-CHT
SWITCH-BATTERY DISCONNECT
108357-06-CHT
SCREW
G11-06-10U(2)




VIEW N
(SWITCH MOUNTING
ORIENTATION)




VIEW P
(SWITCH ACTUATOR
ORIENTATION)

SWITCH-PLATE
98351-03-CHT
SWITCH
89308-01-CHT (2)
89308-02-CHT
SCREW
G11-06-10U (2)



VIEW M-M




- NOTES:
- ⑤ TAPE BACK JA AND .JP FOR 2ND 12V JACK WHEN IT IS NOT NEEDED.
 - ④ SEE CABT ASM FOR ADDITIONAL INFORMATION.
 - ③ WITH EXTERIOR ENTERTAINMENT CENTER. (FEATURE 76C).
 - ② SEE WIRING INSTL-TV/VCR SIDE FOR ADDITIONAL INFORMATION.
 - ① ATTACH TO SIDEWALL OR BOTTOM OF COUNTERTOP USE CLAMP 10499-01-000 RO CLIP 80734-02-000 EVERY 1200, USE SCREW G67-10-12B UNLESS OTHERWISE SPECIFIED.


FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000

12V RIGHT (US/CAN)
98 322WK

TITLE: WIRING INSTL-BODY(12 R)
SHEET 8 OF 10
DWG NO 126215





- ⑦ WRAP BRACKET LEG AROUND ANTENNA BASE.
 ⑥ USE WITH EXTERIOR ENTERTAINMENT CENTER. (FEATURE 76C).
 ⑤ CONNECT TO WIRE ASM-SIDEWALL.
 ④ INSTALL WITH WIRES TOWARDS ROOF.
 ③ SECURE WIRE BELOW COACH WITH CLAMP 10495-01-000 AND SCREW G67-10-128.
 ② 29D A/C ROOF-ONE 13,500.

1. CONNECTOR-PLUG, TRAILER 113589-01-000 TO BE SUPPLIED LOOSE IN COACH WITH TRAILER TOW PACKAGE.

NOTES:

FOR ELECTRICAL
 TORQUE
 SPECIFICATIONS
 SEE DWG NO.
 126783-01-000

98 322WK

TITLE		126215	
WIRING INSTL-BODY (EX L)			
30 THE BULKY PARTS	126	126	126
SHEET 10 OF 10	1	1	1