



FAUCET-GALLEY
 103243-01-000 (DUAL CTRL)
 104114-02-CHT (SGL CTRL)
 GASKET
 91254-01-000

TANK ASM-WATER
 122778-02-000
 STRAP
 96537-27-000 (2)
 TANK ASM-WATER
 122865-02-000
 STRAP
 96537-26-000 (2)

TRAY-DRIP
 129571-01-CHT
 SCREW
 G67-10-08U (2)

WATER HEATER
 51391-03-000 (6 GAL W/ELEC IGN)
 111129-01-000 (T.U.V.)
 DOOR
 78506-01-CHT
 EXTR
 2726-01-210
 2726-01-212 (2)
 SCREW
 C39-10-169 (18)
 SEALANT

FAUCET
 79527-03-CHT
 GASKET
 91253-01-000

PANEL
 78498-01-CHT
 SCREW
 G11-08-12U (4)
 COVER
 78500-01-CHT

SCREW
 G66-08-12U (3)
 SEALANT

- ⑧ 06U EXPORT UPGRADE PACKAGE.
- ⑦ 43G INTERIOR UPGRADE PACKAGE.
- ⑥ 03T EUROPEAN EXPORT PACKAGE.
- ⑤ 78F RR STORAGE COMPARTMENT.
- ④ 64R EXTERIOR WASH STATION.

3. ALL TUBING TO BE SECURED AT 1200 INTERVALS MAX WITH CLAMP 10495-01-000 OR CLIP 91951-01-000 AND SCREW G67-10-12B.
2. TUBING TO BE INSTALLED WITH SUFFICIENT SLOPE TO PROVIDE DRAINAGE TO NEAREST VALVE.
1. PLASTIC FITTINGS TO BE SEALED WITH SEALANT 84456-01-000.

X-X FOR WATER CALLOUTS SEE DWG NO. 116230-01-000

LEGEND

HOT	-----
COLD	-----

WINNEBAGO 97 324RC

OF IN	DATE	UNDESIGNED TOLERANCES ARE:	MATERIAL
CHP	DATE	WHOLE DIM (IN)	F 1/4
PIE	DATE	ONE-PLACE (IN)	1/8
PIE	DATE	TWO-PLACE (IN)	1/16
PIE	DATE	MISC.	
COMP	DATE	INDUS. WASTE	
		PRODUCTION	

LABOR NO. 324RC TITLE: WATER SYSTEM INSTL
 DIA # SCALE: NONE 30 PER SCALE: NONE DIA # 1.6
 ALL DIMENSIONS ARE IN MILLIMETERS SHEET 1 OF 2 123052

