


- (8) VENT PIPE MUST PROJECT 51 MM MIN AND 63.5 MM MAX ABOVE ROOF FOR PROPER FIT AND FUNCTION.
7. SEE DWG 61607-01-000 FOR INSTL OF GROMMETS.
6. SEAL ALL AROUND SHOWER WITH SILICONE.
5. FOR CAN UNITS EACH HOLDING TANK SHALL HAVE A CSA APPROVAL STAMPED NEAR THE IAMPO APPROVAL.
4. ALL EXTERIOR OPENINGS AROUND PIPE TO BE SEALED WITH 110744-01-000.
3. ALL PIPE AND FITTINGS TO BE ASSEMBLED WITH SOLVENT 4020-01-000.
2. SLOPE OF TRAP ARM MUST BE 6 PER 305.
1. SLOPE OF HORIZONTAL PIPING TO BE 6 PER 305 MINIMUM.

- (13) INCLUDED WITH GALLEY STRAINER.
- (12) NOT USED WITH CANADIAN UNITS.
- (11) USE WITH CSA.
- (10) TRIM P-TRAP TO FIT.
- (9) SECURE VENT TUBES TO FLOOR WITH BRACKET 95061-01-000(2). CLAMP 62401-02-000. SCREW 667-10-12B(2).

(X-X) FOR DRAINAGE CALLOUTS SEE DWG NO. 116229-01-000

LAYOUT 429W06		TITLE: DRAINAGE SYSTEM INSTL	
DATE	DATE	UNDESIGNED TOLERANCES ARE:	MATERIAL:
DATE	DATE	WHOLE DIM (1)	F
DATE	DATE	ONE-PLACE (1, 2)	F
DATE	DATE	TWO-PLACE (1, 2)	F
DATE	DATE	MILL	F
DATE	DATE	THIRD ANGLE PROJECTION	
DATE	DATE	SCALE: 1:1	
DATE	DATE	SHEET 1 OF 1	
DATE	DATE	FIG NO	123641




- (A) USE WITHOUT MOTOR AID.  
 (B) USE WITH EXTERIOR SHOWER.  
 (C) USE WITH MOTOR AID.
- ALL TUBING TO BE SECURED AT 1200 INTERVALS MAX WITH CLAMP 10495-01-000 OR CLIP 91951-01-000 AND SCREW G67-10-12B.
  - TUBING TO BE INSTALLED WITH SUFFICIENT SLOPE TO PROVIDE DRAINAGE TO NEAREST VALVE.
  - PLASTIC FITTINGS TO BE SEALED WITH SEALANT 84456-01-000.

LEGEND	
HOT	—●—●—●—●—●—●—●—●—●—
COLD	—●—●—●—●—●—●—●—●—●—

(X-X) FOR WATER CALLOUTS SEE DWG NO. 116230-01-000

<b>WINNEBAGO</b> 97 429WD	
DPN#	DATE
DWG#	DATE
P.E.	DATE
DWG#	DATE
DWG#	DATE
DWG#	DATE
LAYER 429WD TITLE: WATER SYSTEM INSTL SHEET 1 OF 2 REF: 121773 B 1	

- WATER HEATER
- 51391-01-000
- (MANUAL IGNITION)
- 51391-02-000
- (ELECTRONIC IGNITION)
- 51391-03-000
- (W/MOTOR AID)
- DOOR
- 78506-01-CHT
- AL EXTR
- 2726-01-210
- 2726-01-212(2)
- SCREW
- G39-10-169(18)
- SEALANT



VIEW A-A

DETAIL B

DETAIL C

97 429W0

TITLE		WATER SYSTEM INSTL	
NO	SCALE	REV	DATE
2		1	
SHEET 2 OF 2		122573	