





DANGER

Danger of electrical shock, burns or death. Always remove all power sources before attempting any repair, service or diagnostic work. Power can be present from shore power, generator, inverter or battery. All power sources must be disabled and secured before performing any service.



CAUTION

If you lack the skills, tools or equipment to perform diagnostic or repair work leave such work to an authorized Winnebago Industries dealer or other qualified shop.



NOTES:
 1. ALL WIRES TO BE CLAMPED WITH CLAMP 104495-01-000 OR WIRE TIE 8343-02-000 EVERY 600 MM UNLESS OTHERWISE SPECIFIED.
 2. SEE WIRING DIAGRAM - BODY FOR ADDITIONAL INFORMATION.
 3. TIE BACK TO MAIN ASM-WITH 49X.

- (21V) SOUND SYSTEM DELUXE
- (49X) BED-QUEEN - BACKWALL
- (45B) BED-TWINS
- (16H) FORD CHASSIS 18.000# V10 ENG
- (1PK) WORKHORSE CH. 16.500LB. GVWR
- (64R) EXTERIOR WASH STATION
- (63F) WATER HEATER-ELEC. IGNITION
- (38H) FURNACE-35.000 BTU
- (265) CODES/STANDARDS-CSA/CMVSS
- (1B2) WTR HTR-10GAL/ELEC/LP/MTRAIID
- (1B1) CODES/STANDARDS USA
- (09L) SLIDEOUT ROOM FRONT LEFT

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000















FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

DATE		UNSPECIFIED TOLERANCES ARE:	MATERIAL
DATE	BY	WHOLE OR .10	
DATE	BY	ONE-PLACE (.001)	
DATE	BY	TWO-PLACE (.0005)	
DATE	BY	THREE-PLACE (.0001)	
DATE	BY	FOUR-PLACE (.00005)	
DATE	BY	FIVE-PLACE (.00001)	
DATE	BY	SIX-PLACE (.000005)	
DATE	BY	SEVEN-PLACE (.000001)	
DATE	BY	EIGHT-PLACE (.0000005)	
DATE	BY	NINE-PLACE (.0000001)	
DATE	BY	TEN-PLACE (.00000005)	
DATE	BY	ELEVEN-PLACE (.00000001)	
DATE	BY	TWELVE-PLACE (.000000005)	
DATE	BY	THIRTEEN-PLACE (.000000001)	
DATE	BY	FOURTEEN-PLACE (.0000000005)	
DATE	BY	FIFTEEN-PLACE (.0000000001)	

WINNEBAGO 00 G32V




WIRING INSTL - BODY, 12V (BL)

SHEET 1 OF 8



FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000


FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000




- (21V) SOUND SYSTEM DELUXE
- (571) RADIO SPEAKERS
- (49X) BED-QUEEN - BACKWALL
- (29W) SOLAR PANEL/BATTERY CHRGR W/O
- (290) SOLAR PANEL-10 WATT
- (265) CODES/STANDARDS-CSA/CMVSS
- (20F) DELUXE SOUND SYSTEM-WITHOUT
- (1E3) ENERGY MANAGEMENT SYSTEM
- (1B1) CODES/STANDARDS USA
- (09L) SLIDEOUT ROOM FRONT LEFT
- (WIN) WINNEBAGO ONLY
- (1TA) ITASCA ONLY

00 G32V (1B1) (265) WIRING INSTL-BODY, 12V (LEFT) SHEET 2 OF 8


- (4) WITHOUT (29H) PLUG THE TWO, TWO PIN HOUSINGS TOGETHER ON WIRE ASM-COACH
- (3) REMOVE SPLICE FROM KJ AND ATTACH TO JF. CONNECT WIRE ASM-ADAPTER, SWITCH TO WIRE ASM-COACH.
- (2) TOP OF LAMP SHADE TO BE 150 BELOW CABINET.
- (1) WIRE IN SIDEWALL.




DETAIL CA (IE2)









DETAIL CC













DETAIL CD




DETAIL CE




DETAIL CJ






DETAIL CH (IE3)



DETAIL CB



DETAIL CG



DETAIL CH (IE3)





- NOTES:
- TOP OF LAMP SHADE TO BE 150 BELOW CABINET.
 - MOUNT SWITCH AND SPACER TO BLOCK ON JAMB ADJUST HEIGHT TO MATCH MAGNET.
 - MOUNT MAGNET USING PILOT HOLES IN SCREEN DOOR FRAME. MOUNT WITH MAGNET TOWARD SWITCH.
 - WIRE ROUTED IN SIDEWALL.

- (10W) TV-REAR
 - (IE3) ENERGY MANAGEMENT SYSTEM
 - (IE2) ENTRANCE STEP-ELEC.
 - (IDS) ENTERTAINMENT CENTR/EXT W/CD
 - (IB1) CODES/STANDARDS USA
 - (WIN) WINNEBAGO ONLY
 - (ITA) ITASCA ONLY
 - 00 G32V (IB1) (265)
- FILE: WIRING INSTL-BODY.12V(RIGHT)
 SHEET 3 OF 8

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000


(X-X) FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

- (76C) ENTERTAINMENT CTR/EXT CASSETTE
- (49X) BED-QUEEN - BACKWALL
- (265) CODES/STANDARDS-CSA/CMVSS
- (21V) SOUND SYSTEM DELUXE




- (42A) CLOCK W/ALARM
 - (455) BED-TWINS
 - (265) CODES/STANDARDS-CSA/CMVSS
 - (1B1) CODES/STANDARDS USA
- 00 G32V (1B1)(265)


NOTES:
1) COIL UP WIRE BELOW DRAW WITHOUT 42A.




CIRCUIT BREAKER (FRONT VIEW)



SECTION EA-EA



CIRCUIT BREAKER (BACK VIEW)



(265) CODES/STANDARDS-CSA/CMVSS




(1B1) CODES/STANDARDS USA

00 G32V (1B1) (265)

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

TITLE		WIRING INSTL-BODY(12 BP)	
DO NOT SCALE DRAWING	REV	DATE	131762
SHEET 5 OF 8	1.E	NO	



NOTES:



SWITCH-BATTERY.DISC
108357-06-000
ACTUATOR-SWITCH
108356-11-CHT
PLATE-SWITCH
98351-07-CHT
SCREW
G11-06-16U (2)

UPPER FLOOR
SUPPORT FRAME

LAMP
86280-01-000
SCREW
667-10-12U (4)
CONNECTOR
58028-01-000 (2)



CHANNEL-HAT
135167-01-CHT
SCREW
G39-10-08U (2)

- (48V) LIGHTS-FLUORESCENT
- (48M) LIGHTS-INCANDESCENT
- (265) CODES/STANDARDS-CSA/CMVSS
- (181) CODES/STANDARDS-USA


00 G32V (181)(265)

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000


WIRING INSTL - BODY, 12V (CL)
SHEET 6 OF 8

NOTE: 1) LAMPS LOCATED IN SLIDEOUT COMPARTMENTS.




WIRE ASM-THERMOSTAT
(COIL UP AND TIE EXCESS
WIRE IN BASEMENT AREA
WITH WIRE TIE 8343-02-000)

GROMMET
23942-01-000




VIEW GE-GE

TO THERMOSTAT




VIEW GD-GD




VIEW GF-GF

PLATE-WALL, TELEPHONE/COAX
130686-01-CHT
LABEL
87236-01-000
SCREW
G39-08-08U (2)




DETAIL GB-GB
(FRONT VIEW)



VIEW GA-GA
(REAR VIEW)

PANEL-SERVICE
132862-01-CHT
SCREW
G67-10-10U (4)

2 PIN HOUSING
TO WIRE ASM-
CLEARANCE REAR




TO PIN HOUSING
TO WIRE ASM-
BACKWALL



(REAR VIEW OF LEFT
TAILLAMP SHOWING WIRING)

(REAR VIEW OF RIGHT
TAILLAMP SHOWING WIRING)



TO WIRE ASM CHASSIS

WIRE ASM-TAILLAMP









VIEW GC-GC

- CONNECT BLUE WIRES FROM RESET TO THE BLUE WIRES WITH SPADE TERMINALS ON A/C CORD WITH (29H) & (9L1) FEATURE.
- SEE WIRING INSTL-BODY.110V FOR ADDITIONAL INFORMATION.

- (9L1) HOME COMFORT PLUS PACKAGE
- (29H) HEAT PUMP-A/C CENTRAL
- (265) CODES/STANDARDS-CSA/CMVSS
- (1B1) CODES/STANDARDS USA

FOR ELECTRICAL CALLOUTS
SEE DWG NO.
121339-01-000

00 G32V (1B1) (265)
WIRING INSTL-BODY.12V (C-A/C)
SHEET 7 OF 8



CONNECTS TO WIRE ASM-IP, MAIN

- (1B1) LAMP 97917-01-CHT
- (1B1) SCREW 667-10-12U(EXT) (4)
- (265) LAMP 8089-02-000
- (265) SCREW 667-06-10T(EXT) (2)
- CONNECTOR 58028-01-000 (2)
- SEAL

WIRE ASM-CLEARANCE LAMPS, RR
132729-01-000

- LAMP-CLEARANCE, RED
133055-01-000 (5)
- SCREW
G39-08-16T (10)
- BASE
133055-03-000 (5)
- BULB
36196-01-000 (5)

FOR WIRING (SEE DETAIL HD)

- LAMP ASM-BRAKE
121950-01-000
- SCREW (SUPPLIED W/LAMP)

- LAMP-MARKER, BASE
111102-01-000 (2)
- LAMP-MARKER, LENS, RED
111102-03-000 (2)
- SCREW
G39-08-12U (EXT) (4)

- LAMP
87201-01-000
- SCREW
G11-06-12U (EXT) (2)
- WIRE ASM-CHASSIS

- LIGHT ASM-STOP/TURN/TAIL, RED
115632-01-CHT (2)
- SCREW
G11-08-12U (EXT) (8)

- LIGHT ASM-STOP/TAIL/BACKUP
115632-03-CHT (2)
- CONNECTOR
58028-01-000 (2)
- SCREW
G11-08-12U (EXT) (8)

- LAMP-MARKER, BASE
111102-01-000 (2)
- LAMP-MARKER, LENS, AMBER
111102-02-000 (2)
- SCREW
G11-08-12U(EXT) (4)

- SOLAR PANEL
115504-01-000
- SCREW
G11-08-16U (4)

- ANTENNA-SHAFT EXTENDER
109889-04-000
- BRACKET-ANTENNA GROUND
108847-01-000
- ANTENNA
90944-01-000
- CABLE-ANTENNA EXTENSION
77069-02-000
- SEAL

- LAMP
97917-01-CHT
- SCREW
667-10-12U(EXT) (4)
- LAMP
8089-02-000
- SCREW
667-06-10T(EXT) (2)
- CONNECTOR
58028-01-000 (2)
- SEAL

- LAMP-MARKER, BASE
111102-01-000 (2)
- LAMP-MARKER, LENS, AMBER
111102-02-000 (2)
- RIVET
118626-02-CHT (4)

- (6) FASTEN TO VENT.
- (5) WRAP BRACKET LEGS AROUND ANTENNA BASE.
- (4) CONNECTOR-PLUG, TRAILER (113589-01-000) TO BE SUPPLIED LOOSE IN COACH WITH TRAILER TOW PACKAGE.
- (3) TAPE BRANCH BACK ALONG WIRE ASM WITH TAPE 8363-01-000.
- (2) SEE DWG 76319-01-000 FOR INSTALLATION OF TV ANTENNA.
- (1) INSTALL WITH WIRES TOWARDS ROOF.

- (8) HOUSING TO BE CLAMPED ABOVE TAILLAMPS.
- (7) ADD RUBBER BUMPERS TO ROOF UNDER EACH END OF ANTENNA TO PREVENT CONTACT WITH ROOF.

NOTES:

- (WIN) WINNEBAGO ONLY
- (ITA) ITASCA ONLY
- (76C) ENTERTAINMENT CTR/EXT CSETTE
- (240) TRAILER HITCH
- (1D5) ENTERTAINMENT CTR-EXT-W/CD
- (193) TV ANTENNA
- (480) SATELLITE DISH
- (290) SOLAR PANEL - 10 WATT
- (265) CODES/STANDARDS-CMA/CMVSS
- (1B1) CODES STANDARDS/USA

00 G32V (1B1) (265)

TITLE	WIRING INSTL-BODY(EX L)
NO. OF SHEETS	8
SHEET NO.	8
DATE	11/16/00
DWG NO.	131762

