




DANGER

Danger of electrical shock, burns or death. Always remove all power sources before attempting any repair, service or diagnostic work. Power can be present from shore power, generator, inverter or battery. All power sources must be disabled and secured before performing any service.



CAUTION

If you lack the skills, tools or equipment to perform diagnostic or repair work leave such work to an authorized Winnebago Industries dealer or other qualified shop.




NOTES:
 1. LEGEND: — WINNEBAGO, - - - - - CABLE, - - - - - CHASSIS SUPPLIED.

- ① SECURE CORD AWAY FROM ALL MOVING PARTS AND EXHAUST WITH TIE-WIRE 93147-01-000 AS REQUIRED.
- ② SEE WIRING INSTL-BODY FOR ADDITIONAL INFORMATION.
- ③ SUPPLIED WITH CHASSIS.
- ④ BATTERY TIE DOWN STRAP SUPPLIED WITH SLIDE ASM-BATTERY TRAY.
- ⑤ USE WIRE TIE 8343-02-000 TO SECURE WIRES OR CABLES TO CHASSIS WIRING OR HOSES AT LEAST ONCE EVERY 600MM.
- ⑥ USE WIRE TIE 8343-02-000 TO SECURE WIRES TO FLOOR SUPPORT FRAME AT LEAST ONCE EVERY 600MM.
- ⑦ RUN THROUGH CHASSIS SUPPLIED RACEWAY.
- ⑧ SEE WIRING INSTL-BODY FOR ADDITIONAL INFORMATION.
- ⑨ SEE WIRING INSTL-FRONT END FOR ADDITIONAL INFORMATION.
- ⑩ CUT WIRE AND RECONNECT AS SHOWN.
- ⑪ PAINT STICK BLACK WITH 106112-01-000.
- ⑫ 670 GENERATOR-QUIET DIESEL 7.500 WATT, ONAN.
- ⑬ 39R GENERATOR-6.500 WATT ONAN MARQUIS LIQUID LP.

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

WINNEBAGO		00 G38K/KD	
DATE	UNDESIGNED TOLERANCES ARE:	INVERTED.	
DATE	WHOLE DIM (H)		
DATE	ONE-PLACE (H, H1)		
DATE	TWO-PLACE (H, H2)		
DATE	THREE-PLACE (H, H3)		
DATE	ANGLE		
DATE	ROUND W/ANGLE		
DATE	PROJECTION		
DATE	PROJECTION		
TITLE: WIRING INSTL-CHASSIS			
REV	SCALE	NO	DATE
1	1:1	1	133225
ALL DIMENSIONS ARE IN MILLIMETERS SHEET 1 OF 2			



- ② SECURE CORD AWAY FROM ALL MOVING PARTS AND EXHAUST WITH TIE-WIRE 93147-01-000 AS REQUIRED.
- ① SEE WIRING INSTL-FRONT END FOR ADDITIONAL INFORMATION.

NOTES:

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

00 Q38K/KD

TITLE: WIRING INSTL-CHASSIS		REV: 1	DATE: 133225
NO. OF SHEETS: 2	SHEET: 2 OF 2	REV: 1	DATE: 133225