




**DANGER**

**Danger of electrical shock, burns or death.** Always remove all power sources before attempting any repair, service or diagnostic work. Power can be present from shore power, generator, inverter or battery. All power sources must be disabled and secured before performing any service.






**CAUTION**



If you lack the skills, tools or equipment to perform diagnostic or repair work leave such work to an authorized Winnebago Industries dealer or other qualified shop.




CENTRAL AIR UNIT  
(LOCATED IN RIGHT REAR COMPARTMENT BELOW FLOOR)



SWITCH-WATER HEATER  
(LOCATED IN GALLEY AREA)




INVERTER BREAKER PANEL



MICROWAVE RECP




RECP-BLANK WARDROBE  
(LOCATED BEHIND LOAD CENTER)





- NOTES:
- ④ WIRE ROUTED THROUGH FLOOR.
  - ③ WIRE ROUTED IN ROOF.
  - ② WIRE ROUTED IN SIDEWALL.
  - ① ALL OUTLETS DOWN STREAM AND INCLUDING THIS OUTLET ARE GROUND FAULT INTERRUPT PROTECTED.

- (21N) DISHWASHER/BUILT-IN
- (78J) ELECTRICAL SYSTEM-50 AMP
- (1B1) CODES/STANDARDS USA
- (1B1) (78J)

WINNEBAGO		00 G38K/KD
OF IN	DATE	UNSPECIFIED TOLERANCES ARE MATERIAL
CHP	DATE	WELD DIM 101
PIE	DATE	ONE-PLACE 19.01
PIE	DATE	TWO-PLACE 19.003
COM	DATE	ANGLE
COM	DATE	INDIC. W/ANGLE PROJECTION
LAYOUT	DATE	TITLE
REV #	SCALE	NOTE
ALL DIMENSIONS ARE IN MILLIMETERS		SHEET 1 OF 2
REF: 128793		133383





CENTRAL AIR UNIT  
(LOCATED IN RIGHT REAR COMPARTMENT BELOW FLOOR)




GEN 4X4 BOX

GENERATOR

INVERTER BREAKER PANEL



RECP- WASHER/DRYER



SWITCH-WATER HEATER  
(LOCATED IN GALLEY AREA)



RECP- REFRIGERATOR

RECP- VACUUM



4X4 BOX (LOCATED BELOW GALLEY)

4X4 BOX (LOCATED BELOW GALLEY IN SLIDEDOUT)

MICROWAVE RECP

RECP- LEFT APPLIANCE

ENGINE HEATER SWITCH

RECP- ENGINE HEATER

RECP-BLANK, WARDROBE (LOCATED BEHIND LOAD CENTER)

RECP- BORM, LH

RECP- BORM, RH

RECP- GALLEY GFI

RECP- BATH GFI

RECP- EXTERIOR

RECP- ENT CTR. EXT

RECP- FREEZER

RECP- LOUNGE SIDEWALL RIGHT

- NOTES:
- ④ WIRE ROUTED THROUGH FLOOR.
  - ③ WIRE ROUTED IN ROOF.
  - ② WIRE ROUTED IN SIDEWALL.
  - ① ALL OUTLETS DOWN STREAM AND INCLUDING THIS OUTLET ARE GROUND FAULT INTERRUPT PROTECTED.

78J ELECTRICAL SYSTEM-50 AMP  
265 CODES/STANDARDS-CSA/CMVSS  
00 Q38K/KD 265 78J

TITLE: WIRING DIAGRAM-BODY 110V  
SHEET 2 OF 2