






**DANGER**

**Danger of electrical shock, burns or death.** Always remove all power sources before attempting any repair, service or diagnostic work. Power can be present from shore power, generator, inverter or battery. All power sources must be disabled and secured before performing any service.



**CAUTION**

If you lack the skills, tools or equipment to perform diagnostic or repair work leave such work to an authorized Winnebago Industries dealer or other qualified shop.



- (12) USE WIRE TIE 8343-03-000.
  - (11) USE TWO NUTS HERE TO ACCOUNT FOR BATTERY HEIGHT DIFFERENCE.
  - (10) CUT 4 AND 6GA CABLES 500MM FROM BATTERY TERMINAL; ADD TERMINAL 8331-01-000(2) TO 4GA CABLES AND TERMINAL 8360-01-000(2) TO 6GA CABLES. CONNECT ALL FOUR TERMINALS TO ISOLATED STUD.
  - (9) TRIM CABLE TO 600MM. ADD TERMINAL 8348-01-000.
  - (8) SUPPLIED WITH CHASSIS.
  - (7) SEE WIRING INSTL-FRONT END FOR ADDITIONAL INFORMATION.
  - (6) CLAMP 10497-02-000 AND SCREW G39-08-000.
  - (5) CLAMP 83609-01-000 AND SCREW G39-08-000.
  - (4) CLAMP 83610-01-000. SCREW G39-08-12B.
  - (3) PLACE AROUND ENTIRE PERIMETER OF DOOR WITH SEAM AT TOP.
  - 2. SECURE CONDUIT 41953-01-02,-03,-10 AND -11 OVER ALL WIRES IN CONTACT WITH SHARP EDGES.
  - 1. LEGEND: — WINNEBAGO; ..... CABLE; - - - - - CHASSIS SUPPLIED WIRING.
- NOTES:




- (15) SECURE SO WIRES DO NOT CONTACT EXHAUST.
- (14) BATTERY CABLE MUST BE INSTALLED TO STARTER MOTOR BEFORE ENGINE WIRING HARNESS AND ROUTED IN SUCH A MANNER AS TO PREVENT ANY POSSIBLE DEGRADATION FROM THE EXHAUST SYSTEM.
- (13) ROUTE CABLES OVER CHASSIS RAIL IN THIS AREA. FOLLOW ORIGINAL CABLE PATHS INSIDE RAIL.

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

- (265) CODES/STANDARDS-CSA/CMVSS
- (21V) SOUND SYSTEM DELUXE
- (16M) FORD CHASSIS 20,500MM/V10 ENG
- (1B1) CODES/STANDARDS USA

**WINNEBAGO** OO L36W


DATE	UNDESIGNED TOLERANCES ARE:	MATERIAL
DATE	WHOLE DIM (1)	
DATE	ONE-PLACE (1/32)	
DATE	TWO-PLACE (1/64)	
DATE	THREE-PLACE (1/128)	
DATE	FOUR-PLACE (1/256)	
DATE	FIVE-PLACE (1/512)	
DATE	SIX-PLACE (1/1024)	
DATE	SEVEN-PLACE (1/2048)	
DATE	EIGHT-PLACE (1/4096)	
DATE	TEN-PLACE (1/10240)	
DATE	THIRTY-TWO-PLACE (1/32768)	
DATE	FOURTY-EIGHT-PLACE (1/65536)	
DATE	SIXTY-FOUR-PLACE (1/131072)	
DATE	HUNDRED-PLACE (1/262144)	
DATE	HUNDRED-TWO-PLACE (1/524288)	
DATE	HUNDRED-FOUR-PLACE (1/1048576)	
DATE	HUNDRED-SIX-PLACE (1/2097152)	
DATE	HUNDRED-EIGHT-PLACE (1/4194304)	
DATE	HUNDRED-TEN-PLACE (1/8388608)	
DATE	HUNDRED-TWELVE-PLACE (1/16777216)	
DATE	HUNDRED-FOURTEEN-PLACE (1/33554432)	
DATE	HUNDRED-SIXTEEN-PLACE (1/67108864)	
DATE	HUNDRED-EIGHTEEN-PLACE (1/134217728)	
DATE	HUNDRED-TWENTY-PLACE (1/268435456)	
DATE	HUNDRED-TWENTY-TWO-PLACE (1/536870912)	
DATE	HUNDRED-TWENTY-FOUR-PLACE (1/1073741824)	
DATE	HUNDRED-TWENTY-SIX-PLACE (1/2147483648)	
DATE	HUNDRED-TWENTY-EIGHT-PLACE (1/4294967296)	
DATE	HUNDRED-THIRTY-PLACE (1/8589934592)	
DATE	HUNDRED-THIRTY-TWO-PLACE (1/17179869184)	
DATE	HUNDRED-THIRTY-FOUR-PLACE (1/34359738368)	
DATE	HUNDRED-THIRTY-SIX-PLACE (1/68719476736)	
DATE	HUNDRED-THIRTY-EIGHT-PLACE (1/137438953472)	
DATE	HUNDRED-FORTY-PLACE (1/274877906944)	
DATE	HUNDRED-FORTY-TWO-PLACE (1/549755813888)	
DATE	HUNDRED-FORTY-FOUR-PLACE (1/1099511627776)	
DATE	HUNDRED-FORTY-SIX-PLACE (1/2199023255552)	
DATE	HUNDRED-FORTY-EIGHT-PLACE (1/4398046511104)	
DATE	HUNDRED-FIFTY-PLACE (1/8796093022208)	
DATE	HUNDRED-FIFTY-TWO-PLACE (1/17592186044416)	
DATE	HUNDRED-FIFTY-FOUR-PLACE (1/35184372088832)	
DATE	HUNDRED-FIFTY-SIX-PLACE (1/70368744177664)	
DATE	HUNDRED-FIFTY-EIGHT-PLACE (1/140737488355328)	
DATE	HUNDRED-SIXTY-PLACE (1/281474976710656)	
DATE	HUNDRED-SIXTY-TWO-PLACE (1/562949953421312)	
DATE	HUNDRED-SIXTY-FOUR-PLACE (1/1125899906842624)	
DATE	HUNDRED-SIXTY-SIX-PLACE (1/2251799813685248)	
DATE	HUNDRED-SIXTY-EIGHT-PLACE (1/4503599627370496)	
DATE	HUNDRED-SEVENTY-PLACE (1/9007199254740992)	
DATE	HUNDRED-SEVENTY-TWO-PLACE (1/18014398509481984)	
DATE	HUNDRED-SEVENTY-FOUR-PLACE (1/36028797018963968)	
DATE	HUNDRED-SEVENTY-SIX-PLACE (1/72057594037927936)	
DATE	HUNDRED-SEVENTY-EIGHT-PLACE (1/144115188075855872)	
DATE	HUNDRED-EIGHTY-PLACE (1/288230376151711744)	
DATE	HUNDRED-EIGHTY-TWO-PLACE (1/576460752303423488)	
DATE	HUNDRED-EIGHTY-FOUR-PLACE (1/1152921504606846976)	
DATE	HUNDRED-EIGHTY-SIX-PLACE (1/2305843009213693952)	
DATE	HUNDRED-EIGHTY-EIGHT-PLACE (1/4611686018427387904)	
DATE	HUNDRED-NINETY-PLACE (1/9223372036854775808)	
DATE	HUNDRED-NINETY-TWO-PLACE (1/18446744073709551616)	
DATE	HUNDRED-NINETY-FOUR-PLACE (1/36893488147419103232)	
DATE	HUNDRED-NINETY-SIX-PLACE (1/73786976294838206464)	
DATE	HUNDRED-NINETY-EIGHT-PLACE (1/147573952589676412928)	
DATE	HUNDRED-THOUSAND-PLACE (1/295147905179352825856)	
DATE	HUNDRED-THOUSAND-TWO-PLACE (1/590295810358705651712)	
DATE	HUNDRED-THOUSAND-FOUR-PLACE (1/1180591620717411303424)	
DATE	HUNDRED-THOUSAND-SIX-PLACE (1/2361183241434822606848)	
DATE	HUNDRED-THOUSAND-EIGHT-PLACE (1/4722366482869645213696)	
DATE	HUNDRED-THOUSAND-TEN-PLACE (1/9444732965739290427392)	
DATE	HUNDRED-THOUSAND-TWELVE-PLACE (1/18889465931478580854784)	
DATE	HUNDRED-THOUSAND-FOURTEEN-PLACE (1/37778931862957161709568)	
DATE	HUNDRED-THOUSAND-SIXTEEN-PLACE (1/75557863725914323419136)	
DATE	HUNDRED-THOUSAND-EIGHTEEN-PLACE (1/151115727451828646838272)	
DATE	HUNDRED-THOUSAND-TWENTY-PLACE (1/302231454903657293676544)	
DATE	HUNDRED-THOUSAND-TWENTY-TWO-PLACE (1/604462909807314587353088)	
DATE	HUNDRED-THOUSAND-TWENTY-FOUR-PLACE (1/1208925819614629174706176)	
DATE	HUNDRED-THOUSAND-TWENTY-SIX-PLACE (1/2417851639229258349412352)	
DATE	HUNDRED-THOUSAND-TWENTY-EIGHT-PLACE (1/4835703278458516698824704)	
DATE	HUNDRED-THOUSAND-THIRTY-PLACE (1/9671406556917033397649408)	
DATE	HUNDRED-THOUSAND-THIRTY-TWO-PLACE (1/19342813113834066795298912)	
DATE	HUNDRED-THOUSAND-THIRTY-FOUR-PLACE (1/38685626227668133590597824)	
DATE	HUNDRED-THOUSAND-THIRTY-SIX-PLACE (1/77371252455336267181195648)	
DATE	HUNDRED-THOUSAND-THIRTY-EIGHT-PLACE (1/15474250491067253436239296)	
DATE	HUNDRED-THOUSAND-FORTY-PLACE (1/30948500982134506872478592)	
DATE	HUNDRED-THOUSAND-FORTY-TWO-PLACE (1/61897001964269013744957184)	
DATE	HUNDRED-THOUSAND-FORTY-FOUR-PLACE (1/12379400392853802748994368)	
DATE	HUNDRED-THOUSAND-FORTY-SIX-PLACE (1/24758800785707605497988736)	
DATE	HUNDRED-THOUSAND-FORTY-EIGHT-PLACE (1/49517601571415210995977472)	
DATE	HUNDRED-THOUSAND-FIFTY-PLACE (1/99035203142830421991955444)	
DATE	HUNDRED-THOUSAND-FIFTY-TWO-PLACE (1/19807040628566083983911088)	
DATE	HUNDRED-THOUSAND-FIFTY-FOUR-PLACE (1/39614081257132167967822176)	
DATE	HUNDRED-THOUSAND-FIFTY-SIX-PLACE (1/79228162514264335935644352)	
DATE	HUNDRED-THOUSAND-FIFTY-EIGHT-PLACE (1/158456325028528671871288896)	
DATE	HUNDRED-THOUSAND-SIXTY-PLACE (1/316912650057057343742577792)	
DATE	HUNDRED-THOUSAND-SIXTY-TWO-PLACE (1/633825300114114687485155584)	
DATE	HUNDRED-THOUSAND-SIXTY-FOUR-PLACE (1/1267650600228229374970311168)	
DATE	HUNDRED-THOUSAND-SIXTY-SIX-PLACE (1/2535301200456458749940622336)	
DATE	HUNDRED-THOUSAND-SIXTY-EIGHT-PLACE (1/5070602400912917499881244672)	
DATE	HUNDRED-THOUSAND-SEVENTY-PLACE (1/10141204801825834997762489344)	
DATE	HUNDRED-THOUSAND-SEVENTY-TWO-PLACE (1/20282409603651669995524978688)	
DATE	HUNDRED-THOUSAND-SEVENTY-FOUR-PLACE (1/40564819207303339991049957376)	
DATE	HUNDRED-THOUSAND-SEVENTY-SIX-PLACE (1/81129638414606679982099914752)	
DATE	HUNDRED-THOUSAND-SEVENTY-EIGHT-PLACE (1/16225927682921335984199829504)	
DATE	HUNDRED-THOUSAND-EIGHTY-PLACE (1/32451855365842671988399659008)	
DATE	HUNDRED-THOUSAND-EIGHTY-TWO-PLACE (1/64903710731685343976799318016)	
DATE	HUNDRED-THOUSAND-EIGHTY-FOUR-PLACE (1/12980742146370688795359636032)	
DATE	HUNDRED-THOUSAND-EIGHTY-SIX-PLACE (1/25961484292741377590719272064)	
DATE	HUNDRED-THOUSAND-EIGHTY-EIGHT-PLACE (1/51922968585482755181438544128)	
DATE	HUNDRED-THOUSAND-NINETY-PLACE (1/103845937170965510362877088256)	
DATE	HUNDRED-THOUSAND-NINETY-TWO-PLACE (1/207691874341931027245754176512)	
DATE	HUNDRED-THOUSAND-NINETY-FOUR-PLACE (1/415383748683862054491508353024)	
DATE	HUNDRED-THOUSAND-NINETY-SIX-PLACE (1/830767497367724108983016706048)	
DATE	HUNDRED-THOUSAND-NINETY-EIGHT-PLACE (1/1661534994735448219966034122112)	
DATE	HUNDRED-THOUSAND-ONE-PLACE (1/3323069989470896439932068244224)	
DATE	HUNDRED-THOUSAND-TWO-PLACE (1/6646139978941792879864136488448)	
DATE	HUNDRED-THOUSAND-THREE-PLACE (1/1329227995788358575972827377696)	
DATE	HUNDRED-THOUSAND-FOUR-PLACE (1/2658455991576717151945654755392)	
DATE	HUNDRED-THOUSAND-FIVE-PLACE (1/5316911983153434303891309510784)	
DATE	HUNDRED-THOUSAND-SIX-PLACE (1/10633823966306868607782619021568)	
DATE	HUNDRED-THOUSAND-SEVEN-PLACE (1/21267647932613737215565238043136)	
DATE	HUNDRED-THOUSAND-EIGHT-PLACE (1/42535295865227474431131304086272)	
DATE	HUNDRED-THOUSAND-NINE-PLACE (1/85070591730454948862262608172544)	
DATE	HUNDRED-THOUSAND-TEN-PLACE (1/17014118346090989772452521634512)	
DATE	HUNDRED-THOUSAND-ELEVEN-PLACE (1/34028236692181979544905043269024)	
DATE	HUNDRED-THOUSAND-TWELVE-PLACE (1/68056473384363959089810086538048)	
DATE	HUNDRED-THOUSAND-THIRTEEN-PLACE (1/136112946768727918179620173076096)	
DATE	HUNDRED-THOUSAND-FOURTEEN-PLACE (1/272225893537455836359240346152192)	
DATE	HUNDRED-THOUSAND-FIFTEEN-PLACE (1/544451787074911672718480692304384)	
DATE	HUNDRED-THOUSAND-SIXTEEN-PLACE (1/1088903574149823345437697384608768)	
DATE	HUNDRED-THOUSAND-Seventeen-PLACE (1/2177807148299646690875394769217536)	
DATE	HUNDRED-THOUSAND-EIGHTEEN-PLACE (1/4355614296599293381750789538435072)	
DATE	HUNDRED-THOUSAND-NINETEEN-PLACE (1/8711228593198586763501579076870144)	
DATE	HUNDRED-THOUSAND-TWENTY-PLACE (1/1742245718397177352700315813740288)	
DATE	HUNDRED-THOUSAND-TWENTY-ONE-PLACE (1/3484491436794354705400631627480576)	
DATE	HUNDRED-THOUSAND-TWENTY-TWO-PLACE (1/6968982873588709410801263254961152)	
DATE	HUNDRED-THOUSAND-TWENTY-THREE-PLACE (1/13937965747177418211602526509922304)	
DATE	HUNDRED-THOUSAND-TWENTY-FOUR-PLACE (1/27875931494354836423205053019844608)	
DATE	HUNDRED-THOUSAND-TWENTY-FIVE-PLACE (1/55751862988709672846410106039689216)	
DATE	HUNDRED-THOUSAND-TWENTY-SIX-PLACE (1/1115037259774193456928202120793744)	
DATE	HUNDRED-THOUSAND-TWENTY-SEVEN-PLACE (1/2230074519548386913856404241587488)	
DATE	HUNDRED-THOUSAND-TWENTY-EIGHT-PLACE (1/4460149039096773827712808483174976)	
DATE	HUNDRED-THOUSAND-TWENTY-NINE-PLACE (1/8920298078193547655425617366349952)	
DATE	HUNDRED-THOUSAND-THIRTY-PLACE (1/1784059615638709531085112353279904)	
DATE	HUNDRED-THOUSAND-THIRTY-ONE-PLACE (1/3568119231277419062170224706559808)	
DATE	HUNDRED-THOUSAND-THIRTY-TWO-PLACE (1/7136238462554838124340449413119616)	
DATE	HUNDRED-THOUSAND-THIRTY-THREE-PLACE (1/1427247692510967624868089822639532)	
DATE	HUNDRED-THOUSAND-THIRTY-FOUR-PLACE (1/2854495385021935249736179645279064)	
DATE	HUNDRED-THOUSAND-THIRTY-FIVE-PLACE (1/5708990770043870499472359290558128)	
DATE	HUNDRED-THOUSAND-THIRTY-SIX-PLACE (1/1141798154008774098944478581816256)	
DATE	HUNDRED-THOUSAND-THIRTY-SEVEN-PLACE (1/2283596308017548197888957163632512)	
DATE	HUNDRED-THOUSAND-THIRTY-EIGHT-PLACE (1/4567192616035096395777914273265224)	
DATE	HUNDRED-THOUSAND-THIRTY-NINE-PLACE (1/9134385232070192791555828546530448)	
DATE	HUNDRED-THOUSAND-FORTY-PLACE (1/1826877046414038582111171709306096)	
DATE	HUNDRED-THOUSAND-FORTY-ONE-PLACE (1/3653754092828077164222343418612192)	
DATE	HUNDRED-THOUSAND-FORTY-TWO-PLACE (1/7307508185656154328444686837224384)	
DATE	HUNDRED-THOUSAND-FORTY-THREE-PLACE (1/1461501637131230865688937447444768)	
DATE	HUNDRED-THOUSAND-FORTY-FOUR-PLACE (1/2923003274262461731377874894889536)	
DATE	HUNDRED-THOUSAND-FORTY-FIVE-PLACE (1/5846006548524923462755749789779072)	
DATE	HUNDRED-THOUSAND-FORTY-SIX-PLACE (1/1169201309704984732551149957958144)	
DATE	HUNDRED-THOUSAND-F	




- (21V) SOUND SYSTEM DELUXE
- (265) CODES/STANDARDS-CSA/CMVSS
- (16M) FORD CHASSIS 20,500#/V10 ENG
- (1B1) CODES/STANDARDS USA

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000


TITLE: WIRING INSTL-CHASSIS	
NO. OF SHEETS: 3	REV: 1
SHEET: 2 OF 3	DWG NO: 134023



VIEW CA-CA



VIEW CB-CB (WIRING)



VIEW CB-CB (HARDWARE)

- NOTES:
- (2) ADD LOCK WASHER OME02B-04-071 1 PER SCREW
  - (1) SECURE WITH SOLENOID MOUNTING SCREW.

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

(265) CODES/STANDARDS-CSA/CMVSS  
 (16M) FORD CHASSIS 20.500#/V10 ENG  
 (1B1) CODES/STANDARDS USA  
 00 L36W (1B1) (16M) (265)  
 TITLE: WIRING INSTL-CHASSIS  
 SHEET 3 OF 3