




DANGER

Danger of electrical shock, burns or death. Always remove all power sources before attempting any repair, service or diagnostic work. Power can be present from shore power, generator, inverter or battery. All power sources must be disabled and secured before performing any service.



CAUTION

If you lack the skills, tools or equipment to perform diagnostic or repair work leave such work to an authorized Winnebago Industries dealer or other qualified shop.





- NOTES:
- ④ WIRE ROUTED THROUGH FLOOR.
 - ③ WIRE ROUTED IN ROOF.
 - ② WIRE ROUTED IN SIDEWALL.
 - ① ALL OUTLETS DOWN STREAM AND INCLUDING THIS OUTLET ARE GROUND FAULT INTERRUPT PROTECTED.

- ⑨A1 ACCESSORY PACKAGE
- ⑦6C ENTERTAINMENT CTR/EXT CASSETTE
- ⑤1B HAIR DRYER
- ③9A EXT RECEPTACLE DPLX 120VAC
- ②6U COFFEE MAKER
- ①D5 ENTERTAINMENT CENTR/EXT W/CD
- ①2D ELECTRICAL SYSTEM 30 AMP
- ①B1 CODES/STANDARDS USA
- ①B1 ①2D



WINNACOG 00 P348

OF IN	DATE	UNSPECIFIED TOLERANCES ARE:	MATERIAL
CHP	DATE	WHOLE OR 1/16"	
PIE	DATE	ONE-PLACE (1/32")	
D/E	DATE	TWO-PLACE (1/64")	
CON	DATE	THREE-PLACE (1/128")	
DRW	DATE	INDICATED	

TITLE: WIRING DIAGRAM-BODY 110V
 SHEET 1 OF 4
 REF: 131884



CENTRAL AIR UNIT (LOCATED IN RIGHT REAR COMPARTMENT BELOW FLOOR)



- NOTES:
- 5 6-3 WITH 6500 WATT GENERATOR AND 4-3 WITH 7500 WATT GENERATOR.
 - 4 WIRE ROUTED THROUGH FLOOR.
 - 3 WIRE ROUTED IN ROOF.
 - 2 WIRE ROUTED IN SIDEWALL.
 - 1 ALL OUTLETS DOWN STREAM AND INCLUDING THIS OUTLET ARE GROUND FAULT INTERRUPT PROTECTED.

- 78U ELECTRICAL SYSTEM-50 AMP
- 9A1 ACCESSORY PACKAGE
- 76C ENTERTAINMENT CTR/EXT CASSETTE
- 51B HAIR DRYER
- 39A EXT RECEPTACLE DPLX 120VAC
- 26U COFFEE MAKER
- 1D5 ENTERTAINMENT CONTR/EXT W/CD
- 1B1 CODES/STANDARDS USA