




2. SECURE VENT TUBES TO FLOOR WITH BRACKET.
8. VENT PIPE MUST PROJECT 51 MM MIN AND 64 MM MAX ABOVE ROOF FOR PROPER FIT AND FUNCTION.
7. SEE DWG 61607-01-000 FOR INSTL OF GROMMETS.
6. SEAL ALL AROUND SHOWER WITH SILICONE.
5. EXPOSED PIPE ABOVE ROOF TO BE PAINTED WITH 37163-01-000.
4. ALL EXTERIOR OPENINGS AROUND PIPE TO BE SEALED WITH 11074-01-000.
3. ALL PIPE AND FITTINGS TO BE ASSEMBLED WITH SOLVENT 4020-01-000.
2. SLOPE OF TRAP ARM MUST BE 6 PER 305.
1. SLOPE OF HORIZONTAL PIPING TO BE 6 PER 305 MIN.
- NOTES:

X-X	FOR DRAINAGE CALLOUTS SEE DWG NO. 116229-01-00
-----	--


<div>265</div>		CODES/STANDARDS-CSA/CMVSS	
<div>1B1</div>		CODES/STANDARDS-USA	
<div>WINNEBAGO</div>			
<div>01 F33V</div>			
QTY	DATE	WORKED/ISSUANCES AND	REMARKS
CHWD	DATE	WAGE CODE (4)	+
P E	DATE	TWO-PLACE (14.81)	+
N E	DATE	TWO-PLACE (14.86)	+
H E	DATE	WAGE	
LEADST NO	DATE	TWO-PLACE PROJECTION	
TITLE			
DRAINAGE SYSTEM INSTL			
DLS# 0000000000	DATE	TIME	DLS# 0000000000
ALL CHARGES ARE TO REMAIN THE CUSTOMER'S RESPONSIBILITY		11/1/84	1:32:44





VIEW E-E


DETAIL C



DETAIL D

01 F33V

TITLE: DRAINAGE SYSTEM INSTL		DWG NO 136244	
DO NOT SCALE DRAWING	1	1	1
SHEET 4 OF 4	1	1	1



6. ADD TEFLON TAPE 10405-02-000 TO FITTING.
5. USE DETAIL "J" IN THIS AREA (BOTH ENDS OF TUBING).
4. FLUSHING SYSTEM REQUIRES 125697-06-000 INSTRUCTION SHEET.
3. ALL TUBING TO BE SECURED AT 1200 INTERVALS MAX WITH CLAMP 10495-01-000 OR CLIP 91951-01-000 AND SCREW 667-10-12B.
2. TUBING TO BE INSTALLED WITH SUFFICIENT SLOPE TO PROVIDE DRAINAGE TO THE NEAREST VALVE.
1. PLASTIC FITTINGS TO BE SEALED WITH SEALANT 84456-01-000.


NOTES:

X-X	FOR WATER CALLOUTS SEE DWG NO. 116230-01-00
-----	---

611 WTR HTR-RR AUTO/MOTOROID

LEGEND	
HOT	—————
COLD	•••••

WINNEBAGO		01 F33V
QFTO	DATE	UNSPECIFIED TOLERANCES ARE MATERIAL.
CHWR	DATE	WIDE GEM (X) = 7
P E	DATE	ONE-PLATE (10.31)
M E	DATE	TWO-PLATE (10.31)
QDRI	DATE	ANGLE =
LAHNT	DATE	THIRD ANGLE PROJECTION
F - GEN		WATER SYSTEM INSTL
ALL DIMENSIONS ARE IN MILLIMETERS		136159



WATER HEATER
51393-01-000
DOOR
125420-04-CHT

