






DANGER

Danger of electrical shock, burns or death. Always remove all power sources before attempting any repair, service or diagnostic work. Power can be present from shore power, generator, inverter or battery. All power sources must be disabled and secured before performing any service.





CAUTION

If you lack the skills, tools or equipment to perform diagnostic or repair work leave such work to an authorized Winnebago Industries dealer or other qualified shop.



SWITCH-WATER HEATER (LOCATED IN GALLEY AREA)



REC-P MICROWAVE







REC-P GALLEY, OVHD

- 265 CODES/STANDARDS-CSA/CMVSS
- 76C ENTERTAINMNT CTR/EXT CASSETTE
- 105 ENTERTAINMENT CENTR/EXT W/C
- 9A1 ACCESSORY PACKAGE
- 64E WASHER/DRYER
- 120 ELECTRICAL SYSTEM 30 AMP
- 1B2 WTR HTR-10GAL/ELEC/LP/MTRAIID
- 1B1 CODES/STANDARDS USA



265 1B1 120 W/O INVERTER CHARGER

NOTES:
 ① WIRE ROUTED THROUGH FLOOR.
 ③ WIRE ROUTED IN ROOF.
 ② WIRE ROUTED IN SIDEWALL.
 △ ALL OUTLETS DOWN STREAM AND INCLUDING THIS OUTLET ARE GROUND FAULT INTERRUPT PROTECTED.

WINNEBAGO				01 P36LD
OF IN	DATE	UNDESIGNED TOLERANCES ARE	MATERIAL	
CHP	DATE	WHOLE OR 1/4"		
D/E	DATE	ONE-PLACE (1/8")		
D/E	DATE	TWO-PLACE (1/8")		
D/E	DATE	ANGLE		
COMP	DATE	INDIC. W/ANGLE	INDIC. W/ANGLE	
DRAWING TITLE: WIRING DIAGRAM-BODY 110V				
SHEET NO.	SCALE:	NOTE	NO. OF SHEETS	SHEET NO.
1			4	1




CENTRAL AIR UNIT (LOCATED IN RIGHT REAR COMPARTMENT BELOW FLOOR)






- ③ WIRE ROUTED THROUGH FLOOR.
- ④ WITH WASHER DRYER.
- ③ WIRE ROUTED IN ROOF.
- ② WIRE ROUTED IN SIDEWALL.
- ⚠ PROTECTED BY GFI RECP.

- 9A1 ACCESSORY PACKAGE
- 79J INVERTER/CHARGER-1,500 WATT
- 54E WASHER/DRYER
- 12D ELECTRICAL SYSTEM 30 AMP
- 182 WTR HTR-10GAL/ELEC/LP/MITRAID
- 1B1 CODES/STANDARDS USA

- 76C ENTERTAINMENT CTR/EXT CASSETTE
- 1B5 ENTERTAINMENT CENTR/EXT W/CD



CENTRAL AIR UNIT (LOCATED IN RIGHT REAR COMPARTMENT BELOW FLOOR)




- NOTES:
- ⑤ 6-3 WITH 6500 WATT GENERATOR AND 4-3 WITH 7500 WATT GENERATOR.
 - ④ WIRE ROUTED THROUGH FLOOR.
 - ③ WIRE ROUTED IN ROOF.
 - ② WIRE ROUTED IN SIDEWALL.
 - ① ALL OUTLETS DOWN STREAM AND INCLUDING THIS OUTLET ARE GROUND FAULT INTERRUPT PROTECTED.

- ②65 CODES/STANDARDS-CSA/CMVSS
- ⑦6C ENTERTAINMNT CTR/EXT CASSETTE
- ①05 ENTERTAINMENT CENTR/EXT W/CD
- ⑨A1 ACCESSORY PACKAGE
- ⑦8J ELECTRICAL SYSTEM-50 AMP
- ⑤4E WASHER/DRYER
- ①B2 WTR HTR-10GAL/ELEC/LP/MTR/RAID
- ①B1 CODES/STANDARDS USA


01 P36LD ①B1 ⑦8J ②65 W/O INVERTER CHARGER

TITLE	WIRING DIAGRAM-BODY 110V	
SCALE	AS SHOWN	DATE
SHEET	3 OF 4	DWG NO
		135721



LOAD CENTER






SWITCH-WATER HEATER (LOCATED IN GALLEY AREA)



CENTRAL AIR UNIT (LOCATED IN RIGHT REAR COMPARTMENT BELOW FLOOR)



INVERTER BREAKER PANEL



- ① 6-3 WITH 6500 WATT GENERATOR AND 4-3 WITH 7500 WATT GENERATOR.
- ② WIRE ROUTED THROUGH FLOOR.
- ③ WITH WASHER DRYER.
- ④ WIRE ROUTED IN ROOF.
- ⑤ WIRE ROUTED IN SIDEWALL.
- ⑥ PROTECTED BY GFI RECP.

- 9A1 ACCESSORY PACKAGE
- 79J INVERTER/CHARGER-1,500 WATT
- 78J ELECTRICAL SYSTEM-50 AMP
- 54E WASHER/DRYER
- 1D5 ENTERTAINMENT CENTR/EXT W/CD
- 1B2 WTR HTR-10GAL/ELEC/LP/MTR/RAID
- 1B1 CODES/STANDARDS USA

01 P36LD (1B1) (78J) (79J) (265)
 265 CODES/STANDARDS-CSA/CMVSS
 76C ENTERTAINMENT CTR/EXT CASSETTE