




DANGER

Danger of electrical shock, burns or death. Always remove all power sources before attempting any repair, service or diagnostic work. Power can be present from shore power, generator, inverter or battery. All power sources must be disabled and secured before performing any service.



CAUTION

If you lack the skills, tools or equipment to perform diagnostic or repair work leave such work to an authorized Winnebago Industries dealer or other qualified shop.



- (9A1) ACCESSORY PACKAGE
- (78C) ENTERTAINMENT CNTR/EXT CASSETTE
- (40F) INVERTER - DC/AC - 130 WATT
- (285) CODES/STANDARDS - CSA/CMVSS
- (1D5) ENTERTAINMENT CNTR/EXT W/CD
- (1B2) WTR HTR - 10GAL/ELEC/LP/MTR/1A1D
- (1B1) CODES/STANDARDS - USA
- (12D) ELECTRICAL SYSTEM - 50 AMP

WINNEBAGO

UNSPECIFIED TOLERANCES ARE:
 HOLE DIA (X.X) ± .1
 ONE-PLACE (X.XX) ± .15
 TWO-PLACE (X.XXX) ± 0.050
 HOLE ± .1
 HOLE ± .1


THIRD ANGLE PROJECTION

DO NOT SCALE DRAWING

TITLE: WIRING DIAGRAM-BODY, 110V
 SHEET 1 of 2 PART NO 137068

DATE: 01/15/01
 ALL DIMENSIONS ARE IN MILLIMETERS
 FIRST USED
 02 G32V

NOTES:
 (3) WIRE IN SIDEWALL.
 (2) WIRE BELOW FLOOR.
 (1) ALL OUTLETS DOWN STREAM AND INCLUDING THIS OUTLET ARE GROUND FAULT INTERRUPT PROTECTED.
 (5) SEE WIRING INSTL - TV/VCR FOR ADDITIONAL INFORMATION.
 (4) WIRE IN ROOF.



- 3 WIRE IN SIDEWALL.
- 2 WIRE BELOW FLOOR.
- 1 ALL OUTLETS DOWN STREAM AND INCLUDING THIS OUTLET ARE GROUND FAULT INTERRUPT PROTECTED.
- 5 SEE WIRING INSTL - TV/VCR FOR ADDITIONAL INFORMATION.
- 4 WIRE IN ROOF.

- 9A1 ACCESSORY PACKAGE
- 78J ELECTRICAL SYSTEM - 50 AMP
- 78C ENTERTAINMENT CNTR/EXT CASSETTE
- 40F INVERTER - DC/AC - 130 WATT
- 265 CODES/STANDARDS - CSA/CMVSS
- 1D5 ENTERTAINMENT CNTR/EXT W/CD
- 1B2 WTR HTR - 10GAL/ELEC/LP/MTR/1D
- 1B1 CODES/STANDARDS - USA

FIRST USED		02 G32V	
DO NOT SCALE DRAWING			
TITLE: WIRING DIAGRAM-BODY, 110V			
SHEET 2	PART NO		137068