



DANGER

Danger of electrical shock, burns or death. Always remove all power sources before attempting any repair, service or diagnostic work. Power can be present from shore power, generator, inverter or battery. All power sources must be disabled and secured before performing any service.




CAUTION

If you lack the skills, tools or equipment to perform diagnostic or repair work leave such work to an authorized Winnebago Industries dealer or other qualified shop.



DWG NO	FEATURE
137069-01	(WIN)
137069-02	(ITA)

PREV. DATE 11-2-01-00 DWG NO 137069
 REV. ZONE REVISION RECORD DATE 07/8-01



- (WIN) WINNEBAGO ONLY
- (ITA) ITASCA ONLY
- (64R) EXTERIOR WASH STATION
- (38H) FURNACE - 35,000 BTU
- (265) CODES/STANDARDS - CSA/CMVSS
- (20C) DELUXE SOUND SYSTEM
- (1B2) WTR HTR - 10GAL/ELEC/LP/MTR/1D
- (1B1) CODES/STANDARDS - USA
- (1B1) 265

- 6 CONNECT SETS OF TELEPHONE WIRES AS SHOWN IN DETAIL DB ON SHEET 4.
- 5 FOR ADDITIONAL INFORMATION SEE CENTRAL A/C INSTALLATION.
- 4 WIRE PASSES THROUGH FLOOR AT THIS POINT.
- 3 WITHOUT (52N)
2. SEE WIRING DIAGRAM-BODY, 12V FOR ADDITIONAL INFORMATION.
1. ALL WIRES TO BE CLAMPED WITH CLAMP 104495-01-000 OR WIRE TIE 8343-02-000 EVERY 600MM UNLESS OTHERWISE SPECIFIED.













FOR ELECTRICAL TROUBLE SPECIFICATIONS SEE DWG NO. 128783-01-000

(X-X) FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

WINNEBAGO

DATE 11/14/00
 ORG. DATE 11/14/00
 ALL DIMENSIONS ARE IN MILLIMETERS
 FIRST USED
 DGM: 02 G32V
 UNSPECIFIED TOLERANCES ARE:
 HOLE DIA. (X.X) ± .1
 ONE-PLACE (X.XX) ± 1.5
 TWO-PLACE (X.XXX) ± 0.50
 HOLE ± .1
 MATERIAL:
 THIRD ANGLE PROJECTION
 DO NOT SCALE DRAWING
 TITLE: WIRING INSTL-BODY, 12V
 SHEET 1 of 6 PART NO 137069
 REF: 131750 1 PAGE 70




- 7 TAPE BACK UNUSED TERMINALS TO WIRE ASM-COACH WITH TAPE 8363-01-000.
- 6 MOUNT LIGHT AS CLOSE TO WIRE DROP FROM ROOF AS POSSIBLE.
- 5 WIRE PASSES THROUGH FLOOR AT THIS POINT.
- 4 WITHOUT (29H) PLUG THE TWO, TWO PIN HOUSINGS TOGETHER ON WIRE ASM-COACH.
- 3 CONNECT TELEPHONE WIRES TO MATCHING COLORS ON PLATE-WALL, TELEPHONE.
- 2 WIRE IN ROOF.
- 1 WIRE IN SIDEWALL.


- (41M) ELIXIR PWR VNT/LIFT
- (41C) FANTASTIC PWR VNT/AUTO LIFT
- (290) SOLAR PANEL - 10 WATT
- (29H) HEAT PUMP - A/C CENTRAL
- (29C) A/C CENTRAL
- (26S) CODES/STANDARDS - CSA/CMVSS
- (20F) DELUXE SOUND SYSTEM - WITHOUT
- (20C) DELUXE SOUND SYSTEM
- (IE3) ENERGY MANAGEMENT SYSTEM
- (IB1) CODES/STANDARDS - USA
- (IB1) (26S)

FOR ELECTRICAL TROUBLE SPECIFICATIONS SEE DWG NO. 128783-01-000


(X-X) FOR ELECTRICAL CALLOUTS SEE DWG NO. 121338-01-000




DETAIL DA




CIRCUIT BREAKER (BACK VIEW)




CIRCUIT BREAKER (FRONT VIEW)




DETAIL DB



DETAIL DC



DETAIL DC



DETAIL DC

- (265) CODES/STANDARDS- CSA/CMVSS
- (1B1) CODES/STANDARDS USA
- (1B1) (265)



NOTES:

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

(X-X)

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121338-01-000

FIRST USED	02 G32V
DO NOT SCALE DRAWING	
TITLE: WIRING INSTL-BODY, 12V	
SHEET 4	PART NO 137069



- (4BV) LIGHTS - FLUORESCENT
- (4BM) LIGHTS - INCANDESCENT
- (265) CODES/STANDARDS - CSA/CMVSS
- (IB1) CODES/STANDARDS USA
- (IB1) (265)



- NOTES:
- 4 LAMP LOCATED IN POWER CORD COMPARTMENT.
 - 3 LAMP LOCATED IN WATER HEATER COMPARTMENT.
 - 2 LAMP LOCATED IN SERVICE COMPARTMENT.
 - 1 LAMPS LOCATED IN SLIDEOUT.

LMWP 86280-01-000
 SCREW 967-10-12U (4)
 CONNECTOR 58028-01-000 (2)


FOR ELECTRICAL
 TORQUE
 SPECIFICATIONS
 SEE DWG NO.
 128783-01-000

(X-X) FOR ELECTRICAL
 CALLOUTS
 SEE DWG NO.
 121338-01-000


FIRST USED	02 G32V
DO NOT SCALE DRAWING	
TITLE	WIRING INSTL-BODY,12V
SHEET 5	PART NO 137069



SEE DETAIL FD FOR FAN WIRING



- ANTENNA-SHAFT EXTENDER 109889-04-000
- BRACKET-ANTENNA GROUND 108847-01-000
- ANTENNA 304844-01-000
- CABLE-ANTENNA EXTENSION 77069-02-000
- SEAL



- WIN WINNEBAGO ONLY
- 1TA ITASCA ONLY
- 9L1 HOME COMFORT PLUS PACKAGE
- 78C ENTERTAINMENT CTR/EXT CASSETTE
- 715 VENT-POWER
- 480 SATELLITE DISH & ELEV.SENSOR
- 41C VENTLTR121 PWR VNT/INSULATED
- 290 SOLAR PANEL-10 WATT
- 265 CODES/STANDARDS-CSA/CMVSS
- 1D5 ENTERTAINMENT CENTR/EXT W/CD
- 1B1 CODES STANDARDS/USA
- 193 TV ANTENNA-AMPLIFIED SYSTEM

- 5 ADD RUBER BEMBERS TO ROOF UNDER EACH END OF ANTENNA TO PREVENT CONTACT WITH THE ROOF.
- 4 FASTEN TO VENT.
- 3 WRAP BRACKET LEGS AROUND ANTENNA BASE.
- 2 SEE DWG 76319-01-000 FOR INSTALLATION OF TV ANTENNA.
- 1 INSTALL WITH WIRES TOWARDS ROOF.

1B1 265

FIRST USED 02 G32V

DO NOT SCALE DRAWING

TITLE: WIRING INSTL-BODY,12V

SHEET 6 PART NO 137069

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

(X-X) FOR ELECTRICAL CALLOUTS SEE DWG NO. 121338-01-000