



**DANGER**

**Danger of electrical shock, burns or death.** Always remove all power sources before attempting any repair, service or diagnostic work. Power can be present from shore power, generator, inverter or battery. All power sources must be disabled and secured before performing any service.




**CAUTION**

If you lack the skills, tools or equipment to perform diagnostic or repair work leave such work to an authorized Winnebago Industries dealer or other qualified shop.

DRAWING NO.	FEATURE
141024-01	(WIN)
141024-02	(ITA)

RELEASE	REV DATE	DWG NO
A		141024
REV ZONE	REVISION RECORD	DATE DFR-ORIG



- (265) CODES/STANDARDS - CSA/CMVSS
  - (20C) SOUND SYSTEM DELUXE
  - (1B1) CODES/STANDARDS - USA
- (1B1) (265)


- 5 FOR ADDITIONAL INFORMATION SEE CENTRAL A/C INSTALLATION.
- 4 CONNECT TELEPHONE WIRE TO MATCHING COLORS ON TELEPHONE PLATE.
- 3 WIRE PASSES THROUGH FLOOR AT THIS POINT.
2. SEE WIRING DIAGRAM-BODY,12V FOR ADDITIONAL INFORMATION.
1. ALL WIRE TO BE CLAMPED WITH CLAMP 10495-01-000 OR WIRE TIE 8343-02-000 EVERY 600MM, UNLESS OTHERWISE SPECIFIED.

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

<b>WINNEBAGO</b>		COPYRIGHT 2002 WINNEBAGO INDUSTRIES, INC.	
DFTR	ORIG. DATE	ALL DIMENSIONS ARE IN MILLIMETERS	
CHKR			
P.E.			
M.E.	FIRST USED	03 G38G	
DSNR			
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X)	:		
ONE-PLACE (X.X)	:		
TWO-PLACE (X.XX)	:		
ANGLE	:		
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING			
TITLE: WIRING INSTL-BODY, 12V			
SHEET 1 OF 7	PART NO	141024	
REF:138215 1 02/28/03			

NOTES:




- NOTES:
1. ALL WIRES TO BE CLAMPED WITH CLAMP 10495-01-000 OR WIRE TIE 8343-02-000 EVERY 600MM, UNLESS OTHERWISE SPECIFIED.
  2. SEE WIRING DIAGRAM-BODY, 12V FOR ADDITIONAL INFORMATION.
- △ 8 CLAMP 12V AND 110V WIRES TOGETHER.
  - △ 7 CONNECT TELEPHONE WIRES TO MATCHING COLORS ON PLATE-WALL, TELEPHONE.
  - △ 6 TOP OF LAMP SHADE SHALL BE AT LEAST 150MM BELOW OVERHEAD CABINET.
  - △ 5 WIRE IN ROOF.
  - △ 4 WIRE IN SIDEWALL.
  - △ 3 WIRE PASSES THROUGH FLOOR AT THIS POINT.

- (WIN) WINNEBAGO ONLY
- (ITA) ITASCA ONLY
- (290) SOLAR PANEL - 10 WATT
- (29H) HEAT PUMP - CENTRAL A/C
- (29C) CENTRAL A/C
- (265) CODES/STANDARDS - CSA/CMVSS
- (21L) DINING TABLE & CHAIRS
- (21K) DINING/COMPUTER TABEL & CHAIRS
- (20F) SOUND SYSTEM DELUXE - WITHOUT
- (1B1) CODES/STANDARDS - USA
- (14W) DINETTE

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

FIRST USED	
03 G38G	
DO NOT SCALE DRAWING	
TITLE: WIRING INSTL-BODY, 12V	
SHEET 2	PART NO 141024



- (WIN) WINNEBAGO ONLY
- (ITA) ITASCA ONLY
- (79W) REFRIGERATOR - 4 DOOR
- (76C) ENTERTAINMENT CTR/EXT CASSETTE
- (50H) RADIOS (4) - TWO WAY
- (42A) CLOCK W/ALARM
- (265) CODES/STANDARDS - CSA/CMVSS
- (20F) SOUND SYSTEM DELUXE - WITHOUT
- (20C) SOUND SYSTEM DELUXE
- (ID5) ENTERTAINMENT CTR/EXT W/CD
- (IB1) CODES/STANDARDS - USA
- (15U) REFRIGERATOR/FRZR W/ICEMAKER
- (144) REFRIGERATOR - DOUBLE DOOR

4. CONNECT TELEPHONE WIRES TO MATCHING COLORS ON PLATE-WALL, TELEPHONE.

3. WIRE PASSES THROUGH FLOOR AT THIS POINT.











2. SEE WIRING DIAGRAM-BODY, 12V FOR ADDITIONAL INFORMATION.

1. ALL WIRES TO BE CLAMPED WITH CLAMP 10495-01-000 OR WIRE TIE 8343-02-000 EVERY 600MM, UNLESS OTHERWISE SPECIFIED.

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

(X-X) FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

FIRST USED	
03 G38G	
DO NOT SCALE DRAWING	
TITLE: WIRING INSTL-BODY, 12V	
SHEET 3	PART NO 141024








- NOTES:
- 4 FOR POSITIONING DIMENSIONS SEE WIRING INSTL-BODY, 110V SHT 4.
  - 3 WITHOUT 29H PLUG THE TWO PIN HOUSINGS TOGETHER ON WIRE ASM-THERMOSTAT.
  - 2 MOUNT SWITCH AND SPACER TO BLOCK ON JAMB ADJUST HEIGHT TO MATCH MAGNET.
  - 1 MOUNT MAGNET USING PILOT HOLES IN SCREEN DOOR FRAME. MOUNT WITH MAGNET TOWARD SWITCH.

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000












FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

- 29H HEAT PUMP - A/C CENTRAL
- 265 CODES/STANDARDS - CSA/CMVSS
- 1B1 CODES/STANDARDS - USA

FIRST USED	03 G38G
TITLE	DO NOT SCALE DRAWING
TITLE	WIRING INSTL-BODY, 12V
SHEET 4	PART NO 141024



**WARNING** UNDERSTAND OPERATOR'S MANUAL BEFORE USING  
KEEP PEOPLE AND OBSTRUCTIONS CLEAR OF  
SLIDEOUT ROOM WHEN OPERATING TO AVOID  
INJURY AND/OR PROPERTY DAMAGE



- 715 ROOF VENT-FAN,LIFT W/REMOTE SWITCH
- 52N AWNING - PATIO, ELECTRIC
- 41C ROOF VENTS (2) - POWERED
- 265 CODES/STANDARDS - CSA/CMVSS
- IB1 CODES/STANDARDS - USA

3 WITHOUT 52N.

2 TAPE BACK UNUSED TERMINALS TO WIRE ASM-COACH WITH TAPE 8363-01-000.

1. SWITCHES ARE TO BE INSTALLED AS SHOWN ON THIS DRAWING.

NOTES:

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000



IB1 265

FIRST USED 03 G38G

DO NOT SCALE DRAWING

TITLE: WIRING INSTL-BODY, 12V

SHEET 5 PART NO 141024



- NOTES:
- 4 LAMP LOCATED IN EXT SERVICE COMPARTMENT.
  - 3 LAMP LOCATED IN WATER HEATER COMPARTMENT.
  - 2 LAMP LOCATED IN POWER CORD COMPARTMENT.
  - 1 LAMP LOCATED IN SLIDEOUT COMPARTMENTS.

LF1-2  
5




LAMP  
86280-01-000  
SCREW  
667-10-12U (4)  
CONNECTOR  
58028-01-000 (2)

- 48V LIGHTS - FLUORESCENT
- 48M LIGHTS - INCANDESCENT
- 265 CODES/STANDARDS - CSA/CMVSS
- 20C SOUND SYSTEM - DELUXE
- 1B1 CODES/STANDARDS - USA







FOR ELECTRICAL  
TORQUE  
SPECIFICATIONS  
SEE DWG NO.  
128783-01-000

FOR ELECTRICAL  
CALLOUTS  
SEE DWG NO.  
121339-01-000

FIRST USED	
03 G38G	
DO NOT SCALE DRAWING	
TITLE: WIRING INSTL-BODY, 12V	
SHEET 6	PART NO 141024



- ANTENNA-SHAFT EXTENDER  
109889-04-000
- BRACKET-ANTENNA GROUND  
108847-01-000
- ANTENNA  
90944-01-000
- SEAL



- 76C ENTERTAINMENT CENTER/EXT CASSETTE
- 715 ROOF VENT-FAN,LIFT W/REMOTE SWITCH
- 480 SATELLITE DISH & ELEV. SENSOR
- 41C ROOF VENTS (2) - POWERED
- 290 SOLAR PANEL - 10 WATT
- ID5 ENTERTAINMENT CENTER/EXT W/CD
- IB1 CODES/STANDARDS - USA
- 193 TV ANTENNA - AMPLIFIED SYSTEM

- NOTES:
- 5 SENSOR SUPPLIED WITH SATELLITE ASSEMBLY.
  - 4 FASTEN TO VENT.
  - 3 WRAP BRACKET LEGS AROUND ANTENNA BASE.
  - 2 ADD RUBBER BUMPERS TO ROOF UNDER EACH END OF ANTENNA TO PREVENT CONTACT WITH THE ROOF.
  - 1 SEE DWG 76319-01-000 FOR INSTALLATION OF TV ANTENNA.

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

IB1 265

FIRST USED  
03 G38G

TITLE:  
DO NOT SCALE DRAWING  
WIRING INSTL-BODY, 12V

SHEET 7 PART NO  
141024