



**DANGER**


**Danger of electrical shock, burns or death.** Always remove all power sources before attempting any repair, service or diagnostic work. Power can be present from shore power, generator, inverter or battery. All power sources must be disabled and secured before performing any service.



**CAUTION**

If you lack the skills, tools or equipment to perform diagnostic or repair work leave such work to an authorized Winnebago Industries dealer or other qualified shop.





- (1E3) ENERGY MANAGEMENT SYSTEM
- (WIN) WINNEBAGO DELUXE UPGRADE
- (1TA) ITASCA ONLY
- (29H) HEAT PUMP-A/C CENTRAL
- (29C) A/C CENTRAL
- (26L) REAR STEREO SYSTEM W/CASSETTE
- (25E) REAR STEREO SYSTEM W/CD
- (79J) INVERTER/CHARGER-1,500 WATT
- (530) WINTERIZING KIT
- (715) VENT-POWER
- (9L1) HOME COMFORT PLUS PACKAGE
- (21V) SOUND SYSTEM DELUXE
- (20F) DELUXE SOUND SYSTEM-WITHOUT
- (265) CODES/STANDARDS-CSA/CMVSS
- (1B1) CODES/STANDARDS USA


- 2. ROUTE WIRE IN BACKWALL.
- 1. WITHOUT (29H) PLUG THE TWO, TWO PIN HOUSINGS TOGETHER ON WIRE ASM-SLIDEOUT.

NOTES:

(X-X)  
FOR ELECTRICAL  
CALLOUTS  
SEE DWG NO.  
121339-01-000






FOR ELECTRICAL  
TORQUE  
SPECIFICATIONS  
SEE DWG NO.  
128783-01-000

|                        |         |
|------------------------|---------|
| FIRST USED             |         |
| 03 P36LD               |         |
| DO NOT SCALE DRAWING   |         |
| TITLE:                 |         |
| WIRING INSTL-BODY, 12V |         |
| SHEET 2                | PART NO |
|                        | 142096  |






- 6 TELEPHONE-WIRE CONNECT COLOR TO COLOR. USE CONNECTOR 133613-01-000 (4).
- 5 CONNECT TELEPHONE WIRES TO MATCHING COLORS ON PLATE TELEPHONE.
- 4 SEE WIRING INSTL-FRONT END FOR ADDITIONAL INFORMATION.
- 3 MOUNT SWITCH AND SPACER TO BLOCK ON JAMB ADJUST HEIGHT TO MATCH MAGNET.
- 2 MOUNT MAGNET USING PILOT HOLES IN SCREEN DOOR FRAME. MOUNT WITH MAGNET TOWARD SWITCH.
- 1 WIRE ROUTED IN SIDEWALL.

NOTES:



|     |                               |
|-----|-------------------------------|
| 40G | POWER DOOR LOCK WITH REMOTE   |
| 9C1 | AWNING-ELECTRIC PACKAGE       |
| WDL | WINNEBAGO DELUXE UPGRADE      |
| 1TA | ITASCA ONLY                   |
| 1H9 | STEPWELL COVER PANEL-SLIDING  |
| 1H8 | STEPWELL COVER PANEL-MANUAL   |
| 64J | SEAT PED-6-WAY DR/PASS POWER  |
| 265 | CODES STANDARDS-CSA/CMNSS     |
| 1B1 | CODES/STANDARDS USA           |
| 26L | REAR STEREO SYSTEM W/CASSETTE |
| 25E | REAR STEREO SYSTEM W/CD       |
| 13B | INVERTER/CHARGER-DC/AC W/O    |
| 42A | CLOCK W/ALARM                 |
| 26K | REAR STEREO SYSTEM WITHOUT    |
| 79J | INVERTER/CHARGER-1,500 WATT   |
| 21V | SOUND SYSTEM DELUXE           |
| 20F | DELUXE SOUND SYSTEM-WITHOUT   |
| 1E2 | ENTRANCE STEP-ELEC.           |
| 10W | TV-REAR                       |
| 420 | TV-19" WITH REMOTE            |
| 265 | 1B1                           |

|            |                        |
|------------|------------------------|
| FIRST USED | 03 P36LD               |
| TITLE      | DO NOT SCALE DRAWING   |
| TITLE      | WIRING INSTL-BODY, 12V |
| SHEET 3    | PART NO 142096         |




- 40L TV-19" MID-COACH W/VIDEO SEL
- 40J CB RADIO PREP
- 40G POWER DOOR LOCK W/REMOTE
- 40F INVERTER-DC/AC-130 WATT
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

1B1 265


|                      |         |                        |
|----------------------|---------|------------------------|
| FIRST USED           |         | 03 P36LD               |
| DO NOT SCALE DRAWING |         |                        |
| TITLE:               |         | WIRING INSTL-BODY, 12V |
| SHEET 4              | PART NO | 142096                 |

NOTES:




SWITCH, BYPASS  
SWITCH-WINTERIZATION  
(SUPPLIED W/ KIT)  
SCREW  
G12-05-16U (4)

DETAIL EA (530)



SWITCH-ROCKER  
135740-02-CHT (2)  
SWITCH-BLANK  
138253-01-CHT  
SWITCH-BASE  
135741-03-CHT  
SWITCH-BEZEL  
135742-23-CHT  
SCREW  
G11-08-08U (4)  
WIRE ASM-RESISTOR  
140195-01-000 (41Y)


DETAIL EF



SWITCH-AWNING, CONTROL  
108357-06-000  
ACTUATOR  
108356-12-CHT  
SWITCH-AWNING, SELECT  
108357-08-000  
ACTUATOR  
108356-13-CHT


DETAIL EL (FRONT SIDE) (9C1)

PLATE-SWITCH  
98351-22-CHT  
SCREW  
G11-06-10U (4)




SWITCH-ROCKER  
135740-01-CHT  
SWITCH-BASE  
135741-01-CHT  
SWITCH-BEZEL  
135742-12-CHT  
SCREW  
G11-08-08U (2)

DETAIL EB




SWITCH-ROCKER  
135740-01-CHT (2)  
SWITCH-BASE  
135741-02-CHT  
SWITCH-BEZEL  
135742-20-CHT  
SCREW  
G11-08-08U (4)

DETAIL EG



DETAIL EL (BACK SIDE) (9C1)

SWITCH-COVER  
108357-06-000  
ACTUATOR  
108356-01-CHT  
CIRCUITS  
GX, HHC, KA, HHD




DETAIL EN

SWITCH-VISOR  
108357-06-000  
ACTUATOR-SWITCH  
108356-01-CHT  
CIRCUITS  
HHM, HHN, MK, MU


SWITCH-LAMPS  
108357-01-000  
ACTUATOR-SWITCH  
108356-01-CHT

PLATE-SWITCH  
142487-01-CHT  
APPLIQUE  
142475-01-CHT  
SCREW  
G11-06-10U (2)



SWITCH-ROCKER  
135740-01-CHT  
SWITCH-BASE  
135741-01-CHT  
SWITCH-BEZEL  
135742-07-CHT  
SCREW  
G11-08-08U (2)

DETAIL EC




DETAIL EH

PLATE-SWITCH  
81994-09-000  
SWITCH  
108357-06-000  
ACTUATOR  
108356-02-CHT  
NUT  
D65-08-00B (2)  
LABEL  
116220-01-000

WARNING  
UNDERSTAND OPERATOR'S MANUAL BEFORE USING  
KEEP PEOPLE AND OBSTRUCTIONS CLEAR OF  
SLIDEOUT ROOM WHEN OPERATING TO AVOID  
INJURY AND/OR PROPERTY DAMAGE

LABEL-WARNING  
116549-01-000




DETAIL EM (FRONT SIDE)

SWITCH  
132180-02-CHT


SWITCH  
132180-01-CHT (3)

PLATE-SWITCH  
98351-08-CHT




SWITCH-ROCKER  
135740-02-CHT  
SWITCH-BASE  
135741-01-CHT  
SWITCH-BEZEL  
135742-07-CHT  
SCREW  
G11-08-08U (2)

DETAIL ED




DETAIL EJ

SWITCH-ROCKER  
135740-01-CHT  
135740-02-CHT  
SWITCH-BASE  
135741-02-CHT  
SWITCH-BEZEL  
135742-18-CHT  
SCREW  
G11-08-08U (4)




SWITCH-ROCKER  
135740-02-CHT  
SWITCH-BASE  
135741-01-CHT  
SWITCH-BEZEL  
135742-06-CHT  
SCREW  
G11-08-08U (2)

DETAIL EE



DETAIL EK

SWITCH  
137889-01-000  
SCREW  
G11-06-10U (2)




DETAIL EM (BACK SIDE)

- (41Y) FAN-CEILING
- (412) DECORATIVE LIGHT-CEILING
- (9C1) AWNING-ELECTRIC PACKAGE
- (265) CODES/STANDARDS-CSA/CMVSS
- (1B1) CODES/STANDARDS USA

(1B1) (265)

|                          |         |                      |
|--------------------------|---------|----------------------|
| FIRST USED               |         | 03 P36LD             |
| TITLE:                   |         | DO NOT SCALE DRAWING |
| WIRING INSTL - BODY, 12V |         |                      |
| SHEET 5                  | PART NO | 142096               |

NOTES:



LOCATED IN LEFT  
FRONT COMPARTMENT

1. LAMPS TO BE MOUNTED WITH SWITCH OUTBOARD  
AND 75±20 FROM EDGE OF FLOOR.

NOTES:

FOR ELECTRICAL  
TORQUE  
SPECIFICATIONS  
SEE DWG NO.  
128783-01-000

|                                                                                       |                                                                          |
|---------------------------------------------------------------------------------------|--------------------------------------------------------------------------|
|  | <p>FOR<br/>ELECTRICAL<br/>CALLOUTS<br/>SEE DWG NO.<br/>121339-01-000</p> |
|---------------------------------------------------------------------------------------|--------------------------------------------------------------------------|

412 DECORATIVE LIGHT-CEILING

41Y FAN-CEILING

48M LIGHTS-INCANDESCENT

48V LIGHTS-FLUORESCENT


265 CODES/STANDARDS-CSA/CMVSS

1B1 CODES/STANDARDS USA



20C SOUND SYS. DLX. W/O-SURROUND

1B1 265







|                          |  |          |        |
|--------------------------|--|----------|--------|
| FIRST USED               |  | 03 P36LD |        |
| DO NOT SCALE DRAWING     |  |          |        |
| TITLE:                   |  |          |        |
| WIRING INSTL - BODY, 12V |  |          |        |
| SHEET 6                  |  | PART NO  | 142096 |



VIEW GA (290)




FOR WIRING  
(SEE DETAIL GG)



- ANTENNA-RADIO  
90944-01-000
  - EXTENDER-SHAFT, ANTENNA  
109889-04-000
  - BRACKET-ANTENNA GROUND  
108847-01-000
  - SEAL  
CABLE EXT  
77069-03-000
- (76C)
- (105)

- ANTENNA-RADIO  
90944-01-000
  - EXTENDER-SHAFT, ANTENNA  
109889-04-000
  - BRACKET-ANTENNA GROUND  
108847-04-000
  - SEAL  
CABLE EXT  
77069-02-000 (2)
- (26L)
- (25E)



- (26L) REAR STEREO SYSTEM W/CASSETTE
- (25E) REAR STEREO SYSTEM W/CD
- (105) ENTERTAINMENT CNTR/EXT W/CD
- (76C) ENTERTAINMENT CNTR/EXT CASSETTE
- (290) SOLAR PANEL-10 WATT
- (265) CODES/STANDARDS-CSA/CMVSS
- (1B1) CODES/STANDARDS USA

|                      |         |                        |
|----------------------|---------|------------------------|
| FIRST USED           |         | 03 P36LD               |
| DO NOT SCALE DRAWING |         |                        |
| TITLE:               |         | WIRING INSTL-BODY, 12V |
| SHEET 7              | PART NO | 142096                 |

- NOTES:
- 2. FASTEN TO VENT.
  - 1. WRAP BRACKET LEGS AROUND ANTENNA BASE.