




DANGER


Danger of electrical shock, burns or death. Always remove all power sources before attempting any repair, service or diagnostic work. Power can be present from shore power, generator, inverter or battery. All power sources must be disabled and secured before performing any service.



CAUTION

If you lack the skills, tools or equipment to perform diagnostic or repair work leave such work to an authorized Winnebago Industries dealer or other qualified shop.






- NOTES:

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

	FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000
---	--

FIRST USED		03 P39QD	
DO NOT SCALE DRAWING			
TITLE:			
WIRING INSTL - BODY, 12V			
SHEET 2		PART NO	143254




- NOTES:
- 7 CONNECT TELEPHONE WIRES TO MATCHING COLORS ON PLATE-TELEPHONE
 - 6 SEE WIRING INSTL-FRONT END FOR ADDITIONAL INFORMATION
 - 5 SEE WIRING INSTL-CHASSIS FOR ADDITIONAL INFORMATION
 - 4 SPEAKER IS MOUNTED TO ROOF
 - 3 MOUNT SWITCH AND SPACER TO BLOCK ON JAMB ADJUST HEIGHT TO MATCH MAGNET
 - 2 MOUNT MAGNET USING PILOT HOLES IN SCTEEN DOOR FRAME. MOUNT WITH MAGNET TOWARD SWITCH.
 - 1 WIRE ROUTED IN SIDEWALL

- (79J) INVERTER/CHARGER-1,500 WATT
- (13B) INVERTER/CHARGER-DC/AC W/O
- (ITA) ITASCA ONLY
- (WDL) WINNEBAGO DELUXE UPGRADE
- (20C) SOUND SYS. DLX. W/O-SOUND
- (265) CODES/SANDARDS-CSA/CMVSS
- (20F) DELUXE SOUND SYSTEM-WITHOUT
- (1B1) CODES/STANDARDS USA

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000


(X-X) FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

FIRST USED	
03 P39QD	
DO NOT SCALE DRAWING	
TITLE: WIRING INSTL-BODY, 12V	
SHEET 3	PART NO 143254




DETAIL DA

SWITCH-ROCKER
135740-01-CHT (2)
SWITCH-BASE
135741-02-CHT
SWITCH-BEZEL
135742-20-CHT
SCREW
G11-08-08U (4)



DETAIL DC

SWITCH-ROCKER
135740-01-CHT (2)
SWITCH-BASE
135741-02-CHT
SWITCH-BEZEL
135742-18-CHT
SCREW
G11-08-08U (4)




DETAIL DF

SWITCH-COVER
108357-06-000
ACTUATOR-SWITCH
108356-01-CHT
CIRCUITS
GX,KA,HHC,HHD

SWITCH-VISOR
108357-06-000
ACTUATOR-SWITCH
108356-01-CHT
CIRCUITS
MK,MU,HHN,HHM


SWITCH-LAMPS
108357-01-000
ACTUATOR-SWITCH
108356-01-CHT
CIRCUITS
HA,NM

PLATE-SWITCH
142487-01-CHT
APPLIQUE
142475-01-CHT
SCREW
G11-06-10U (2)




DETAIL DJ

SWITCH-ROCKER
135740-01-CHT
135740-02-CHT
SWITCH-BASE
135741-02-CHT
SWITCH-BEZEL
135742-21-CHT
SCREW
G11-08-08U (4)



DETAIL DA

SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-12-CHT
SCREW
G11-08-08U (2)



DETAIL DD


9C1

SWITCH-AWNING SELECTOR
108357-08-000
ACTUATOR
108356-13-CHT
CIRCUITS
FFU,FFP,FFV,FFL

SWITCH-AWNING CONTROL
108357-06-000
ACTUATOR
108356-12-CHT
CIRCUITS
FFK,FFU,FFM,FFN,FFV,FFR,


PLATE
98351-22-CHT

PLATE-SWITCH
81994-09-000
SWITCH
108357-06-000
ACTUATOR
108356-02-CHT
NUT
D65-08-00B (2)
LABEL
116220-01-000




DETAIL DG

LABEL-WARNING
116549-01-000




DETAIL DK

SWITCH-DOOR LOCK
108357-07-000
ACTUATOR
108356-01-CHT
PLATE
98351-24-CHT
SCREW
G11-06-10J (2)




DETAIL DB

SWITCH-ROCKER
135740-01-CHT
135740-02-CHT
SWITCH-BASE
135741-02-CHT
SWITCH-BEZEL
135742-02-CHT
SCREW
G11-08-08U (4)



DETAIL DE

SWITCH
132180-01-CHT (3)
132180-02-CHT
PLATE-SWITCH
98351-08-CHT
SCREW
G11-06-10J (4)



DETAIL DH

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000

- 40G POWER DOOR LOCK WITH REMOTE
- 530 WINTERIZING KIT
- 1H9 STEPWELL COVER PANEL-SLIDING
- 715 VENT POWER
- 63N AWNING-ENTRANCE DR, ELECTRIC
- 52N AWNING-PATIO, ELECTRIC
- 9C1 AWNING-ELECTRIC PACKAGE
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 DOCES/STANDARDS USA

265 1B1

FIRST USED	
03 P39QD	
DO NOT SCALE DRAWING	
TITLE:	
WIRING INSTL-BODY,12V	
SHEET 4	PART NO
	143254

8

7

6

5



4

3

2

1

DWG NO 143254



(265) CODES/STANDARDS-CSA/CMVSS

(1B1) CODES/STANDARDS USA

(265) (1B1)

FIRST USED

03 P39QD

DO NOT SCALE DRAWING

TITLE:

WIRING INSTL-BODY,12V

SHEET 5


PART NO

143254

1 03/03/03

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000(X-X)
FOR
ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000

NOTES:



LIGHT ITA
133416-02-00 (2)
BRACKET
133077-02-CHT

SPEAKER CUBE
124883-02-000 (2)
SCREW
G11-08-12U (6)

LIGHT
93575-19-CHT
BULB
117805-02-000 (5)
SCREW
G11-08-16U (3)
CONNECTOR
58028-01-000 (2)

SWITCH PUSHBUTTON (8)
41250-01-000
BRACKET-SWITCH, LIGHT (8)
138494-01-CHT
SCREW G39-08-16E (16)

WASHER-PLASTIC
087080-02-CHT (8)

SWITCH-PUSHBUTTON
41250-01-000
BRACKET-SWITCH, LIGHT
138494-01-CHT
SCREW
G39-08-16E (2)

LAMP 86280-01-000
SCREW G67-10-12U (2)
CONNECTOR
58028-01-000 (2)

- (20C) SOUND SYS. DLX. W/O-SOUND
- (WDL) WINNEBAGO DELUX UPGRADE
- (ITA) ITASCA ONLY
- (412) DECORATIVE LIGHT-CEILING
- (48V) LIGHTS FLUORESCENT
- (265) CODES/STANDARDS-CSA/CMVSS
- (1B1) CODES/STANDARDS USA

(265) (1B1)

2 SEE WIRING INSTL-CHASSIS FOR WIRING INFORMATION

1 LAMPS TO BE MOUNTED WITH SWITCH OUTBOARD
AND 75±20 FROM EDGE OF FLOOR.

NOTES:

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR
ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000

FIRST USED	
03 P39QD	
DO NOT SCALE DRAWING	
TITLE:	
WIRING INSTL-BODY, 12V	
SHEET 6	PART NO
	143254

