


DWG NO	--
145310-01	(WIN)
145310-02	(ITA)

RELEASE	REV DATE	DWG NO	145310
REV ZONE	REVISION RECORD	DATE	DFTR-ORIG



9. SECURE PIPES TO FLOOR USING BRACKET 136878-01-CHT (3) CLAMP 62401-02-000 (3) AND SCREW G67-10-12B (3).
8. SECURE PIPES TO CABINET USING WIRE TIE 108046-02-000 AND SCREW G67-10-12U (8).
7. SEE DWG 61607-01-000 FOR INSTL OF GROMMET.
6. VENT PIPE MUST PROJECT 51 MIN AND 64 MAX ABOVE ROOF FOR PROPER FIT AND FUNCTION.
5. SEAL AROUND SHOWER WITH SILICONE.
4. ALL EXTERIOR OPENINGS AROUND PIPE TO BE SEALED WITH 110744-01-000.
3. ALL PIPE AND FITTINGS TO BE ASSEMBLED WITH SOLVENT 4020-01-000 (US) 4020-02 (CAN).
2. SLOPE OF TRAP ARM MUST BE 6 PER 305 mm.
1. SLOPE OF HORIZONTAL PIPING TO BE MIN 3 PER 305 mm.

- (WIN) WINNEBAGO ONLY
- (ITA) ITASCA ONLY
- (IB1) CODES/STANDARDS USA
- (265) CODES/STDS-CSA/CMVSS
- (430) TOILET-PORCELAIN
- (43M) TOILET PORCELAIN-ELONGATED

WINNEBAGO		COPYRIGHT 2004 WINNEBAGO INDUSTRIES, INC.	
O D T R		O R I G . D A T E	
C H K R		A L L D I M E N S I O N S A R E I N M I L L I M E T E R S	
P . E .		F I R S T U S E D	
M . E .		0 4 G 3 5 U	
D S N R			
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) ± 5			
ONE-PLACE (X,X) ±			
TWO-PLACE (X,XX) ±			
ANGLE ±			
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING			
TITLE: DRAINAGE SYSTEM INSTL			
SHEET 1 OF 3		PART NO 145310	

X-X	FOR DRAINAGE CALLOUTS SEE DWG NO 116229-01-000
-----	--

NOTES:

SINK - SMC, DOUBLE
148870-01-CHT
STRAINER
92303-01-000 (2)
ANGLE
140002-01-CHT (10)
SCREW
G67-10-08B (8)
WASHER-RUBBER
127440-02-CHT (2)
SEAL (A/R)

SINK
143310-01-CHT
ANGLE
96826-01-CHT (10)
SCREW
G67-08-10U (8)
SEAL (A/R)
TAILPIECE
110760-04-000
WASTE ARM
SUPPLIED WITH FAUCET
WASHER FOAM
147930-01-000

SHOWER INSTL-ENCLOSURE
147874-01-000
DRAIN
66440-01-000
SEALER
696400-01-000
NUT
130403-01-000
TAILPIECE
11069-06-000
WASHER
127440-02-CHT

TOILET
132389-01-CHT
136729-01-CHT
SCREW
87721-01-000 (8)



CLAMP
62401-05-000 (2)
BRACKET
95061-01-000 (2)
SCREW
G67-10-10B (2)

1B1 A-8
265 P-3
1B1 P-2


ITA 43Q
WIN 43M

FIRST USED	04 G35U
TITLE	DO NOT SCALE DRAWING
TITLE	DRAINAGE SYSTEM INSTL
SHEET 2	PART NO 145310

1 2/20/2004



VIEW D




VIEW E

FIRST USED		04 G35U
DO NOT SCALE DRAWING		
TITLE		DRAINAGE SYSTEM INSTL
SHEET 3	PART NO	145310

DWG NO	----
145309-01	(WIN)
145309-02	(ITA)

RELEASE	REV DATE	DWG NO
A		145309
REV ZONE	REVISION RECORD	DATE
		DFTR-0R16



- (WIN) WINNEBAGO ONLY
- (ITA) ITASCA ONLY
- (9B1) SHOWER PACKAGE
- (43A) SHOWER HEAD-FIXED
- (43H) SHOWER HEAD-HAND HELD
- (1B2) WTR HTR-10 GAL/ELEC/LP/MTR AID
- (29B) WATER PURIFIER
- (15U) REFRIGERATOR/FRZR W/ ICE MAKER

- 7. ADD PIPE WRAP (LADDER SCRAP) INSULATION HERE.
- 6. ADD TEFLON TAPE 10405-01-000 TO FITTING.
- 4. ADD TEFLON TAPE 10405-02-000 TO FITTING.
- 5. FLUSHING SYSTEM REQUIRES 125697-06-000 INSTRUCTION SHEET.
- 3. ALL TUBING TO BE SECURED AT 1200 INTERVALS WITH CLAMP 10495-01-000 OR CLIP 9151-000 AND SCREW G67-10-12B.
- 2. TUBING TO BE INSTALLED WITH SUFFIECIENT SLOPE TO PROVIDE DRAINAGE TO NEAREST VALVE.
- 1. PLASTIC FITTINGS TO BE SEALED WITH SEALNATE 84456-01-000.

NOTES:

WINNEBAGO		COPYRIGHT 2004 WINNEBAGO INDUSTRIES, INC.	
DFTR	ORIG. DATE		
CHKR	ALL DIMENSIONS ARE IN MILLIMETERS		
P.E.	FIRST USED		
M.E.	04 G35U		
DSNR	UNSPECIFIED TOLERANCES ARE:	MATERIAL:	
	WHOLE DIM (X) : 7		
	ONE-PLACE (X,X) :		
	TWO-PLACE (X,XX) :		
	ANGLE :		
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING			
TITLE: WATER SYSTEM INSTL			
SHEET 1 OF 4		PART NO 145309	

FOR
WATER
CALLOUTS
SEE DWG NO
116230-01-000

