



DANGER

Danger of electrical shock, burns or death. Always remove all power sources before attempting any repair, service or diagnostic work. Power can be present from shore power, generator, inverter or battery. All power sources must be disabled and secured before performing any service.




CAUTION

If you lack the skills, tools or equipment to perform diagnostic or repair work leave such work to an authorized Winnebago Industries dealer or other qualified shop.

DRAWING NO.	8	7	6	5	4	3	2	1
144814-01	WIN							
144814-02	ITA							

RELEASE	REV DATE	ORIG NO	144814
REV ZONE	REVISION RECORD	DATE	DFTR-ORIG

MULTIPLE CHANGES



4. CONNECT TELEPHONE WIRES TO MATCH COLORS ON PLATE-TELEPHONE.
3. WIRES THAT REST ON WIRE TRAYS ARE TO BE TIED DOWN WITH WIRE TIE 8343-02-000.
2. CLAMP TO FLOOR SUPPORT TUBES AS NECESSARY WITH CLAMP 10497-01-000.
1. ALL WIRE TO BE CLAMPED WITH CLAMP 10495-01-000 OR CLIP 80734-02-000 EVERY 700. USE SCREW 667-10-12B UNLESS OTHERWISE SPECIFIED.

NOTES:

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000


- 64R EXTERIOR WASH STATION
- 1B1 CODES/STANDARDS USA
- 265 CODES /STANDARDS-CSA/CMVSS
- 1B1 265

COPYRIGHT 2004 WINNEBAGO INDUSTRIES, INC.	
DFTR	ORIG. DATE
CHKR	ALL DIMENSIONS ARE IN MILLIMETERS
P.E.	
M.E.	FIRST USED
DSNR	04 P34H
UNSPECIFIED TOLERANCES ARE:	MATERIAL:
WHOLE DIM (X)	
ONE-PLACE (X.X)	
TWO-PLACE (X.XX)	
ANGLE	
THIRD ANGLE PROJECTION	

DO NOT SCALE DRAWING

TITLE:	WIRING INSTL.-BODY, 12V
SHEET 1 of 7	PART NO 144814

REF: 42767G 1 2/24/2004



- (20C) SOUND SYS. DLX. W/Q-SURROUND
 (29H) HEAT PUMP-A/C CENTRAL
 (265) CODES/STANDARDS-CSA/CMVSS
 (20F) DELUXE SOUND SYSTEM-WITHOUT
 (290) SOLAR PANEL-10 WATT
 (13X) INVERTER/CHARGER 2.0 KW
 (ITA) ITASCA ONLY
 (WIN) WINNEBAGO ONLY
 (IBI) CODES/STANDARDS USA

265 181

04 P34H

DO NOT SCALE DRAWING

TITLE:
WIRING INSTL.-BODY, 12V

SHEET 2	PART NO 144814
---------	----------------

2/24/2004


FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000


	FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000
---	--


2 WIRE ROUTES OUT BACKWALL FROM OVHD AND BACK IN BACKSIDE OF NIGHTSTAND.

1 WITHOUT 29C PLUG THE TWO, TWO PIN HOUSINGS TOGETHER ON WIRE ASM-COACH.

NOTES:








DETAIL EA (41Y)

SWITCH-ROCKER
135740-02-CHT (2)
135740-04-CHT
SWITCH-BASE
135741-03-CHT
SWITCH-BEZEL
135742-23-CHT
SCREW
G11-08-08U (4)
WIRE ASM-RESISTOR,FAN
140195-01-000


SWITCH-AWNING SELECTOR
108357-08-000
ACTUATOR
108356-13-CHT
CIRCUITS
FFU,FFP,FFV



DETAIL ED (FRONT SIDE) (9C1)

SWITCH-AWNING CONTROL
108357-06-000
ACTUATOR
108356-12-CHT
CIRCUITS
FFK,FFU,FFM,
FFN,FFU,FFR

PLATE
98351-22-CHT
SCREW
G11-06-10U (4)




DETAIL EF

SWITCH-COVER
108357-06-000
ACTUATOR-SWITCH
108356-01-CHT
CIRCUITS
GX,HHC,KA,HHD

SWITCH-VISOR
108357-06-000
ACTUATOR-SWITCH
108356-01-CHT
CIRCUITS
HHN,MK,HHM,MN
SWITCH-BLANK
96241-03-000


SWITCH-LAMPS
108357-01-000
ACTUATOR-SWITCH
108356-01-CHT
CIRCUITS
NM,HA,O

PLATE-SWITCH
142487-01-CHT
APPLIQUE
142475-01-CHT
SCREW
G11-06-10U (2)




DETAIL EL

SWITCH-ROCKER
135740-01-CHT (2)
SWITCH-BASE
135741-02-CHT
SWITCH-BEZEL
135742-31-CHT
SCREW
G11-08-08U (4)



DETAIL EA (41Z)

SWITCH-ROCKER
135740-02-CHT (2)
SWITCH-BASE
135741-02-CHT
SWITCH-BEZEL
135742-13-CHT
SCREW
G11-08-08U (4)



DETAIL ED (BACK SIDE) (9C1)





PLATE-SWITCH
144363-09-CHT
SWITCH
108357-06-CHT
ACTUATOR
108356-02-CHT
NUT
D65-08-00B (2)
LABEL
116220-01-000


LABEL-WARNING
116549-01-000

WARNING
UNDERSTAND OPERATOR'S MANUAL BEFORE USING
KEEP PEOPLE AND OBSTRUCTIONS CLEAR OF
SLIDEOUT ROOM WHEN OPERATING TO AVOID
INJURY AND/OR PROPERTY DAMAGE




DETAIL EJ

SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)




DETAIL EB

SWITCH-ROCKER
135740-01-CHT (2)
135740-02-CHT
SWITCH-BASE
135741-03-CHT
SWITCH-BEZEL
135742-28-CHT
SCREW
G11-08-08U (4)




DETAIL EE (FRONT SIDE)

DETAIL EG (FRONT VIEW)




DETAIL EG (REAR VIEW)




DETAIL EK (ITA)

SWITCH
137889-01-000
SCREW
G11-06-10U (2)




DETAIL EN

SWITCH-ROCKER
135740-06-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-35-CHT
SCREW
G11-08-08U (2)



DETAIL EC

SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-12-CHT
SCREW
G11-08-08U (2)




DETAIL EE (BACK SIDE)

FROM WIRE
ASM-COACH


SWITCH
132180-01-CHT (3)
132180-02-CHT
PLATE-SWITCH
98351-08-CHT
SCREW
G11-06-10J (4)

FROM WIRE
ASM-CHASSIS



DETAIL EH

SWITCH-ROCKER
135740-02-CHT (2)
SWITCH-BASE
135741-02-CHT
SWITCH-BEZEL
135742-13-CHT
SCREW
G11-08-08U (4)



DETAIL EK (WIN)

SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-07-CHT
SCREW
G11-08-08U (2)

CONNECT WIRE ASM RESISTOR TO 2-PIN HOUSING
LOCATED BY SWITCH WIRES.


NOTES:

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR
ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000

- (ITA) ITASCA ONLY
- (WIN) WINNEBAGO ONLY
- (28K) SUNVISORS - MANUAL (2)
- (28J) SUNVISORS - POWERED (2)
- (52N) AWNING-PATIO, ELECTRIC
- (63N) AWNING-ENTRANCE DR, ELECTRIC
- (9C1) AWNING-ELECTRIC PACKAGE

FIRST USED		04 P34H	
TITLE:		DO NOT SCALE DRAWING	
WIRING INSTL.-BODY, 12V			
SHEET 5	PART NO	144814	




△ LAMPS TO BE MOUNTED 75 ±20
FROM EDGE OF FLOOR.

NOTES:



FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

	FOR
	ELECTRICAL
	CALLOUTS
	SEE DWG NO.
	121339-01-000

FIRST USED	
04 P34H	
DO NOT SCALE DRAWING	
TITLE:	
WIRING INSTL. - BODY, 12V	
SHEET 6	PART NO 144814



- NOTES:
- 8 CUT AND REMOVE SHIPPING STRAPS.
 - 7 MOUNT GPS ANTENNA TO THE RIGHT OF THE SATELLITE AS SHOWN. SECURE CABLE WITH ROOF SEALANT.
 - 6 FASTEN TO VENT.
 - 5 SENSOR SUPPLIED WITH SATELLITE ASSEMBLY.
 - 4 SEE DETAIL GE FOR ELEVATION SENSOR ASSEMBLY.
 - 3 MOUNT GPS ANTENNA REARWARD OF ANTENNA AS FAR AS POSSIBLE & REMOVE SHIPPING STRAPS.
 - 2 SEE DETAIL GF FOR SATELLITE LOCATION.
 - 1 WRAP BRACKET LEGS AROUND ANTENNA BASE.



- 48R SAT SYS IN-MOTION W/O RCVR
- 78K SATELLITE DISH-AUTOMATIC
- 48Q SATELLITE DISH & ELEV.SENSOR
- 29Q SOLAR PANEL-10 WATT
- 1D5 ENTERTAINMENT CENTR/EXT W/CD
- 193 TV ANTENNA-AMPLIFIED SYSTEM
- 265 CODES/STANDARD-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

FIRST USED	
04 P34H	
DO NOT SCALE DRAWING	
TITLE: WIRING INSTL.-BODY, 12V	
SHEET 7	PART NO 144814