




DANGER

Danger of electrical shock, burns or death. Always remove all power sources before attempting any repair, service or diagnostic work. Power can be present from shore power, generator, inverter or battery. All power sources must be disabled and secured before performing any service.



CAUTION

If you lack the skills, tools or equipment to perform diagnostic or repair work leave such work to an authorized Winnebago Industries dealer or other qualified shop.



- △ 6 WITH FEATURE (IPP) CUT LABEL IN HALF AND MOVE WATER PUMP PORTION BACK WITH SWITCH
- △ 5 WITH FEATURE (IPP) THE WATER SWITCH IS RELOCATED TO THE WATER CENTER PANEL.
- △ 4 CONNECT TELEPHONE WIRES TO MATCHING COLORS ON PLATE-TELEPHONE.
- △ 3 WIRE PASSES THROUGH FLOOR AT THIS POINT.
2. CLAMP TO FLOOR SUPPORT TUBES AS NECESSARY WITH CLAMP 10497-01-000.
1. ALL WIRES TO BE CLAMPED WITH CLAMP 104495-01-000 OR WIRE TIE 8343-02-000 EVERY 600MM, UNLESS OTHERWISE SPECIFIED.

NOTES:

(IPP) WORKHORSE29,500 330 8.3L 6SP

(IFS) FRTL 330HP 7.2L 6SPD AL WHLS

(265) CODES/STANDARDS-CSA/CMVSS

(IB1) CODES/STANDARDS USA

WINNEBAGO		COPYRIGHT 2004 WINNEBAGO INDUSTRIES, INC.	
DFTR	ORIG. DATE	ALL DIMENSIONS ARE IN MILLIMETERS	
CHKR	P.E.	FIRST USED	
M.E.	DSNR	04 P39K	
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X)	± 1	•	
ONE-PLACE (X,X)	± 1.5	•	
TWO-PLACE (X,XX)	± 0.50	•	
ANGLE	± 1°	•	
THIRD ANGLE PROJECTION	•		
DO NOT SCALE DRAWING			
TITLE: WIRING INSTL-BODY, 12V			
SHEET 1 of 7	PART NO	147379	
REF: NONE 1 1/7/2004			

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR
ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000

STUD-ISOLATED
86233-01-000
NUT
D34-06-00B
SCREW
G67-10-12B (2)
BOOT
77479-02-000

WIRES L,U & K
TAPE BACK TO
MAIN ASSEMBLY

TO WIRE ASM-COACH TO WIRE ASM-CHASSIS

DETAIL BA 13X

WIN LAMP-CEILING
ITA 93575-30-CHT
WIN 93575-31-CHT
ITA BULB
WIN 117805-02-000 (3)
ITA 117805-02-000 (2)
SCREW
G67-10-24J (2)
CONNECTOR
58028-01-000 (2)

WIN LAMP-WALL
ITA 119258-38-CHT
BULB
67479-01-000
LAMP
119258-34-CHT
BULB
117805-02-000
SCREW
G67-10-24J (2)
CONNECTOR
58028-01-000 (2)

TO WIRE ASM-OVHD
146137-01-000

20C SPEAKER-CUBE
148026-03-CHT
GRILLE
148026-02-CHT
SCREW
G11-08-08U (4)

LAMP-READING
132427-01-CHT (4)
SCREW
G13-06-16U (8)
CONNECTOR
58028-01-000 (8)

TO WIRE ASM-SIDEWALL

CONTROL-VOLUME,SPEAKER 20F
133089-01-000

SPEAKER-RADIO,TV
94097-01-000
SCREW
G11-08-08B (2) 20F

6 & 4 PIN HOUSING FROM
WIRE ASM-CHASSIS
TO WIRE ASM-SIDEWALL

2 PIN HOUSING FROM
WIRE ASM-CHASSIS
TO WIRE ASM-SOFA

WALL-PLATE,TELEPHONE
93253-01-CHT
SCREW
G11-08-12B (2)
RECPTACLE-12V
DETAIL BB

WIRE ASM-BATH WALL
147554-01-000

SWITCHES
DETAIL DC

LPGD

CONVERTER
DETAIL BA

12V BREAKER PANEL
(SEE DETAIL EB)

20C SPEAKER
124884-01-000
GRILLE
124885-01-000
G11-08-12T (4)

SWITCHES
DETAIL DA
WIRE ASM-MEDICINE
147555-01-000

4 & 8 PIN HOUSINGS
TO EMS BOARD

STUD-ISOLATED
86233-01-000
NUT
D34-06-00B
SCREW
G67-10-12B (2)
BOOT
77479-02-000

CONVERTER - 55 AMP
123058-01-000
SCREW
G67-10-12U (4)

13B DETAIL BA

RECEPTACLE-12V
132958-01-000

FFZ GGA

DETAIL BB

- 1PP WORKHORSE29,500 330 8.3L 6SP
- 13X INVERTER/CHARGER 2.0 KW
- 42A CLOCK W/ALARM
- 20F DELUXE SOUND SYSTEM-WITHOUT
- 20C SOUND SYS. DLX. W/O-SURROUND
- 13B INVERTER/CHARGER-DC/AC W/O
- WIN WINNEBAGO ONLY
- ITA ITASCA ONLY
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA


FIRST USED	
04 P39K	
DO NOT SCALE DRAWING	
TITLE: WIRING INSTL-BODY,12V	
SHEET 2	PART NO 147379

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR
ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000

- NOTES:
4. CONNECT TELEPHONE WIRES TO MATCHING COLORS ON PLATE-TELEPHONE.
 3. WIRE PASSES THROUGH FLOOR AT THIS POINT.
 2. SEE WIRING DIAGRAM-BODY,12V FOR ADDITIONAL INFORMATION.
 1. ALL WIRES TO BE CLAMPED WITH CLAMP 104495-01-000 OR WIRE TIE 8343-02-000 EVERY 600MM, UNLESS OTHERWISE SPECIFIED.

TO GROUND BAR
FROM WIRE ASM-CHASSIS
FROM 12V BREAKER PANEL




DETAIL CC

DETAIL CA

DETAIL CB

NOTES:

1. ALL WIRES TO BE CLAMPED WITH CLAMP 104495-01-000 OR WIRE TIE 8343-02-000 EVERY 600MM, UNLESS OTHERWISE SPECIFIED.
2. SEE WIRING DIAGRAM-BODY, 12V FOR ADDITIONAL INFORMATION.
3. WIRE PASSES THROUGH FLOOR AT THIS POINT.
4. MOUNT MAGNET USING PILOT HOLES IN SCREEN DOOR FRAME. MOUNT WITH MAGNET TOWARD SWITCH.
5. MOUNT SWITCH AND SPACER TO BLOCK ON JAMB ADJUST HEIGHT TO MATCH MAGNET.




FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000


43W	CABINET-LAVATORY
43V	CABINET-CHEST OF DRAWERS
20F	DELUXE SOUND SYSTEM-WITHOUT
20C	SOUND SYS. DLX. W/O-SURROUND
13X	INVERTER/CHARGER 2.0 KW
IE3	ENERGY MANAGEMENT SYSTEM
WIN	WINNEBAGO ONLY
ITA	ITASCA ONLY
265	CODES/STANDARDS-CSA/CMVSS
1B1	CODES/STANDARDS USA

FIRST USED	04 P39K
TITLE	DO NOT SCALE DRAWING
WIRING INSTL-BODY, 12V	
SHEET 3	PART NO 147379
	1 1/7/2004




DETAIL DA

SWITCH-ROCKER
135740-01-CHT (2)
SWITCH-BASE
135741-02-CHT
SWITCH-BEZEL
135742-38-CHT
SCREW
G11-08-08U (4)




DETAIL DD

SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)




DETAIL DH

SWITCH-ROCKER
135740-01-CHT
135740-02-CHT
SWITCH-BASE
135741-02-CHT
SWITCH-BEZEL
135742-18-CHT
SCREW
G11-08-08U (4)



DETAIL DB
(FRONT VIEW)




DETAIL DB
(REAR VIEW)

PLATE-SWITCH
144363-09-CHT
SWITCH
108357-06-CHT
ACTUATOR
108356-02-CHT
NUT
D65-08-00B (2)
LABEL
116220-01-000

LABEL-WARNING
116549-01-000


WARNING

UNDERSTAND OPERATOR'S MANUAL BEFORE USING
KEEP PEOPLE AND OBSTRUCTIONS CLEAR OF
SLIDEOUT ROOM WHEN OPERATING TO AVOID
INJURY AND/OR PROPERTY DAMAGE




DETAIL DE

SWITCH-ROCKER
135740-01-CHT
135740-02-CHT
SWITCH-BASE
135741-02-CHT
SWITCH-BEZEL
135742-21-CHT
SCREW
G11-08-08U (4)




DETAIL DJ

SWITCH
137889-01-000
SCREW
G11-06-10U (2)




DETAIL DK

SWITCH-ROCKER
135740-01-CHT
135740-02-CHT (2)
SWITCH-BASE
135741-03-CHT
SWITCH-BEZEL
135742-22-CHT
SCREW
G11-08-08U (4)




DETAIL DC

SWITCH-ROCKER
135740-01-CHT
135740-02-CHT (2)
SWITCH-BASE
135741-02-CHT
SWITCH-BEZEL
135742-15-CHT
SCREW
G11-08-08U (4)




DETAIL DF

SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)



DETAIL DG

SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-30-CHT
SCREW
G11-08-08U (2)




DETAIL DL

SWITCH-ROCKER
135740-06-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-35-CHT
SCREW
G11-08-08U (2)


FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR
ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000


IB1 265	
FIRST USED 04 P39K	
DO NOT SCALE DRAWING	
TITLE: WIRING INSTL-BODY, 12V	
SHEET 4	PART NO 147379




DETAIL EA




DETAIL EE




DETAIL ED (FRONT SIDE)




DETAIL ED (BACK SIDE)




DETAIL EC (BACK SIDE)



DETAIL EB
CIRCUIT BREAKER
(FRONT VIEW)



DETAIL EB
CIRCUIT BREAKER
(BACK VIEW)





DETAIL EF

- 40G POWER DOOR LOCK WITH REMOTE
- 9C1 AWNING-ELECTRIC PACKAGE
- 28K SUNVISORS - MANUAL (2)
- 28J SUNVISORS - POWERED (2)
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000



- IFS FRTL 330HP 7.2L 6SPD AL WHLS
48V LIGHTS-FLUORESCENT
48M SLEEP NUMBER BED-QUEEN SIZE
412 DECORATIVE LIGHT - CEILING
265 CODES/STANDARDS-CSA/CMVSS
IB1 CODES/STANDARDS USA

181 265

04 P39K

DO NOT SCALE DRAWING

TITLE: WIRING INSTL-BODY, 12V

SHEET 6	PART NO 147379
---------	----------------

1/7/2004

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

	FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000
---	---

