




FRONT
OF
COACH


- (54E) WASHER/DRYER
- (21M) WASHER/DRYER PREP
- (1B1) CODES/STANDARDS USA
- (265) CODES/STDS-CSA, CMVSS



- 7. SECURE VENT TUBES WITH BRACKET 136878-01-CHT (4), CLAMP 62401-02-000 (4), SCREW G67-10-12B (4).
- 6. VENT PIPE MUST PROECT 51 MIN AND 64 MAX ABOVE ROOF FOR PROPER FIT AND FUNCTION.
- 5. SEAL AROUND SHOWER WITH SILICONE.
- 4. ALL EXTERIOR OPENINGS AROUND PIPE TO BE SEALED WITH 100744-01-000.
- 3. ALL PIPE AND FITTINGS TO BE ASSEMBLED WITH SOLVENT 4020-01-000.
- 2. SLOPE OF TRAP ARM MUST BE 6 PER 305 mm.
- 1. SLOPE OF HORIZONTAL PIPING TO BE MIN 3 PER 305 mm.

NOTES:


FOR
DRAINAGE
CALLOUTS
SEE DWG NO
116229-01-000

WINNEBAGO		COPYRIGHT 2005 WINNEBAGO INDUSTRIES, INC.	
DFTR	ORIG. DATE		
CHKR	ALL DIMENSIONS ARE IN MILLIMETERS		
P.E.			
M.E.	FIRST USED		
DSNR	05 F35D		
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
HOLE DIM (X)		3	
ONE-PLACE (X,X)		3	
TWO-PLACE (X,XX)		3	
ANGLE		3	
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING			
TITLE: DRAINAGE SYSTEM INSTL			
SHEET 1 OF 3		PART NO 148406	






VIEW D




VIEW E


FIRST USED	05 F350
TITLE	DO NOT SCALE DRAWING
SHEET 3	PART NO 148406
	1 3/2/2005



FIRST USED		05 F35D	
DO NOT SCALE DRAWING			
TITLE		WATER SYSTEM INSTL	
SHEET 2	PART NO	148405	



FIRST USED		05 F35D	
DO NOT SCALE DRAWING			
TITLE: WATER SYSTEM INSTL			
SHEET 3		PART NO 148405	



FIRST USED		05 F35D	
DO NOT SCALE DRAWING			
TITLE:			
WATER SYSTEM INSTL			
SHEET 4		PART NO 148405	