



DANGER

Danger of electrical shock, burns or death. Always remove all power sources before attempting any repair, service or diagnostic work. Power can be present from shore power, generator, inverter or battery. All power sources must be disabled and secured before performing any service.





CAUTION




If you lack the skills, tools or equipment to perform diagnostic or repair work leave such work to an authorized Winnebago Industries dealer or other qualified shop.

PIN #
1. 16 RED GENERATOR METER (+)
2. 16 YEL GENERATOR START
3. 16 GRN GENERATOR STOP
4. 16 BLK GENERATOR (-)
HOUSING-AMP
(UNIVERSAL MATE-N-LOK)
1-480702-0
CONTACT-PIN
350538-1

PIN #
1. 14 BLK (HOUSE +12VDC)
2. 14 (CHASSIS +12VDC)
3. 14 WHT (GROUND)
4. 20 RED (WATER TANK)
5. 20 BRN (BLACK TANK)
6. 20 GRY (GRAY TANK)
7. 12 RED/WHT (REMOTE WATER PUMP SWITCH)
8. 12 RED (WATER PUMP SWITCH)
9. 12 WHT/RED (REMOTE WATER PUMP)
10. BLANK
11. BLANK
12. 20 WHT/GRN (LP TANK SENSOR)
13. 16 YEL (WATER HEATER IGNITION)
14. BLANK
15. 20 WHT/BLU (WATER HEATER INDICATOR)
HOUSING-AMP
(UNIVERSAL MATE-N-LOK)
1-480710-0
CONTACT-PIN
350538-1





FIRST USED		STANDARDS	
DO NOT SCALE DRAWING			
TITLE:			
PANEL - MONITOR			
SHEET 2		PART NO	133004
		1 07/08/2004	



FIRST USED		STANDARD	
TITLE:		DO NOT SCALE DRAWING	
SHEET 3		PART NO 133004	
		1 07/08/2004	

PIN #
1. 16 RED GENERATOR METER (+)
2. 16 YEL GENERATOR START
3. 16 GRN GENERATOR STOP
4. 16 BLK GENERATOR (-)
HOUSING-AMP
(UNIVERSAL MATE-N-LOK)
1-480702-0
CONTACT-PIN
350538-1

PIN #
1. 14 BLK (HOUSE +12VDC)
2. 14 (CHASSIS +12VDC)
3. 14 WHT (GROUND)
4. 20 RED (WATER TANK)
5. 20 BRN (BLACK TANK)
6. 20 GRN (GRAY TANK)
7. 12 RED/WHT (REMOTE WATER PUMP SWITCH)
8. 12 RED (WATER PUMP SWITCH)
9. 12 WHT/RED (REMOTE WATER PUMP)
10. BLANK
11. BLANK
12. 20 WHT/GRN (LP TANK SENSOR)
13. BLANK
14. BLANK
15. BLANK
HOUSING-AMP
(UNIVERSAL MATE-N-LOK)
1-480710-0
CONTACT-PIN
350538-1





FIRST USED		STANDARDS	
		DO NOT SCALE DRAWING	
TITLE:		PANEL - MONITOR	
SHEET 4	PART NO	133004	

CONFIDENTIAL
THIS DOCUMENT, INCLUDING ALL INFORMATION CONTAINED HEREIN IS THE EXCLUSIVE AND CONFIDENTIAL PROPERTY OF VENTLINE DIVISION OF TOMKINS INDUSTRIES, INC. THE DOCUMENT AND INFORMATION ARE NOT TO BE COPIED, REPRODUCED OR DELIVERED TO OTHERS, IN WHOLE OR IN PART, WITHOUT THE WRITTEN PERMISSION OF VENTLINE. THE DOCUMENT IS TO BE RETURNED PROMPTLY TO VENTLINE AFTER HAVING SERVED THE PURPOSE FOR WHICH DELIVERED.
©1995 VENTLINE DIVISION, TOMKINS INDUSTRIES, INC.
All Rights Reserved, including the right to reproduce this document or any part thereof

DWG NO 133004

LTR.	DESCRIPTION	DATE	CHK. BY	APP. BY
LTR	DESCRIP	DATE	CHK	APP
A	SEE PAGE 3 ECN 16381	ECN 16261	4-6-04	R.L. R.L.
B	L5130-02 WAS L5113-04	ECN 16394	4-21-04	R.L. R.L.




- NOTES:
1. UNLESS OTHERWISE SPECIFIED ALL WIRE IS 22 AWG.
 2. REF. DWG.'S:
HARNESS, INTERNAL & SWITCH= L7785-01, -02
HARNESS, GEN. INTERNAL & SWITCH= L7786-00
HARNESS, SOLAR LIGHT= L7722-00
PCB= L5130-02
HARNESS, TEST= L8012-00
TEST BOX= L8504-00
 3. ALL PIGTAILS TO BE SUPPLIED BY CUSTOMER.
 4. BEFORE PACKING, SECURE HARNESS WITH VD0169-00 TIE WRAP ON RIGHT SIDE POST.

ENGLISH (TOLERANCE UNLESS SPECIFIED)
0 PL.+.040
2 PL.+.010
FRACTIONS 1/64

PART NO.	REV'D	MATERIAL	DESCRIPTION	DWG SIZE
BLANK	BLANK	WGT	USED	USED ON
DRAWN	DATE	MATERIAL	MATL	MATL
DRWN DATE	DATE	MATL	MATL	MATL
CHECKED	DATE	NAME	DWGNAME	SCALE
CHECKED	DATE	NAME	DWGNAME	SCALE
APPV'D	DATE	NAME	DWGNAME	SCALE
DWG. NO.	PG 1 OF 4	DWGNO	DWGNO	DWGNO

FIRST USED	STANDARD
TITLE	DO NOT SCALE DRAWING
SHEET 5	PART NO 133004
DATE	07/08/2004

DETAIL - 'A'
2X SCALE



SEE NOTE 4. —



DWGNO
PG 3 OF 4

LA1072-00
FOR USE WITH
NON-CONTACT
SENSORS
(MFG DATE)

PRODUCT LABEL
PRINTING DETAIL
NO SCALE

BLANK SIZE		BLANK WGT		USED ON		USED ON	
DRAWN	DATE	MATERIAL		MATL		MATL	
DRWNDATE							
CHECKED	DATE	NAME		DWGNAME		SCALE: SCALE	
CHECKDATE				DWGNAME		DWG. NO. PG 3 OF 4	
APPV'D	DATE					DWGNO	

- NOTES:**
1. UNLESS OTHERWISE SPECIFIED ALL WIRE IS 22 AWG
 2. REF. DWG.S:
HARNSS, INTERNAL & SWITCH= L7785-01, -02
HARNSS, GEN. INTERNAL & SWITCH= L7786-00
HARNSS, SOLAR LIGHT= L7722-00
PCB= L5130-02
HARNSS, TEST= L8012-00
TEST BOX= L8506-00
 3. ALL PIGTAILS TO BE SUPPLIED BY CUSTOMER.
 4. BEFORE PACKING, SECURE HARNSS WITH
VD0169-00 THE WRAP ON RIGHT SIDE POST.

ENGLISH TOLERANCE UNLESS SPECIFIED
 0 PL.±.040 1 PL.±.020
 2 PL.±.010 3 PL.±.005
 FRACTIONS ±1/64

ED1	CHECKED DATE	NAME	SCALE: SCALE
	CHECKED DATE	DWGNAME	DWG. NO. PG 3 OF 4
	APPV'D DATE	DWGNAME	DWGNO

07/08/2004

