



DANGER

Danger of electrical shock, burns or death. Always remove all power sources before attempting any repair, service or diagnostic work. Power can be present from shore power, generator, inverter or battery. All power sources must be disabled and secured before performing any service.



CAUTION

If you lack the skills, tools or equipment to perform diagnostic or repair work leave such work to an authorized Winnebago Industries dealer or other qualified shop.

DRAWING NO.	FEATURE
153856-01	(WIN)
153856-02	(ITA)

RELEASE	REV/DATE	DWG NO
	A	153856
REV ZONE	REVISION RECORD	DATE DFR-ORIG

SWITCH - WATER PUMP
108357-15-000
ACTUATOR
108356-04-CHT




PLATE-WALL, DUAL COAX
149557-02-CHT

SCREW
G39-08-08U (2)



VIEW AA

COVER
139061-02-CHT
139062-02-CHT


WIRE ASM-COACH
153855-01-000

WIRE ASM-COACH
PASSES THRU FLOOR
IN THIS AREA.

WIRE ASM-COACH
PASSES THRU FLOOR
IN THIS AREA

WIRE ASM-COACH
PASSES THRU FLOOR
IN THIS AREA

COAX (RED)
TO CABLE INPUT
COAX (GLD)
TO PORTABLE
SATELLITE INPUT
TELEPHONE INPUT



WIRE ASM-MAIN
HOLDING TANK
151317-02-000

2 PIN HOUSING
TO WIRE ASM-
MAIN HOLDING TANK


2 PIN HOUSING
TO WIRE ASM-AUX
HOLDING TANK

WIRE ASM-AUX
HOLDING TANK
151316-02-000

WIRE ASM-TANK, WATER
151317-01-000

WATER PUMP
JS-RED
JY-BLK
SPLICE-HAT
58028-01-000 (2)

2 PIN HOUSING
TO WIRE ASM-TANK, WATER



WIRE ASM-COACH
PASSES THRU FLOOR
IN THIS AREA

WASHER-PLASTIC
87080-02-CHT (4)

- (ITA) ITASCA ONLY
- (WIN) WINNEBAGO ONLY
- (265) CODES/STANDARDS-CSA/CMVSS
- (1B1) CODES/STANDARDS USA

(1B1) (265)

WINNEBAGO COPYRIGHT 2004
WINNEBAGO
INDUSTRIES, INC.

DFTR	ORIG. DATE
CHKR	ALL DIMENSIONS ARE IN MILLIMETERS
P.E.	
M.E.	FIRST USED
DSNR	06 D35N
UNSPECIFIED TOLERANCES ARE:	MATERIAL:
WHOLE DIM (X)	: 3
ONE-PLACE (X.X)	: 1.5
TWO-PLACE (X.XX)	: 0.50
ANGLE	: 1°
THIRD ANGLE PROJECTION	



DO NOT SCALE DRAWING

TITLE:	WIRING INSTL-BODY, 12V
SHEET 1 of 5	PART NO 153856

- NOTES:
- ALL WIRES TO BE SECURED WITH CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 EVERY 600MM, USE SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

(X-X)
FOR ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000




- 7 INSTALL GASKET ON BACK SIDE OF ONE PLACE AFTER INSTALLATION OF THERMOSTAT, MAKING SURE THAT THE GASKET COVERS AND SEALS THE HOLE THAT THE WIRES PASS THROUGH.
- 6 CONNECT TELEPHONE WIRE TO MATCHING COLORS ON PLATE-WALL, TELEPHONE.
5. ALL WIRES TO BE SECURED WITH CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 EVERY 600MM, USE SCREW 667-XX-XXX OR 656-XX-XXX AS APPROPRIATE FOR INSTALLATION.
- 4 NOT USED WITH (1JU)
- 3 WIRE ROUTED IN SIDEWALL.
- 2 MOUNT TV BRACKET TO PANEL, ATTACH TV TO BRACKET & SLIDE THE ASSEMBLY INTO THE OVERHEAD CABINET.
- 1 SEE WIRING INSTL-FRONT END FOR WIRING INFORMATION.

- (53Z) WTR HTR-6GAL/110/LP/MTR/AUTO
- (1JU) TV (REAR)-19"COLOR, STEREO
- (29R) AC HEAT PUMP-2 HI EFFICIENCY
- (276) A/C ROOF-HI EFF (2) W/EMS
- (ITA) ITASCA ONLY
- (WIN) WINNEBAGO ONLY
- (265) CODES/STANDARDS-CSA/CMVSS
- (1B1) CODES/STANDARDS USA

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

(X-X) FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

FIRST USED	06 D35N
TITLE	DO NOT SCALE DRAWING
	WIRING INSTL-BODY, 12V
SHEET 2	PART NO 153856



4. ALL WIRES TO BE SECURED WITH CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 EVERY 600MM, USE SCREW 667-XX-XXX OR 656-XX-XXX AS APPROPRIATE FOR INSTALLATION.


- 3 SEE WIRING INSTL-FRONT END FOR WIRING INFORMATION.
- 2 MOUNT SWITCH AND SPACER TO BLOCK ON JAMB, ADJUST HEIGHT TO MATCH MAGNET.
- 1 MOUNT MAGNET USING PILOT HOLES IN SCREEN DOOR FRAME. MOUNT WITH MAGNET TOWARD SWITCH.

NOTES:

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000	X-X	FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000
--	-----	---


- 53F WATER HEATER-ELEC. IGNITION
- 50H RADIOS TWO-WAY (4)
- ID5 ENTERTAINMENT CENTR/EXT W/CD
- IJM HOME THEATER SOUND SYSTEM
- ITA ITASCA ONLY
- WIN WINNEBAGO ONLY
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

FIRST USED	06 D35N
DO NOT SCALE DRAWING	
TITLE: WIRING INSTL-BODY, 12V	
SHEET 3	PART NO 153856




SWITCH-ROCKER
135740-01-CHT (2)
SWITCH-BASE
135741-02-CHT
SWITCH-BEZEL
135742-15-CHT
SCREW
G11-08-08U (4)

DETAIL DA




SWITCH-ROCKER
135740-01-CHT (2)
SWITCH-BASE
135741-02-CHT
SWITCH-BEZEL
135742-19-CHT
SCREW
G11-08-08U (4)

DETAIL DD




SWITCH-ROCKER
135740-06-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-35-CHT
SCREW
G11-08-08U (2)

DETAIL DL 53Z




SWITCH-ROCKER
135740-01-CHT
135740-02-CHT
SWITCH-BASE
135741-02-CHT
SWITCH-BEZEL
135742-16-CHT
SCREW
G11-08-08U (4)

DETAIL DB




SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-11-CHT
SCREW
G11-08-08U (2)


DETAIL DD



DETAIL DG (BACK VIEW)




DETAIL DC




(REAR)

DETAIL DE




SWITCH-BATTERY DISCONNECT 1
108357-06-000
ACTUATOR
108356-11-CHT
PLATE
98351-07-CHT
SCREW
G11-06-16U (2)
CIRCUITS
KF, LH, LJ, LG,
(FROM WIRE ASM-CHASSIS)



DETAIL DG (FRONT VIEW)


WARNING UNDERSTAND OPERATOR'S MANUAL BEFORE USING
KEEP PEOPLE AND OBSTRUCTIONS CLEAR OF
SLIDEOUT ROOM WHEN OPERATING TO AVOID
INJURY AND/OR PROPERTY DAMAGE

LABEL-WARNING
116549-01-000




DETAIL DK

SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)




DETAIL DF

SWITCH-ROCKER
135740-01-CHT
135740-02-CHT
SWITCH-BASE
135741-02-CHT
SWITCH-BEZEL
135742-16-CHT
SCREW
G11-08-08U (4)



DETAIL DJ

SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)



DETAIL DH

53Z WTR HTR-66AL/110/LP/MTR/AUTO
265 CODES/STANDARDS-CSA/CMVSS
1B1 CODES/STANDARDS USA

1B1 265

FIRST USED 06 D35N

DO NOT SCALE DRAWING

TITLE: WIRING INSTL-BODY, 12V





SHEET 4 PART NO 153856

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

1 SWITCH IS TO BE MOUNTED WITH HOUSING ALIGNMENT POST TO BOTTOM OF CUTOUT.

NOTES:



- NOTES:
- △ 4 WRAP LEGS AROUND ANTENNA BASE.
 - △ 3 WITHOUT (ID5) USE ADAPTER AND CONNECT GRN COAX TO GRN/GRN COAX.
 - △ 2 SENSOR SUPPLIED WITH SATELLITE ASSEMBLY.
 - △ 1 SEE DWG 76319-01-000 FOR INSTALLATION INSTRUCTIONS.

- (480) SATELLITE DISH & ELEV.SENSOR
- (ID5) ENTERTAINMENT CENTR/EXT W/CD
- (1JM) HOME THEATER SOUND SYSTEM
- (265) CODES/STANDARDS-CSA/CMVSS
- (1B1) CODES/STANDARDS USA

FIRST USED	
06 D35N	
DO NOT SCALE DRAWING	
TITLE:	
WIRING INSTL-BODY, 12V	
SHEET 5	PART NO 153856

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000