



**DANGER**


**Danger of electrical shock, burns or death.** Always remove all power sources before attempting any repair, service or diagnostic work. Power can be present from shore power, generator, inverter or battery. All power sources must be disabled and secured before performing any service.




**CAUTION**

If you lack the skills, tools or equipment to perform diagnostic or repair work leave such work to an authorized Winnebago Industries dealer or other qualified shop.





DETAIL BA




- NOTES:
- 4. CONNECT TELEPHONE WIRE TO MATCHING COLORS ON PLATE-WALL, TELEPHONE.
  - 3. WIRE PASSES THROUGH FLOOR AT THIS POINT.
  - 2. SEE WIRING DIAGRAM-BODY, 12V FOR ADDITIONAL INFORMATION.
  - 1. ALL WIRES TO BE CLAMPED WITH CLAMP 10495-01-000 OR WIRE TIE 8343-02-000 EVERY 600MM, UNLESS OTHERWISE SPECIFIED.

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000



FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

- (571) RADIO SPEAKERS
- (42B) TV, REAR-WITHOUT
- (10A) TV (REAR)-20"COLOR, STEREO
- (IJM) HOME THEATER SOUND SYSTEM
- (ITA) ITASCA ONLY
- (WIN) WINNEBAGO ONLY
- (265) CODES/STANDARDS-CSA/CMVSS
- (1B1) CODES/STANDARDS USA

FIRST USED	06 F35A
TITLE	DO NOT SCALE DRAWING
TITLE	WIRING INSTL-BODY, 12V
SHEET 2	PART NO 155269 REV



- NOTES:
1. ALL WIRES TO BE CLAMPED WITH CLAMP 10495-01-000 OR WIRE TIE 8343-02-000 EVERY 600MM, UNLESS OTHERWISE SPECIFIED.
  2. SEE WIRING DIAGRAM-BODY,12V FOR ADDITIONAL INFORMATION.
  3. WIRE PASSES THROUGH FLOOR AT THIS POINT.
  4. CONNECT TELEPHONE WIRE TO MATCHING COLORS ON PLATE-WALL, TELEPHONE.
  5. TOP OF LAMP SHADE TO BE NO LESS THAN 150MM BELOW BOTTOM OF CABT.
  6. INSTALL GASKET ON BACK SIDE OF ONE PLACE AFTER INSTALLATION OF THERMOSTAT, MAKING SURE THAT THE GASKET COVERS AND SEALS THE HOLE THAT THE WIRES PASS THROUGH.





- 571** RADIO SPEAKERS
- 50H** RADIOS TWO-WAY (4)
- 290** SOLAR PANEL-10 WATT
- ITA** ITASCA ONLY
- WIN** WINNEBAGO ONLY
- 265** CODES/STANDARDS-CSA/CMVSS
- 1B1** CODES/STANDARDS USA

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

FIRST USED	06 F35A
TITLE	DO NOT SCALE DRAWING
SHEET 3	WIRING INSTL-BODY, 12V
PART NO	155269
REV	








- 3 SEE WIRE ASM-CHASSIS ELECTRICAL BOX FOR ADDITIONAL INFORMATION.
2. SEE WIRING DIAGRAM-BODY,12V FOR ADDITIONAL INFORMATION.
1. ALL WIRES TO BE CLAMPED WITH CLAMP 10495-01-000 OR WIRE TIE 8343-02-000 EVERY 600MM, UNLESS OTHERWISE SPECIFIED.

NOTES:

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

FIRST USED	06 F35A
TITLE:	DO NOT SCALE DRAWING
	WIRING INSTL-BODY, 12V
SHEET 4	PART NO 155269 REV




3. WIRE PASSES THROUGH FLOOR AT THIS POINT.
2. SEE WIRING DIAGRAM-BODY, 12V FOR ADDITIONAL INFORMATION.
1. ALL WIRES TO BE CLAMPED WITH CLAMP 10495-01-000 OR WIRE TIE 8343-02-000 EVERY 600MM, UNLESS OTHERWISE SPECIFIED.

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000


FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

265	CODES/STANDARDS-CSA/CMVSS
1B1	CODES/STANDARDS-USA
1B1	265


FIRST USED	06 F35A
TITLE	DO NOT SCALE DRAWING
TITLE	WIRING INSTL-BODY, 12V
SHEET 5	PART NO 155269 REV




DETAIL FA (52N) 3




DETAIL FA 2 3



DETAIL FB




DETAIL FC




DETAIL FD

SWITC-ROCKER  
135740-01-CHT (2)  
135740-02-CHT  
SWITC-BASE  
135741-01-CHT  
135741-03-CHT  
SWITC-BEZEL  
135742-25-CHT  
SCREW  
G11-08-08U (4)




DETAIL FH

SWITC-ROCKER  
135740-02-CHT  
SWITC-BASE  
135741-01-CHT  
SWITC-BEZEL  
135742-07-CHT  
SCREW  
G11-08-08U (2)



DETAIL FE


SWITC-ROCKER  
135740-01-CHT  
SWITC-BASE  
135741-01-CHT  
SWITC-BEZEL  
135742-07-CHT  
SCREW  
G11-08-08U (2)



DETAIL FF


**WARNING** UNDERSTAND OPERATOR'S MANUAL BEFORE USING  
KEEP PEOPLE AND OBSTRUCTIONS CLEAR OF  
SLIDEOUT ROOM WHEN OPERATING TO AVOID  
INJURY AND/OR PROPERTY DAMAGE

LABEL-WARNING  
116549-01-000




DETAIL FG

SWITC-ROCKER  
135740-01-CHT  
SWITC-BASE  
135741-01-CHT  
SWITC-BEZEL  
135742-50-CHT  
SCREW  
G11-08-08U (2)




DETAIL FJ

SWITC-ROCKER  
135740-01-CHT (2)  
SWITC-BASE  
135741-02-CHT  
SWITC-BEZEL  
135742-20-CHT  
SCREW  
G11-08-08U (4)




DETAIL FK 4

SWITC-BLANK  
138253-01-CHT  
SWITC-BASE  
135741-01-CHT  
SWITC-BEZEL  
135742-01-CHT  
SCREW  
G11-08-08U (2)




DETAIL FK (53D) OR (1B2)

SWITC-ROCKER  
135740-06-CHT  
SWITC-BASE  
135741-01-CHT  
SWITC-BEZEL  
135742-35-CHT  
SCREW  
G11-08-08U (2)



DETAIL FP

SWITC-ROCKER  
135740-01-CHT  
SWITC-BASE  
135741-01-CHT  
SWITC-BEZEL  
135742-01-CHT  
SCREW  
G11-08-08U (2)




DETAIL FR

SWITC ASM-  
SLIDEOUT  
138173-04-000  
CIRCUITS  
NNS, HHF, NNN  
NNP, HHE, NNR


**WARNING** UNDERSTAND OPERATOR'S MANUAL BEFORE USING  
KEEP PEOPLE AND OBSTRUCTIONS CLEAR OF  
SLIDEOUT ROOM WHEN OPERATING TO AVOID  
INJURY AND/OR PROPERTY DAMAGE

LABEL-WARNING  
116549-01-000




DETAIL FL

SWITC-ROCKER  
135740-01-CHT  
SWITC-BASE  
135741-01-CHT  
SWITC-BEZEL  
135742-01-CHT  
SCREW  
G11-08-08U (2)




DETAIL FS




DETAIL FM

SWITC-ROCKER  
135740-01-CHT (2)  
SWITC-BASE  
135741-02-CHT  
SWITC-BEZEL  
135742-19-CHT  
SCREW  
G11-08-08U (4)




DETAIL FT

SWITC-ROCKER  
135740-01-CHT  
SWITC-BASE  
135741-01-CHT  
SWITC-BEZEL  
135742-01-CHT  
SCREW  
G11-08-08U (2)



DETAIL FU

SWITC-ROCKER  
135740-01-CHT  
SWITC-BASE  
135741-01-CHT  
SWITC-BEZEL  
135742-07-CHT  
SCREW  
G11-08-08U (2)



DETAIL FN

SWITC-ROCKER  
135740-01-CHT  
SWITC-BASE  
135741-01-CHT  
SWITC-BEZEL  
135742-11-CHT  
SCREW  
G11-08-08U (2)

- 4 WITHOUT (1B2) OR (53D)
- 3 FOR SWITCH ORIENTATION SEE DETAIL FS.
- 2 WITHOUT (52N)

NOTES:  
1. SWITCHS ARE TO BE INSTALLED AS SHOWN ON THIS DRAWING.



FOR ELECTRICAL  
TORQUE  
SPECIFICATIONS  
SEE DWG NO.  
128783-01-000



FOR ELECTRICAL  
CALLOUTS  
SEE DWG NO.  
121339-01-000

- (53D) WTR HTR-6GAL/ELE/LP/MOTORAID
- (52N) AWNING - PATIO, ELECTRIC
- (265) CODES/STANDARDS-CSA/CMVSS
- (1B2) WTR HTR-10GAL/ELEC/LP/MTRAIID
- (1B1) CODES/STANDARDS USA

FIRST USED	
06 F35A	
DO NOT SCALE DRAWING	
TITLE:	WIRING INSTL-BODY, 12V
SHEET 6	PART NO 155269 REV



WASHER-PLASTIC  
87080-02-CHT (8)  
SCREW  
G11-08-08B (16)

LAMP  
86280-01-000  
SCREW  
G67-10-12U (4)  
CONNECTOR  
58028-01-000 (2)

- NOTES:
- △ 3 LAMP LOCATED IN SLIDEOUT COMPARTMENT.
  - △ 2 LAMP LOCATED IN POWER CORD COMPARTMENT.
  - △ 1 LAMP LOCATED IN SERVICE COMPARTMENT.

- 265 CODES/STANDARDS-CSA/CMVSS
- IJM HOME THEATER SOUND SYSTEM
- IB1 CODES/STANDARDS USA
- WIN WINNEBAGO ONLY
- ITA ITASCA ONLY

FOR ELECTRICAL  
TORQUE  
SPECIFICATIONS  
SEE DWG NO.  
128783-01-000

FOR ELECTRICAL  
CALLOUTS  
SEE DWG NO.  
121339-01-000

FIRST USED	06 F35A
TITLE	DO NOT SCALE DRAWING
SHEET 7	WIRING INSTL-BODY, 12V
PART NO	155269
REV	



