




DANGER

Danger of electrical shock, burns or death. Always remove all power sources before attempting any repair, service or diagnostic work. Power can be present from shore power, generator, inverter or battery. All power sources must be disabled and secured before performing any service.



CAUTION

If you lack the skills, tools or equipment to perform diagnostic or repair work leave such work to an authorized Winnebago Industries dealer or other qualified shop.



- TD 12 Y
- UUJ 12 Y
- DDG 10 Y
- WP 10 Y
- BY 8 BLK
- FX 12 Y
- G 10 Y
- XA 10 Y
- TB 12 Y
- MF 14 Y
- WJ 12 Y
- DDB 14 Y
- LS 12 Y
- MMH 16 Y
- EEE 14 Y
- PPM 14 Y

CONNECTS TO TV POWER CONTROLLER

CONNECTS TO HEATER A/C CONTROLS


















CONNECTS TO BLOWER MOTOR FEED CIRCUIT

PASS THRU STUD

CONNECTS TO POWER DRIVERS SEAT

CB PREP OPTION PROVISION


CONNECTS TO WIRE ASM- DRIVER'S DOOR (SHT 5, D-1) (LOCATED UNDER LEFT DASH)




WIRING DIAGRAM-IP,MAIN,FD (WIRE ASM 165595 REV-C)

WINNEBAGO COPYRIGHT 2006 WINNEBAGO INDUSTRIES, INC.


DFTR	ORIG. DATE
CHNR	ALL DIMENSIONS ARE IN MILLIMETERS
P.E.	FIRST USED
M.E.	09 J&K-SERIES
DSNR	
UNSPECIFIED TOLERANCES ARE:	MATERIAL:
WHOLE DIM (XX)	:
ONE-PLACE (X.X)	:
TWO-PLACE (X.XX)	:
ANGLE	:
THIRD ANGLE PROJECTION	
DO NOT SCALE DRAWING	
TITLE: WIRING DIAGRAM-AUTO	
SHEET 1 of 5	PART NO 166119
REF: 1	3/18/2008




- 6 SEE WIRING DIAGRAM-BODY, 12V FOR ADDITIONAL INFORMATION.
 - 5 SEE WIRING DIAGRAM-AUTO LAMPS FOR ADDITIONAL INFORMATION.
 - 4 SEE MANUFACTURERS DIAGRAM FOR ADDITIONAL INFORMATION.
 - 3 GROUNDS ARE SHOWN AS A SINGLE LINE FOR EASE IN TRACING. EACH GROUND CIRCUIT IS SEPERATE IN THE HARNESS.
 - 2 NOT A SPLICE POINT. INDICATES ENTRY INTO WIRING HARNESS.
- NOTES:
- SPLICES ARE THEORETICAL AND MAY DIFFER IN THE HARNESS.




SSJ-BRAKE CONTROLLER POWER
SSK-BRAKE CONTROLLER GROUND
X-BRAKE CONTROLLER INPUT
(BRAKE LIGHT FEED)
LLG-BRAKE CONTROLLER OUTPUT
(TO TRAILER CONNECTOR)
ML-BACK LIGHTING




- DDG 10 Y
- WP 10 Y
- BY 8 BLK
- FX 12 Y
- SSJ 10 Y
- MF 14 Y
- WJ 12 Y
- DDDB 14 Y
- LS 12 Y
- MMH 16 Y
- EEE 14 Y
- PPM 14 Y
- UUJ 12 Y



CB PREP
OPTION
PROVISION



CONNECTS TO
WIRE ASM-
DRIVER'S DOOR
(SHT 5, D-1)
(LOCATED UNDER
LEFT DASH)




WIRING DIAGRAM-IP,MAIN,WH
(WIRE ASM 165596 REV-B)


09 J&K-SERIES

DO NOT SCALE DRAWING


TITLE: WIRING DIAGRAM-AUTO


F1 SHEET 2 PART NO 166119 REV






- 6 SEE WIRING DIAGRAM-BODY,12V FOR ADDITIONAL INFORMATION.
 - 5 SEE WIRING DIAGRAM-AUTO LAMPS FOR ADDITIONAL INFORMATION.
 - 4 SEE MANUFACTURERS DIAGRAM FOR ADDITIONAL INFORMATION.
 - 3 GROUNDS ARE SHOWN AS A SINGLE LINE FOR EASE IN TRACING. EACH GROUND CIRCUIT IS SEPERATE IN THE HARNESS.
 - 2 NOT A SPLICE POINT. INDICATES ENTRY INTO WIRING HARNESS.
1. SPLICES ARE THEORETICAL AND MAY DIFFER IN THE HARNESS.





WIRING DIAGRAM-IP POD,RIGHT (WIRE ASM 156819-01 REV-C)




WIRING DIAGRAM-IP POD,LEFT (WIRE ASM 156817-01 REV-B)


1. SPLICES ARE THEORETICAL AND MAY DIFFER IN THE HARNESS.

NOTES:


FIRST USED	09 J&K -SERIES		
TITLE:	DO NOT SCALE DRAWING		
SHEET 3	PART NO	166119	REV




WIRING DIAGRAM-IP, LEFT
(WIRE ASM 156816-02 REV-B)



WIRING DIAGRAM-WIPER/WASHER
(WIRE ASM 111096-03 REV-F)
(FORD ONLY)



WIRING DIAGRAM-TEMP, SENSOR
(WIRE ASM 147313 REV-C)
(WORK HORSE ONLY)




WIRING DIAGRAM-WIPER/WASHER
(WIRE ASM 126030 REV-E)
(FORD ONLY)

² SEE MANUFACTURERS DIAGRAM FOR ADDITIONAL INFORMATION.


1. SPLICES ARE THEORETICAL AND MAY DIFFER IN THE HARNESS.

NOTES:

FIRST USED	
09 J&K - SERIES	
DO NOT SCALE DRAWING	
TITLE: WIRING DIAGRAM-AUTO	
SHEET 4	PART NO 166119 REV



WIRING DIAGRAM-IP, POWER MIRROR (WIRE ASM 129436-15 REV-AJ)



WIRING DIAGRAM-SIDEWALL (WIRE ASM 149199-02 REV-F)

1. SPLICES ARE THEORETICAL AND MAY DIFFER IN THE HARNESS.

NOTES:

FIRST USED	09 J&K - SERIES	
TITLE:	DO NOT SCALE DRAWING	
	WIRING DIAGRAM-AUTO	
SHEET 5	PART NO 166119	REV