




DANGER

Danger of electrical shock, burns or death. Always remove all power sources before attempting any repair, service or diagnostic work. Power can be present from shore power, generator, inverter or battery. All power sources must be disabled and secured before performing any service.



CAUTION

If you lack the skills, tools or equipment to perform diagnostic or repair work leave such work to an authorized Winnebago Industries dealer or other qualified shop.



- 5 WIRES PASS UP THRU FLOOR IN THIS AREA
- 4 SEE LOAD CENTER/ATS ASM FOR ADDITIONAL INFORMATION.
- 3 MOUNT LAMP SO THE TOP OF THE SHADE IS 150 FROM BOTTOM OF OVHD CABINET.
- 2 SPOT NAIL AS REQUIRED. PLACE NO MORE THAN 600MM APART.

1. ALL WIRES TO BE SECURED WITH CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 EVERY 600MM, USE SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.




NOTES:

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

X-X FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

- (WIN) WINNEBAGO ONLY
- (ITA) ITASCA ONLY
- (265) CODES/STANDARDS-CSA/CMVSS
- (1B1) CODES/STANDARDS USA

FIRST USED	
09 S40WD	
DO NOT SCALE DRAWING	
TITLE: WIRING INSTL-BODY, 12V	
SHEET 2	PART NO 166403




- WALL LAMP
- 119258-51-CHT (3) ← WIN
- 119258-52-CHT (3) ← ITA
- SHADE
- 119257-24-CHT (3) ← ITA
- BULB
- 69479-01-000 (3)
- SCREW
- 667-10-24U (6)
- CONNECTOR
- 58028-01-000 (6)

- LIGHT-WARDROBE W/SWITCH
- 87694-01-000
- CONNECTOR
- 58028-01-000 (2)
- SCREW
- G11-10-12U (2)

- SPEAKER
- 160868-01-CHT (2)
- GRILLE
- 160868-02-CHT (2)
- SCREW
- G11-08-16U (8)

- LAMP
- 119258-51-CHT (2) ← WIN
- LAMP
- 119258-52-CHT (2) ← ITA
- SHADE
- 119257-24-CHT (2) ← ITA
- BULB
- 67479-01-000 (2)
- SCREW
- 667-10-000 (4)
- CONNECTOR
- 58028-01-000 (4)



RECP. 12V
132958-01-000
DETAIL CC

SWITCHES
DETAIL DC

ROUTE WIRES
THRU HOLE

SWITCH/MAGNET-
STEP, ELECTRIC
116995-03-000
SCREW
G11-06-08B (4)

GROMMET
8386-01-000

RECEPTACLE-12V
132958-01-000
DETAIL CC

SWITCH
DETAIL EP

RECP. 12V
132958-01-000
DETAIL CC

RADIO-WALL MOUNT,
CD W/ALARM
169536-01-000
SCREW
76790-03-000 (4)

WIRE ASM-OVHD
166724-01-000

TO SIDEWALL

TO SIDEWALL

WIRE ASM-SLIDEOUT,RH
166682-01-000

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR
ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000


- (64J) SEAT PED-6-WAY DR/PASS POWER
- (25D) STEREO SYSTEM/W/CD/DVD REAR
- (265) CODES/STANDARDS-CSA/CMVSS
- (1B1) CODES/STANDARDS USA


FIRST USED	
09 S40WD	
DO NOT SCALE DRAWING	
TITLE: WIRING INSTL-BODY,12V	
SHEET 3	PART NO 166403

- 5 SEE WIRING INSTL-CHASSIS FOR ADDITIONAL INFORMATION.
- 4 LEAVE 675±50MM OF WIRE TO ALLOW FOR SEAT MOVEMENT.
- 3 MOUNT SWITCH AND SPACER TO BLOCK ON JAMB, ADJUST HEIGHT TO MATCH MAGNET.
- 2 MOUNT MAGNET USING PILOT HOLES IN SCREEN DOOR FRAME. MOUNT WITH MAGNET TOWARD SWITCH.

1. ALL WIRES TO BE SECURED WITH CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 EVERY 600MM, USE SCREW 667-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INTALLATION.

NOTES:






J
6 BLK
FROM WIRE
ASM-CHASSIS
SCREW
G39-08-06B

K
6 BLK
FROM WIRE
ASM-CHASSIS
SCREW
G39-08-06B

Z
6 BLK
FROM WIRE
ASM-CHASSIS
SCREW
G39-08-06B

BUSS BAR
141744-05-000 (3)
SCREW
G39-08-06B (3)

CIRCUIT BREAKER
93654-02-000 (15)
(15 AMP)
SCREW
G52-06-04B (15)
WASHER
OME02B-04-071 (15)






CIRCUIT BREAKER
93654-01-000
(6 AMP)
SCREW
G52-06-04B
WASHER
OME02B-04-071

CIRCUIT BREAKER
93654-05-000
(10 AMP)
SCREW
G52-06-04B
WASHER
OME02B-04-071

CIRCUIT BREAKER
93655-01-000
(25 AMP)
SCREW
G52-06-04B
WASHER
OME02B-04-071

PLATE
139067-06-CHT
LABEL
92547-14-000
SCREW
G11-10-12U (4)



- 4 SCREW RELAY HOUSING TO SIDEWALL WITH SCREW G11-10-12U.
- 3 WITH SWITCH INSTALLED, THIS SIDE OF SWITCH WILL FACE LEFT SIDEWALL.
- 2 DETAIL IS LOOKING AT SWITCH FROM THE BACKSIDE OF SWITCH WHEN IT IS INSTALLED.


NOTES:
1. ALL WIRES TO BE SECURED WITH CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 EVERY 600MM, USE SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INTALLATION.

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000


265 CODES/STANDARDS-CSA/CMVSS
1B1 CODES/STANDARDS USA
1B1 265

FIRST USED	09 S40WD	
TITLE:	DO NOT SCALE DRAWING	
	WIRING INSTL-BODY, 12V	
SHEET 4	PART NO	166403




WARNING
 CRUSH HAZARD. Keep people and objects clear of the inside and outside of the slideout room when operating. Failure to comply could result in death or serious injury.

DETAIL EA




SWITCH-ROCKER 135740-01-CHT (2)
 SWITCH-BASE 135741-02-CHT
 SWITCH-BEZEL 135742-49-CHT
 SCREW G11-06-16U (4)

DETAIL EE




SWITCH-ROCKER 135740-01-CHT (2)
 SWITCH-BASE 135741-02-CHT
 SWITCH-BEZEL 135742-36-CHT
 SCREW G11-08-08U (4)

DETAIL EK




SWITCH-ROCKER 135740-01-CHT
 SWITCH-BASE 135741-02-CHT
 SWITCH-BEZEL 135742-18-CHT
 SCREW G11-08-08U (4)

DETAIL EN




SWITCH-ROCKER 135740-01-CHT (2)
 SWITCH-BASE 135741-02-CHT
 SWITCH-BEZEL 135742-02-CHT
 SCREW G11-08-08U (4)

DETAIL EB




SWITCH-ROCKER 135740-01-CHT
 SWITCH-BASE 135741-02-CHT
 SWITCH-BEZEL 135742-14-CHT
 SCREW G11-08-08U (4)

DETAIL EF




SWITCH-ROCKER 135740-01-CHT
 SWITCH-BASE 135741-01-CHT
 SWITCH-BEZEL 135742-30-CHT
 SCREW G11-08-08U (2)

DETAIL EJ




SWITCH-ROCKER 135740-01-CHT
 SWITCH-BASE 135741-01-CHT
 SWITCH-BEZEL 135742-07-CHT
 SCREW G11-08-08U (2)

DETAIL EP (39B)




SWITCH-ROCKER 135740-01-CHT
 SWITCH-BASE 135741-02-CHT
 SWITCH-BEZEL 135742-33-CHT
 SCREW G11-08-08U (4)
 WIRE ASM-RESISTOR 140195-01-000

DETAIL EP (39Y)




SWITCH-ROCKER 135740-02-CHT (2)
 SWITCH-BASE 135741-02-CHT
 SWITCH-BEZEL 135742-13-CHT
 SCREW G11-08-08U (4)

DETAIL EC




SWITCH-ROCKER 135740-01-CHT
 SWITCH-BASE 135741-02-CHT
 SWITCH-BEZEL 135742-49-CHT
 SCREW G11-06-16U (4)
 WIRE ASM-RESISTOR 140195-01-000

DETAIL EG




SWITCH-ROCKER 135740-06-CHT
 SWITCH-BASE 135741-01-CHT
 SWITCH-BEZEL 135742-35-CHT
 SCREW G11-08-08U (2)

DETAIL EL




SWITCH-ROCKER 135740-02-CHT
 SWITCH-BASE 135741-01-CHT
 SWITCH-BEZEL 135742-06-CHT
 SCREW G11-08-08U (2)

DETAIL ER




SWITCH-ROCKER 135740-01-CHT
 SWITCH-BASE 135741-01-CHT
 SWITCH-BEZEL 135742-10-CHT
 SCREW G11-08-08U (2)

DETAIL ES




SWITCH 137889-01-000
 SCREW G11-06-10U (2)

DETAIL ED



SWITCH-ROCKER 135740-02-CHT
 SWITCH-BASE 135741-01-CHT
 SWITCH-BEZEL 135742-07-CHT
 SCREW G11-08-08U (2)

DETAIL EH



SWITCH-ROCKER 135740-02-CHT
 SWITCH-BASE 135741-01-CHT
 SWITCH-BEZEL 135742-07-CHT
 SCREW G11-08-08U (2)

DETAIL EM

- (39Y) FAN - CEILING LOUNGE
- (39B) FAN-CEILING-WITHOUT
- (265) CODES/STANDARDS-CSA/CMVSS
- (1B1) CODES/STANDARDS USA

(1B1) (265)


FIRST USED	09 S40WD
TITLE	DO NOT SCALE DRAWING
TITLE	WIRING INSTL-BODY, 12V
SHEET 5	PART NO 166403 REV



FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

(X-X) FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

CONNECT WIRE ASM-RESISTOR, FAN TO 2-PIN HOUSING LOCATED BY THE SWITCH WIRES.


NOTES:






 CENTER FAN OVER 25MM HOLE IN ROOF.
 APPLY LOCTITE P/N 62917-06-000 TO FAN BLADE MOUNTING NUT THREADS.

NOTES:







FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

 FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

-  FAN - CEILING LOUNGE
-  CODES/STANDARDS-CSA/CMVSS
-  CODES/STANDARDS USA

FIRST USED	
09 S40WD	
DO NOT SCALE DRAWING	
TITLE:	
WIRING INSTL-BODY, 12V	
SHEET 6	PART NO 166403 REV






- NOTES:
- 6 REMOVE ALL SHIPPING RESTRAINTS AND FIRMLY INSERT THE SUPPLIED PLUGS INTO THE APPROPRIATE SIZED HOLES AS SPECIFIED IN THE INSTALLATION PROCESS.
 - 5 MOUNT GPS ANTENNA AS FAR TO THE REAR OF THE SATELLITE AS POSSIBLE. SECURE CABLE WITH ROOF SEALANT.
 - 4 SEE DETAIL GD FOR SATELLITE LOCATION.
 - 3 SEAL
 - 2 SEE MANUFACTURER'S INSTALLATION FOR ADDITIONAL INFORMATION.
 - 1 WRAP BRACKET LEGS AROUND ANTENNA BASE.

- 192 TV ANTENNA-AMPLIFIED SYS PWR
- 78K SATELLITE DISH-AUTOMATIC
- 193 TV ANTENNA-AMPLIFIED SYSTEM
- 192 TV ANTENNA-AMPLIFIED SYS PWR
- 1D3 ENTERTAIN CENTR/EXT TV-DVD
- 48R SAT. SYS. IN-MOTION W/O RCVR.
- 290 SOLAR PANEL - 10 WATT
- 25E REAR STEREO SYSTEM W/CD
- 1D5 ENTERTAINMENT CTR/EXT W/CD
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

FIRST USED	09 S40WD	
TITLE	DO NOT SCALE DRAWING	
	WIRING INSTL-BODY, 12V	
SHEET 7	PART NO	166403
	REV	



4 UPON FIRST POWER-UP, THE DISPLAY PANEL WILL PROMPT FOR "GEN TYPE". USE THE ARROW KEYS AND SCROLL TO "OD 6/8" AND PRESS ENTER. NEXT, IT WILL PROMPT FOR "SAFE TYPE". USE THE ARROW KEYS TO SCROLL TO "IGNITION" AND PRESS ENTER. SEE OWNER'S MANUAL FOR ADDITION INFORMATION.

3 INSTALL GASKET ON BACK SIDE OF ONE PLACE AFTER INSTALLATION OF THERMOSTAT, MAKING SURE THAT THE GASKET COVERS AND SEALS THE HOLE THAT THE WIRES PASS THROUGH.

2 CONNECT CIRCUIT WB FROM COACH WIRING TO RED WIRE ON REMOTE PANEL.

1 TIE BACK TO CIRCUIT JC.

NOTES:

- 32W GENERATOR-START,AUTO SYSTEM
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

1B1 265

FIRST USED 09 S40WD


DO NOT SCALE DRAWING

TITLE: WIRING INSTL-BODY,12V


SHEET 8 PART NO 166403 REV

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000


X-X FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000





DETAIL JA




DETAIL JB (BEDROOM)




DETAIL JC (LOUNGE)






DETAIL JD



DETAIL JF



DETAIL JE



DETAIL JG

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

- 44U TV (FRONT) - WITHOUT
- 42K TV-32" COLOR, STEREO W/REMOTE
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

FIRST USED	09 S40WD	
TITLE:	DO NOT SCALE DRAWING	
	WIRING INSTL-BODY, 12V	
SHEET 9	PART NO	166403
	REV	