



DANGER

Danger of electrical shock, burns or death. Always remove all power sources before attempting any repair, service or diagnostic work. Power can be present from shore power, generator, inverter or battery. All power sources must be disabled and secured before performing any service.



CAUTION

If you lack the skills, tools or equipment to perform diagnostic or repair work leave such work to an authorized Winnebago Industries dealer or other qualified shop.

	H25R	H25T	
CABLE ASM-STARTER (RED)	141415-37-070	141415-37-070	△ 3
CABLE ASM-COACH BATTERY (YEL)	141415-52-012	141415-52-012	
CABLE ASM-COACH BATTERY GND (BLK)	133567-12-009	133567-12-009	
CABLE ASM-GENERATOR (GRN)	141416-42-043	141416-42-043	△ 3
CABLE ASM-GENERATOR GND (BLK)	133567-12-006	133567-12-006	△ 3


265 CODES/STANDARDS-CSA/CMVSS
 1B1 CODES/STANDARDS USA
 1B1 265



WINNEBAGO		COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
DFTR	ORIG. DATE	ALL DIMENSIONS ARE IN MILLIMETERS	
CHKR		FIRST USED	
P.E.		10 H-SERIES	
M.E.		UNSPECIFIED TOLERANCES ARE:	
DSNR		MATERIAL:	
		WHOLE DIM (X) :	
		ONE-PLACE (X.X) :	
		TWO-PLACE (X.XX) :	
		ANGLE :	
THIRD ANGLE PROJECTION		DO NOT SCALE DRAWING	
TITLE: BATTERY INSTL			
SHEET 1 OF 2	PART NO	170330	REV
REF:		1 10/28/2009	

- △ 3 ROUTING OF CABLE SHOWN ON WIRING INSTL-CHASSIS ONLY.
2. BATTERY CABLES ARE NOT TO BE ROUTED OVER BATTERY FILL CAPS.
1. SEE WIRING INSTL-CHASSIS FOR ADDITIONAL INFORMATION FOR ROUTING CABLES.
- NOTES:

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR
ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000





BATTERY BOX

VIEW BA

- 5 USED ON H25R ONLY.
- 4 USED ON H25T ONLY.
- 3 CABLES MAY BE ROUTED DIFFERENTLY DEPENDING ON FLOORPLAN. SEE WIRING INSTL-CHASSIS FOR ADDITIONAL INFORMATION.

- 2. BATTERY CABLES ARE NOT TO BE ROUTED OVER BATTERY FILL CAPS.
 - 1. CHASSIS FOR ADDITIONAL INFORMATION FOR ROUTING CABLES.
- NOTES:

265 CODES/STANDARDS-CSA/CMVSS
 1B1 CODES/STANDARDS USA
 1B1 265

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

X-X FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

FIRST USED	
10 H-SERIES	
DO NOT SCALE DRAWING	
TITLE: BATTERY INSTL	
SHEET 2	PART NO 170330 REV