




DANGER

Danger of electrical shock, burns or death. Always remove all power sources before attempting any repair, service or diagnostic work. Power can be present from shore power, generator, inverter or battery. All power sources must be disabled and secured before performing any service.




CAUTION

If you lack the skills, tools or equipment to perform diagnostic or repair work leave such work to an authorized Winnebago Industries dealer or other qualified shop.



SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)

DETAIL AA



1KM DODGE-11,030# DIESEL,COWL
265 CODES/STANDARDS-CSA/CMVSS
1B1 CODES/STANDARDS USA

1B1 265 1KM



DFT	ORIG. DATE
CHKR	ALL DIMENSIONS ARE IN MILLIMETERS
P.E.	
M.E.	FIRST USED
DSNR	10 H-SERIES
UNSPECIFIED TOLERANCES ARE:	MATERIAL:
WHOLE DIM (X, X1) ± 3	
ONE-PLACE (X, X1) ± 1.5	
TWO-PLACE (X, X1) ± 0.50	
ANGLE ± 1°	
THIRD ANGLE PROJECTION	

DO NOT SCALE DRAWING






TITLE:	WIRING INSTL-FRONT END
SHEET 1 of 4	PART NO 170768

REF: 1 3/11/2010

NOTES:
2 LOCATED BELOW DRIVER'S SEAT.
1 SEE WIRING INSTL-EXTERIOR LAMPS FOR ADDITIONAL INFORMATION.

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000




FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000


1KM DODGE-11,030# DIESEL,COWL
265 CODES/STANDARDS-CSA/CMVSS
1B1 CODES/STANDARDS USA

1B1 265 1KM


FIRST USED		
10 H-SERIES		
DO NOT SCALE DRAWING		
TITLE		
WIRING INSTL-FRONT END		
SHEET 2	PART NO	REV
	170768	




VIEW CA



DETAIL CB



DETAIL CC



DETAIL CD

1 CUT BRN/WHT WIRE FROM PARK BRAKE SWITCH AND RECONNECT TO CIRCUIT DY OF WIRE ASM-CHASSIS AS SHOWN.

NOTES:

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

1KM DODGE-11,030# DIESEL,COWL
265 CODES/STANDARDS-CSA/CMVSS
1B1 CODES/STANDARDS USA

1B1 265 1KM

10 H-SERIES

DO NOT SCALE DRAWING

TITLE: WIRING INSTL-FRONT END

SHEET 3 PART NO 170768 REV

3/11/2010

8

7

6


5

4


3

2

1



DWG
NO 170768 INDICATES COMPONENTS
TO BE DETERMINED

VIEW DA

DETAIL DC 

NOTES:

 CONNECTION POINT IS LOCATED UNDER DRIVER'S SEAT.



1KM DODGE-11,030# DIESEL,COWL

265 CODES/STANDARDS-CSA/CMVSS

1B1 CODES/STANDARDS USA

1B1 265 1KM

FIRST USED

10 H-SERIES

DO NOT SCALE DRAWING

TITLE:

WIRING INSTL-FRONT END

SHEET 4

PART NO 170768

REV

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

X-X

FOR ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000

1 3/11/2010