



DANGER

Danger of electrical shock, burns or death. Always remove all power sources before attempting any repair, service or diagnostic work. Power can be present from shore power, generator, inverter or battery. All power sources must be disabled and secured before performing any service.



CAUTION

If you lack the skills, tools or equipment to perform diagnostic or repair work leave such work to an authorized Winnebago Industries dealer or other qualified shop.

LAMP-MARKER, LENS, AMBER
117826-02-000
GASKET-MARKER LAMP
117826-03-000
BULB
36196-01-000
SCREW
G11-08-12U (2)

LAMP-MARKER, BASE
111102-01-000
LAMP-MARKER, LENS, AMBER
111102-02-000
SCREW
G11-08-12U (EXT) (2)
CONNECTOR
58028-01-000 (4)

LAMP-MARKER, LENS, RED
117826-01-000
GASKET-MARKER LAMP
117826-03-000
BULB
36196-01-000
SCREW
G11-08-12U (2)

LAMP-MARKER, RED
117826-01-000
GASKET-MARKER LAMP
117826-03-000
BULB
36196-01-000
SCREW
G11-08-12U (2)

LAMP-MARKER, BASE
111102-01-000
LAMP-MARKER, LENS, AMBER
111102-02-000
SCREW
G11-08-12U (EXT) (2)
CONNECTOR
58028-01-000 (4)

LAMP-MARKER, AMBER
117826-02-000
GASKET-MARKER LAMP
117826-03-000
BULB
36196-01-000
SCREW
G11-08-12U (2)

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR
ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000

265 CODES/STANDARDS-CSA/CMVSS

1B1 CODES/STANDARDS USA

1B1 265




COPYRIGHT 2008
WINNEBAGO
INDUSTRIES, INC.


DFTR	ORIG. DATE
CHKR	ALL DIMENSIONS ARE IN MILLIMETERS
P.E.	
M.E.	FIRST USED
DSNR	10 P-SERIES
UNSPECIFIED TOLERANCES ARE:	MATERIAL:
HOLE DIM (X)	:
ONE-PLACE (X,X)	:
TWO-PLACE (X,XX)	:
ANGLE	:
THIRD ANGLE PROJECTION	

DO NOT SCALE DRAWING

TITLE:	WIRING INSTL-EXTERIOR LAMPS
SHEET 1 OF 4	PART NO 171531

REF: 12/12/2008





LAMP-MARKER, BASE
111102-01-000 (5)
LAMP-MARKER, LENS
111102-02-000 (5)
SCREW
611-08-12U (10)

2 PIN HOUSING
TO WIRE ASM-IP, MAIN

WIRE ASM-CLEARANCE LAMPS
129943-01-000

TO WIRE ASM-IP, MAIN

2,2,3 PIN HSGS
TO RIGHT HEADLAMP

2 WIRE DROP
TO SIDEMARKER LAMP

2 PIN HOUSING
TO FOGLAMP

WIRE ASM-
HEADLAMP, RIGHT
146086-16-000

5 PIN HOUSING
TO CHASSIS WIRING

TO WIRE ASM-IP, MAIN

2,2,3 PIN HSGS
TO LEFT HEADLAMP

2 WIRE DROP
TO SIDEMARKER LAMP

2 PIN HOUSING
TO FOGLAMP

WIRE ASM-
HEADLAMP, LEFT
146086-15-000

265 CODES/STANDARDS-CSA/CMVSS

181 CODES/STANDARDS USA


181 265

10 P-SERIES		
DO NOT SCALE DRAWING		
TITLE: WIRING INSTL-EXTERIOR LAMPS		
SHEET 3	PART NO 171531	REV

12/12/2008

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR
ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000



265 CODES/STANDARDS-CSA/CMVSS

1B1 CODES/STANDARDS USA

1B1 265

10 P-SERIES		
DO NOT SCALE DRAWING		
TITLE: WIRING INSTL-EXTERIOR LAMPS		
SHEET 4	PART NO 171531	REV

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR
ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000