





DANGER

Danger of electrical shock, burns or death. Always remove all power sources before attempting any repair, service or diagnostic work. Power can be present from shore power, generator, inverter or battery. All power sources must be disabled and secured before performing any service.



CAUTION

If you lack the skills, tools or equipment to perform diagnostic or repair work leave such work to an authorized Winnebago Industries dealer or other qualified shop.



- 6 USE TAPE 136748-01-000 TO SECURE WIRES IN A-POST.
5 SEE ANTENNA INST-RADIO & CB FOR ADDITIONAL INFO.
4 APPLY FOAM TAPE TO BOTTOM OF FAN TO SEAL FAN TO PANEL.
3 CABLE SUPPLIED WITH SATELLITE RADIO RECEIVER. PLUG INTO BACK OF RADIO & TIE TO IP,MAIN. ROUTE UP A-POST WITH RADIO ANTENNA WIRE.

2. USE SEAL-TRIM 113452-01-000 TO PROTECT WIRES FROM SHARP EDGES.
1. SEE WIRING INSTL-CHASSIS FOR ADDITIONAL INFORMATION.

NOTES:

4
FAN-DEFROSTER
154851-01-000
TAPE-FOAM
99069-01-000
(120) (2)
(45) (2)
SCREW
G11-08-12B (6)
PANEL-PLENUM
170841-03-CHT
SCREW
G39-10-12U (6)
ADAPTER-HOSE
171749-01-CHT (2)
HOSE
007281-01-000
(650) (650)

2 PIN HSG TO
CLEARANCE LIGHTS

SPEAKER
94097-01-000 (2)
GRILLE
159430-01-CHT (2)
SPACER
172211-01-CHT (2)
SCREW
G11-08-20U (8)

(6) BUTT SPLICES
TO SUNVISOR
HHK-BLK
HHL-BLK/GRY
HHM-BLK
HHN-BLK/GRY
JJX-BRN (2)

6 PIN HOUSING
TO WIRE ASM-ROOF

70C
RECEIVER-SAT RADIO
163142-20-000
DOCKING KIT
163142-17-000
BRACKET
168979-03-CHT

RECEPTACLE-12V
111414-01-000
DETAIL AA

6
TAPE
(400 MM)

WIRING TO OUTSIDE

WIRE ASM-IP,MAIN
174143-01-000

6 & 2 PIN HOUSING
TO LEFT MIRROR

3 5
RADIO ANTENNA WIRE

BRACKET-RELAY PANEL
145448-01-CHT
SCREW
G67-10-08U (4)

12V BREAKER PANEL
DETAIL CA

DOOR ASM
145066-03-CHT
SCREW
G67-06-10U (6)
SCREW
G67-10-08U (4)

PANEL ASM
145063-05-CHT
SCREW
G67-06-10U (6)
PLUG
061420-15-000

SWITCHES
DETAIL DB

WIRE ASM-OVHD,FRONT
176627-01-000

SPEAKER-6X9
124884-01-000
GRILLE
151844-01-CHT
SCREW
G11-08-12U (4)

TO DOOR
CONTACT PLATE
DETAIL AB

LIGHT-READING,LED,FLEX
174060-01-CHT (2)
SCREW
G11-08-16J (4)
CONNECTOR
58028-01-000 (4)

RELEASE	REV DATE A	1	DWG NO 174132
REV ZONE	REVISION RECORD	DATE	DFTR-0R16

- 70C RADIO - SATELLITE
265 CODES/STANDARDS-CSA/CMVSS
1B1 CODES/STANDARDS USA

1B1 265

WINNEBAGO		COPYRIGHT 2010 WINNEBAGO INDUSTRIES, INC.	
DFTR	ORIG. DATE		
CHKR	ALL DIMENSIONS ARE IN MILLIMETERS		
P.E.			
M.E.	FIRST USED		
DSNR	11 R-SERIES		
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
HOLE DIM (X)		3	
ONE-PLACE (X,X)		1.5	
TWO-PLACE (X,XX)		0.50	
ANGLE		1°	
THIRD ANGLE PROJECTION			


DO NOT SCALE DRAWING

TITLE: WIRING INSTL-FRONT END	PART NO 174132	REV
SHEET 1 of 6	174132	

REF: 12/17/2010

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000



CB POWER PROVISION
YELLOW +12V
WHITE GROUND
COAX ANTENNA
(SEE REVERSE SIDE ALSO)

LABEL-CB PREP OPTION
104678-01-000

2

WHT YEL

TO CUSTOMERS
CB RADIO

DETAIL BA 579

1 2 PIN HOUSING
(2) BUTT SPLICES

RADIO ANTENNA CABLE
& SAT RADIO WIRING ONLY

(2) BUTT SPLICES
TO CB PREP
DETAIL BA

RING TERMINALS
TO GROUND STUD

2 & 6 PIN HOUSINGS
TO HEATER/AC CONTROLS

RADIO WIRING

TO SWITCHES
DETAIL EB

(2) SPADE TERINALS
TO LEFT SUBWOOFER

WIRING TO OVHD ROUTES
UP B-POST COVER

DIAGNOSTIC CONNECTOR
(CHASSIS SUPPLIED)
SCREW
G39-06-06B (4)

GROMMET
23942-01-000
FOAM
110744-01-000 (A/R)

DETAIL BA

2 EDGE OF LABEL TO HANG JUST BELOW BOTTOM OF DASH.
1 ROUTE WIRES UP LEFT A-PILLAR.

NOTES:




FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000

579 RADIO - CB WIRE PREP
265 CODES/STANDARDS-CSA/CMVSS
1B1 CODES/STANDARDS USA

1B1 265

11 R-SERIES		
DO NOT SCALE DRAWING		
TITLE: WIRING INSTL-FRONT END		
SHEET 2	PART NO 174132	REV



- NOTES:
- 4 CIRCUIT FROM WIRE ASM-WIPER.
 - 3 SEAL ALL SCREWS ON EXTERIOR SIDE OF COMPARTMENT. REFER TO SEALANT MANUAL.
 - 2 CHASSIS SUPPLIED LOOM IS LABELED TO CORRESPOND WITH LABEL ON MODULE.
 - 1 CIRCUITS LABELED ON BREAKER ARE FROM WIRE ASM-IP, MAIN, UNLESS OTHERWISE SPECIFIED.

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR
ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000

FIRST USED	
11 R-SERIES	
DO NOT SCALE DRAWING	
TITLE:	
WIRING INSTL-FRONT END	
SHEET 3	PART NO 174132
REV	
12/17/2010	

8

7

6

5


4

3


2

1

DWG NO 174132



DETAIL EA



DETAIL EB

ALL STANDARD GAUGES, RETAINER CLIPS AND FASTENERS ARE CHASSIS SUPPLIED.

NOTES:

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000



265 CODES/STANDARDS-CSA/CMVSS

1B1 CODES/STANDARDS USA

1B1 265

11 R-SERIES		
DO NOT SCALE DRAWING		
TITLE: WIRING INSTL-FRONT END		
SHEET 5	PART NO 174132	REV

1 12/17/2010



VIEW FA

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR
ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000

265 CODES/STANDARDS-CSA/CMVSS

1B1 CODES/STANDARDS USA

1B1 265

11 R-SERIES		
DO NOT SCALE DRAWING		
TITLE: WIRING INSTL-FRONT END		
SHEET 6	PART NO 174132	REV