



DANGER

Danger of electrical shock, burns or death. Always remove all power sources before attempting any repair, service or diagnostic work. Power can be present from shore power, generator, inverter or battery. All power sources must be disabled and secured before performing any service.



CAUTION

If you lack the skills, tools or equipment to perform diagnostic or repair work leave such work to an authorized Winnebago Industries dealer or other qualified shop.

LAMP-MARKER, BASE
111102-01-CHT
LAMP ASM-CLEARANCE, RED
111102-03-CHT
SCREW
G11-08-12U (EXT) (2)

LEXT-1

LAMP-MARKER, BASE
111102-01-CHT
LAMP ASM-CLEARANCE, AMBER
111102-02-CHT
SCREW
G11-08-12U (EXT) (2)
CONNECTOR
5802B-01-000 (2)

LAMP-MARKER, BASE
111102-01-CHT
LAMP ASM-CLEARANCE, RED
111102-03-CHT
SCREW
G11-08-12U (EXT) (2)

LAMP-MARKER, BASE
111102-01-CHT
LAMP ASM-CLEARANCE, AMBER
111102-02-CHT
SCREW
G11-08-12U (EXT) (2)
CONNECTOR
5802B-01-000 (2)

265 CODES/STANDARDS-CSA/CMVSS
1B1 CODES/STANDARDS USA
1B1 265

Winnebago		COPYRIGHT 2010 WINNEBAGO INDUSTRIES, INC.	
DFTR	ORIG. DATE		
CHKR	ALL DIMENSIONS ARE IN MILLIMETERS		
P.E.	M.E.		
DSNR	FIRST USED 11 200-SERIES		
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) ± 3			
ONE-PLACE (X.X) ± 1.5			
TWO-PLACE (X.XX) ± 0.50			
ANGLE ± 1°			
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING			
TITLE: WIRING INSTL-EXTERIOR LAMPS			
SHEET 1 of 2		PART NO 174457 REV	
REF:		1 2/22/2010	

1 USED ONLY WITH 231C, 231J, 231N & 229T.
NOTES:

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000

2-PIN HOUSING
TO WIRE ASM-ROOF

CLEARANCE LAMPS, AMBER
132978-01-000 (5)
SCREW
G11-08-28B (10)
BULB
36196-01-000 (5)

LAMP-MARKER, BASE
111102-01-CHT (5)
LAMP ASM-CLEARANCE, AMBER
111102-02-CHT (5)
SCREW
G11-08-12U (EXT) (10)

WIRE ASM-CLEARANCE LAMPS
152164-01-000

LIGHT ASM-HIGH
MOUNT BRAKE
136916-01-000
SCREW
G11-02-20T (2)
CONNECTOR
58028-01-000 (2)
BLK/WHT-YEL
BLK-WHT

LAMP ASM-STOP/TURN/
TAIL/BACKUP
153658-01-CHT (2)
SCREW
G11-08-12U (8)
CONNECTOR
58028-01-000 (8)
SEALER-TAPE
69640-21-000 (3,4)

BRACKET-LICENSE
66432-03-000
SCREW
G67-10-129 (2)
LIGHT-LICENSE
66432-02-000
SCREW
G39-08-12T (EXT) (2)
CONNECTOR
58028-01-000 (2)

8-PIN HOUSING
TO WIRE ASM-CHASSIS

CONNECTOR-TRAILER
157593-01-000
SCREW
101618-01-000 (4)

LAMP-MARKER, BASE
111102-01-CHT (5)
LAMP ASM-CLEARANCE, RED
111102-03-CHT (5)
SCREW
G11-08-12U (EXT) (10)

SEE DETAIL BA

610 (2)

65 (2)

STOP/
TAIL
BACKUP

BLK BRN RED
WHT
TR MS MM SC

TO WIRE ASM-
BACKWALL
DETAIL BA

STOP/
TAIL
BACKUP

RED WHT BLK
BRN
SD MM MS TR

TO WIRE ASM-
BACKWALL
DETAIL BB

5 USED ONLY ON THE PREMIER MODEL.

4 NOT USED ON THE PREMIER MODEL.

3 LOCATED IN BACKWALL ASSEMBLY

2 SECURE WIRE BELOW COACH WITH CLAMP
10495-01-000 AND SCREW G67-10-12B.

NOTES:
1. CONNECTOR-PLUG, TRAILER 146246-01-000 TO BE SUPPLIED
LOOSE IN OWNERS PACKET WITH TRAILER TOW PACKAGE.

265 CODES/STANDARDS-CSA/CMVSS

1B1 CODES/STANDARDS USA

1B1 265

11 200-SERIES

DO NOT SCALE DRAWING

TITLE:
WIRING INSTL-EXTERIOR LAMPS

SHEET 2 PART NO 174457 REV

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR
ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000