



DANGER

Danger of electrical shock, burns or death. Always remove all power sources before attempting any repair, service or diagnostic work. Power can be present from shore power, generator, inverter or battery. All power sources must be disabled and secured before performing any service.



CAUTION

If you lack the skills, tools or equipment to perform diagnostic or repair work leave such work to an authorized Winnebago Industries dealer or other qualified shop.

8

7

6

5

4

3

2

1

DRAWING NO.	FEATURES	SHEETS
174792-01	12X	1 , 2
174792-02	22W	1 , 3
174792-03	644	1 , 4

	224V	2260	231C	231J	231N	
CABLE ASM-STARTER (RED)	16C 16Y	141415-34-048	141415-34-052	141415-34-053	141415-34-052	141415-34-050
CABLE ASM-COACH BATTERY (YEL)	16C 16Y	141415-52-010	141415-52-017	141415-52-016	141415-52-030	141415-52-022
CABLE ASM-COACH BATTERY GND (BLK)	16C 16Y	133566-12-009	133566-12-008	133566-12-008	133566-12-008	133566-12-008
CABLE ASM-GENERATOR (GRN)	16C 16Y	141415-42-032	141415-42-058	141415-42-068	141415-42-028	141415-42-070
CABLE ASM-GENERATOR GND (BLK)	16C 16Y	133566-11-008	133566-11-008	133566-11-008	133566-11-008	133566-11-008

	728B	730C	
CABLE ASM-STARTER (RED)	16Y	141415-34-057	141415-34-053
CABLE ASM-COACH BATTERY (YEL)	16Y	141415-52-013	141415-52-020
CABLE ASM-COACH BATTERY GND (BLK)	16Y	133566-12-008	133566-12-008
CABLE ASM-GENERATOR (GRN)	16Y	141415-42-024	141415-42-075
CABLE ASM-GENERATOR GND (BLK)	16Y	133566-11-008	133566-11-008
LEVELING SYSTEM POWER CABLE (BLU)	60M	141415-22-010	141415-22-011

2

SEE LEVELING SYSTEM INSTL FOR ADDIDTIONAL INFORMATION.

1

ROUTING OF CABLES SHOWN ON WIRING INSTL-CHASSIS ONLY.

NOTES:

8

7

6

5

4

3

2

1

RELEASE

REV DATE

1 A

DWG NO

174792

REV ZONE

REVISION RECORD

DATE

DFT-016

60M

HYDRAULIC LEVEL JACKS-AUTO

644

GREAT ALASKAN RENTAL PACKAGE

22W

BATTERY-SECOND

12X

BATTERY-ONE

16Y

FORD CHASSIS - 14,500#

16C

FORD CHASSIS 11,500 LB.GVWR

265

CODES/STANDARDS-CSA/CMVSS

1B1

CODES/STANDARDS USA

1B1

265

WINNEBAGO

0 0 0 0 0 0 0 0 0 0

COPYRIGHT 2010

WINNEBAGO

INDUSTRIES, INC.

DFT-016

CHK-016

P.E.-016

M.E.-016

DSNR-016

ORIG. DATE

ALL DIMENSIONS ARE IN MILLIMETERS

FIRST USED

11 200/700 SERIES

UNSPECIFIED TOLERANCES ARE:

WHOLE DIM (X) :

ONE-PLACE (X.X) :

TWO-PLACE (X.XX) :

ANGLE :

MATERIAL:

THIRD ANGLE PROJECTION

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

X-X

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

DO NOT SCALE DRAWING

TITLE:

BATTERY INSTL

SHEET 1 OF 4

PART NO


174792

REV


REF:

1

8/26/2010



VIEW BA



BATTERY BOX

2 BATTERY CABLES ARE NOT TO BE ROUTED OVER BATTERY FILL CAPS.

1. SEE WIRING INSTL-CHASSIS FOR ADDITIONAL INFORMATION.

NOTES:

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000

12X BATTERY-ONE
265 CODES/STANDARDS-CSA/CMVSS
1B1 CODES/STANDARDS USA

1B1 265 12X

11 200/700 SERIES


DO NOT SCALE DRAWING

TITLE: BATTERY INSTL


SHEET 2 PART NO 174792 REV



BOLT
C26-05-16B
NUT
D39-05-00B
TO GROUND BAR



VIEW CA  



BATTERY BOX

-  THE POSITIVE AND NEGATIVE BATTERY CABLES ARE TO BE TERMINATED ON OPPOSITE BATTERIES.
-  BATTERY CABLES ARE NOT TO BE ROUTED OVER BATTERY FILL CAPS.

NOTES:
1. SEE WIRING INSTL-CHASSIS FOR ADDITIONAL INFORMATION.


FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000


 BATTERY - SECOND
 CODES/STANDARDS - CSA/CMVSS
 CODES/STANDARDS USA

FIRST USED 11 200/700 SERIES		
DO NOT SCALE DRAWING		
TITLE: BATTERY INSTL		
SHEET 3	PART NO 174792	REV



VIEW DA 



BATTERY BOX

 BATTERY CABLES ARE NOT TO BE ROUTED OVER BATTERY FILL CAPS.

1. SEE WIRING INSTL-CHASSIS FOR ADDITIONAL INFORMATION.

NOTES:

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

 FOR
ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000

644 GREAT ALASKAN RENTAL PACKAGE
265 CODES/STANDARDS-CSA/CMVSS
1B1 CODES/STANDARDS USA

1B1 265 644

FIRST USED		
11 200/700 SERIES		
DO NOT SCALE DRAWING		
TITLE: BATTERY INSTL		
SHEET 4	PART NO 174792	REV