



DANGER

Danger of electrical shock, burns or death. Always remove all power sources before attempting any repair, service or diagnostic work. Power can be present from shore power, generator, inverter or battery. All power sources must be disabled and secured before performing any service.



CAUTION

If you lack the skills, tools or equipment to perform diagnostic or repair work leave such work to an authorized Winnebago Industries dealer or other qualified shop.

DRAWING NO.	MODEL	SHEETS
175190-01	524A	1,2
175190-02	524J	3,4,9,10
175190-03	524K	5,6,9,10
175190-04	524G	7,8



INDICATES COMPONENTS
TO BE DETERMINED

RELEASE	REV DATE	DWG NO	175190
REV ZONE	REVISION RECORD	DATE	DFTR-ORIG

BRACKET-TV
173454-02-CHT
SCREW
G11-08-10U (8)

TV-32",LCD
173556-01-000
SCREW
OMG02B-06-016 (4)
WASHER
142195-01-CHT (4)
BRACKET-TV MTG
173453-02-CHT
SCREW
G11-08-10U (2)

RELAY-SPEAKER
115539-01-000
CROSSOVER COIL-
SPEAKER
150140-02-000
CLAMP
10497-02-000
SCREW
G67-10-12B

RADIO-WALL MOUNT
169536-01-CHT
SCREW
76790-03-000 (4)

CROSSOVER BOX
150140-01-000
SCREW
G11-08-08U (4)

PLATE-RCA, 6-WAY
169065-02-CHT
SCREW
G13-05-10B (2)

PLATE-WALL,COAX
149557-09-CHT
SCREW
G67-10-08U (2)

PLATE-WALL, ANT/CABLE
169802-01-CHT
SCREW
G12-06-08U (2)

- 255 RADIO/AM/FM/CD/DVD PLAYER
- 42K TV-32" COLOR,STEREO W/REMOTE
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

1B1 265 42K




COPYRIGHT 2011
WINNEBAGO
INDUSTRIES, INC.

DFTR	ORIG. DATE
CHKR	ALL DIMENSIONS ARE IN MILLIMETERS
P.E.	
M.E.	FIRST USED
DSNR	11 500-SERIES
UNSPECIFIED TOLERANCES ARE:	MATERIAL:
WHOLE DIM (X)	: 3
ONE-PLACE (X,X)	: 1.5
TWO-PLACE (X,XX)	: 0.50
ANGLE	: 1°
THIRD ANGLE PROJECTION	

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR
ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000

DO NOT SCALE DRAWING			
TITLE: WIRING INSTL-TV/DVD			
SHEET 1 OF 10	PART NO	175190	REV
REF:		1 4/1/2011	



- 10
- WRAP BOTH ENDS OF FILTER CONNECTIONS WITH TAPE 8363-01-000 TO SECURE FILTER TO WIRE ASM.
- 9
- CONNECTS IN-LINE OF YELLOW VIDEO CABLE.
- 8
- SET POWER SWITCH TO "ON" POSITION BEFORE INSTALLING TELEVISION.
- 7
- CONNECT CABLE-RCA TO RADIO 'AUX INPUT' CONNECTION.
- 6
- CONNECTED TO THE REAR SIDE OF SATELLITE PREP PLATE CONNECTION LABELED "FROM PORTABLE SATELLITE DISH"
- 5
- CONNECTED TO THE REAR SIDE OF SATELLITE PREP PLATE, CONNECTION LABELED "FROM ROOF SATELLITE DISH".
- 4
- SEE WIRING INSTL-BODY, 12V FOR ADDITIONAL INFORMATION.
- 3
- CONNECTED TO THE FRONT SIDE OF SATELLITE PREP PLATE, CONNECTION LABELED "TO SATELLITE RECEIVER OUTPUT".
- 2
- CABLE ROUTED IN ROOF.
- 1
- CONNECTED TO THE REAR SIDE OF SATELLITE PREP PLATE, CONNECTION LABELED "TO SATELLITE RECEIVER OUTPUT".

NOTES:

DETAIL BA


FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

X-X


FOR
ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000

- 40B
- INVERTER-DC/AC, 300 WATT
- 42K
- TV-32" COLOR, STEREO W/REMOTE
- 265
- CODES/STANDARDS-CSA/CMVSS
- 1B1
- CODES/STANDARDS USA

FIRST USED	11	500-SERIES
TITLE:	DO NOT SCALE DRAWING	
WIRING INSTL-TV/DVD		
SHEET 2	PART NO 175190	REV



VIEW CA



DETAIL CB

TV-19\"/>

CHANNEL-WIRE COVER
158460-01-CHT
SCREW
G39-08-08U (3)

WIRE ASM-SIDEWALL
(REF)

WALLPLATE
(REF)

PLATE-COMPONENT/COMPOSITE
(REF)

PLATE-WALL
(REF)

- NOTES:
- 2 REMOVE PANELING SO NUT-SERT CLAMPS JUST THE INNER WALL OF THE SIDEWALL TUBE.
 - 1 SEE WIRING INSTL-BODY,12V FOR ADDITIONAL INFORMATION.

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR
ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000

1LK TV-19\"/>

1B1 265 1LK




11 500-SERIES

DO NOT SCALE DRAWING

TITLE: WIRING INSTL-TV/DVD

SHEET 3 PART NO 175190 REV

2 8 CABLE ASM-COAX (GLD)
CABLE ASM-COAX (ORG) 2 5



CABLE - COMPONENT/
COMPOSITE
168245-01-000

CABLE ASM-COAX
87105-09-015
(BRN)

WIRE ASM-SIDEWALL
(REF)

2 PIN CONNECTOR

12V POWER CABLE

CABLE - RCA 6

CABLE - RCA 6

4 12 PIN HOUSING

FILTER-GROUND LOOP 4

- 11 WRAP BOTH ENDS OF FILTER CONNECTIONS WITH TAPE 8363-01-000 TO SECURE FILTER TO WIRE ASM.
- 10 CONNECT IN-LINE OF YELLOW VIDEO CABLE.
- 9 YELLOW CONNECTOR IS NOT USED. TAPE BACK TO CABLE.
- 8 CONNECTED TO THE REAR SIDE OF SATELLITE PREP PLATE CONNECTION LABELED "FROM PORTABLE SATELLITE DISH"
- 7 CONNECT CABLE-RCA TO RADIO 'AUX INPUT' CONNECTION.
- 6 CABLE PART OF WIRE ASM-COACH
- 5 CONNECTED TO THE REAR SIDE OF SATELLITE PREP PLATE, CONNECTION LABELED "FROM ROOF SATELLITE DISH".
- 4 SEE WIRING INSTL-BODY,12V FOR ADDITIONAL INFORMATION.
- 3 CONNECTED TO THE FRONT SIDE OF SATELLITE PREP PLATE, CONNECTION LABELED "TO SATELLITE RECEIVER OUTPUT".
- 2 CABLE ROUTED IN ROOF.
- 1 CONNECTED TO THE REAR SIDE OF SATELLITE PREP PLATE, CONNECTION LABELED "TO SATELLITE RECEIVER OUTPUT".

4

7

PLUG ANTENNA WIRE
INTO ANTENNA SOCKET

RADIO

RCA CONNECTION
YEL ON GRY LEAD
IS NOT USED

BLACK LEADS WITH
RED,WHT OR YEL CONNECTOR
LABELED VIDEO/AUDIO OUT

FILTER-VIDEO NOISE
165161-01-000 10 11

2 CABLE ASM-COAX (BLU)

2 CABLE ASM-COAX (RED)


ANTENNA

CABLE
SET 2

CABLE ASM-COAX
87105-09-003
(BRN)

TO BDRM
TV PREP
PLATE

COAX (GRN) 6



SPLITTER
86756-01-000
SCREW
611-08-12B (2)

- 1LK TV-19"DC,COLOR,LCD W/REMOTE
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

1B1 265 1LK

11 500-SERIES

DO NOT SCALE DRAWING

TITLE: WIRING INSTL-TV/DVD

SHEET 4 PART NO 175190 REV


1 4/1/2011

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR
ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000

DETAIL DA

NOTES:



- 255 RADIO/AM/FM/CD/DVD, COACH
- 61A TV-26" COLOR, STEREO W/REMOTE
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

1B1 265 61A


FIRST USED		
11 500-SERIES		
DO NOT SCALE DRAWING		
TITLE: WIRING INSTL-TV/DVD		
SHEET 5	PART NO 175190	REV





- 3 SEE WIRING INSTL-BODY, 110V FOR ADDITIONAL INFORMATION.
- 2 USE SCREWS SUPPLIED WITH TV.
- 1 SEE WIRING INSTL-BODY, 12V FOR ADDITIONAL INFORMATION.

NOTES:

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR
ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000





NOTES:

3 REPLACE CHAIN WITH STRAP.


2 WIRE TIE CABLES TO BACKSIDE OF TV MOUNTING PLATE.

1 BOLT ADJUSTING TO BE SET WITH TV IN THE STOWED POSITION.

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR
ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000

61A	TV-26" COLOR, STEREO W/REMOTE
1MO	TV (REAR) 19" DC LCD STEREO
265	CODES/STANDARDS-CSA/CMVSS
1B1	CODES/STANDARDS USA
1B1	265
FIRST USED	
11 500-SERIES	
DO NOT SCALE DRAWING	
TITLE:	
WIRING INSTL-TV/DVD	
SHEET 7	PART NO 175190 REV
1 4/1/2011	



- NOTES:
- △6 WRAP BOTH ENDS OF FILTER CONNECTIONS WITH TAPE 8363-01-000 TO SECURE FILTER TO WIRE ASM.
 - △5 CONNECT IN-LINE OF YELLOW VIDEO CABLE.
 - △4 CONNECTED TO THE REAR SIDE OF SATELLITE PREP PLATE CONNECTION LABELED "FROM PORTABLE SATELLITE DISH"
 - △3 CONNECTED TO THE REAR SIDE OF SATELLITE PREP PLATE, CONNECTION LABELED "FROM ROOF SATELLITE DISH".
 - △2 CONNECT CABLE-RCA TO RADIO 'AUX INPUT' CONNECTION.
 - △1 SEE WIRE INSTL-BODY,12V FOR ADDITIONAL INFORMATION

61A TV-26" COLOR,STEREO W/REMOTE
265 CODES/STANDARDS-CSA/CMVSS
1B1 CODES/STANDARDS USA

FIRST USED		
11 500-SERIES		
DO NOT SCALE DRAWING		
TITLE: WIRING INSTL-TV/DVD		
SHEET 8	PART NO	REV
	175190	

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

DETAIL HA

8

7

6

5


4

3

2



1

DWG NO 175190



DETAIL JA

SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-50-CHT
SCREW
G11-08-08U (2)



2 WIRE ROUTED IN ROOF.
1 SEE WIRING INSTL-BODY, 110V AND LOAD CENTER ASM FOR ADDITIONAL INFORMATION.


NOTES:

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR
ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000

1L9 ENTERTAINMENT CENTER-CABOVER
265 CODES/STANDARDS-CSA/CMVSS
1B1 CODES/STANDARDS USA
1B1 265 1L9

FIRST USED
11 500-SERIES
DO NOT SCALE DRAWING
TITLE: WIRING INSTL-TV/DVD
SHEET 9 PART NO 175190 REV
1 4/1/2011



FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

	FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000
---	---