






DANGER

Danger of electrical shock, burns or death. Always remove all power sources before attempting any repair, service or diagnostic work. Power can be present from shore power, generator, inverter or battery. All power sources must be disabled and secured before performing any service.



CAUTION

If you lack the skills, tools or equipment to perform diagnostic or repair work leave such work to an authorized Winnebago Industries dealer or other qualified shop.



- 4 SEE WIRING INSTL TV/DVD FOR ADDITIONAL INFORMATION.
- 3 WIRE FROM ROOF.
- 2 WIRE PASSES THROUGH FLOOR IN THIS AREA.

1. ALL WIRES TO BE SECURED WITH CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 EVERY 600MM, USE SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.


NOTES:

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

- 410 SOFA/SLEEPER-ULTRALEATHER HP
- 41R SOFA/SLEEPER
- 41N SOFA/BED ULTRALEATHER
- 14W DINETTE
- 1JU TV (REAR)-19"COLOR, STEREO
- ITA ITASCA ONLY
- WIN WINNEBAGO ONLY
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA
- 1B1 265

FIRST USED		11 E26P
DO NOT SCALE DRAWING		
TITLE		WIRING INSTL-BODY, 12V
SHEET 2	PART NO	175524
		REV













- (52N) AWNING - PATIO, ELECTRIC
 (40I) INVERTER-DC/AC, 1000 WATT
 (29J) AC HEAT PUMP-1
 (25Q) A/C ROOF AIR (1) 14,800 BTU
 (255) RADIO/AM/FM/CD/DVD PLAYER
 (53F) WATER HEATER-ELEC. IGNITION
 (1D5) ENTERTAINMENT CENTR/EXT W/CD
 (92A) EXT FULL BODY PAINT PKG # 2
 (27G) EXTERIOR GRAPHICS PACKAGE #1
 (27A) EXT FULL BODY PAINT PKG #1
 (26H) EXT GRAPHIC/PAINT-DLX PKG 2
 (26F) EXT GRAPHIC/PAINT DLX PKG 1
 (24C) EXT FULL BODY PAINT PKG # 3
 (ITA) ITASCA ONLY
 (WIN) WINNEBAGO ONLY
 (265) CODES-STANDARDS-CSA/CMVSS
 (1B1) CODES/STANDARDS USA

1B1		265	
FIRST USED			
11 E26P			
DO NOT SCALE DRAWING			
TITLE:			
WIRING INSTL-BODY, 12V			
SHEET 3		PART NO	175524
		REV	

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

	FOR ELECTRICAL CALLOUTS SEE DWG NO. 12339-01-00
---	---

NOTES:



- (52R) AWNING PATIO WITHOUT
- (52N) AWNING - PATIO, ELECTRIC
- (53F) WATER HEATER-ELEC. IGNITION
- (53D) WTR HTR-6GAL/ELE/LP/MOTOR/ID
- (265) CODES/STANDARDS-CSA/CMVSS
- (1B1) CODES/STANDARDS USA

NOTES:


1 FOR SWITCH ORIENTATION SEE DETAIL DM.

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

X-X

FOR ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000

FIRST USED		11 E26P
TITLE:		DO NOT SCALE DRAWING
WIRING INSTL-BODY, 12V		
SHEET 4	PART NO	175524
		REV



255 SPEAKER-ROUND,CEILING
160867-01-CHT (2)
SCREW
G1208-12-170 (8)

SATELLITE
ELEVATION
SENSOR
DETAIL EA

L05N3

L05N3

L02-3
3

L01-3
2

WASHER-PLASTIC
87080-02-CHT

1

3 PIN HOUSING
FROM WIRE ASM-
ELEVATION SENSOR

2 PIN HOUSING
FROM WIRE ASM-ROOF

DETAIL EA

- 255 RADIO/AM/FM/CD/DVD PLAYER
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

1B1 265

FIRST USED			11 E26P
DO NOT SCALE DRAWING			
TITLE			WIRING INSTL - BODY, 12V
SHEET 5	PART NO	175524	REV



FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR
ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000

1 SENSOR SUPPLIED WITH SATELLITE ASSEMBLY.

NOTES:

6/10/2010



- NOTES:
- 3 WRAP BRACKET LEGS AROUND ANTENNA BASE.
 - 2 CONNECT THE ORANGE COAX FROM ROOF ASM TO ONE OF THE 2 GRAY COAX CABLES ON THE SATELLITE DISH, THE OTHER GRAY COAX IS NOT USED.
 - 1 SEE ANTENNA INSTALLATION MANUAL FOR CORRECT INSTALLATION PROCEDURE.

- 480 SATELLITE TV SYSTEM MANUAL
- 1D5 ENTERTAINMENT CENTR/EXT W/CD
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

FIRST USED		11 E26P
DO NOT SCALE DRAWING		
TITLE		WIRING INSTL-BODY, 12V
SHEET 6	PART NO	175524

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

8

7

6

5

4

3

2

1


DWG
NO 175524

D

C

B

A



USE WIRE TIE 8343-02-000 AND SECURE WIRE HARNESS TO WIRE TRAYS.

NOTES:

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000



FOR
ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000

265 CODES/STANDARDS - CSA/CMVSS

1B1 CODES/STANDARDS USA

1B1 265

FIRST USED		11 E26P
		DO NOT SCALE DRAWING
TITLE		WIRING INSTL-BODY, 12V
SHEET 7	PART NO	175524
		REV

6/10/2010