




DANGER


Danger of electrical shock, burns or death. Always remove all power sources before attempting any repair, service or diagnostic work. Power can be present from shore power, generator, inverter or battery. All power sources must be disabled and secured before performing any service.



CAUTION


If you lack the skills, tools or equipment to perform diagnostic or repair work leave such work to an authorized Winnebago Industries dealer or other qualified shop.





VIEW BA

- 2 BRACKET-MOUNT, TV
169166-05-CHT
SEAL-FOAM
099069-01-000
(265MM (2)PCS)
SCREW
0MGO2B-06-016 (4)
BOLT-HEX
140490-01-CHT (2)
J-CLIP
142913-01-000 (2)
SCREW
G39-10-12U (12)




- 193 PLATE-WALL, ANT/CABLE/1
168902-01-CHT
SCREW
G12-06-08U (2)

- PLATE-WALL, SAT PREP
149557-09-CHT
SCREW
G67-10-08U (2)

- MODULE-INTERFACE, IR IMPACT
149750-09-000
WIRE ASM-EXTENSION, 2 PIN
177836-01-000
DETAIL BB

- CROSSOVER COIL-SPEAKER
150140-02-000
CLAMP-CLOSED
10497-02-000
SCREW
G67-08-08U
CONNECTS TO 2-PIN
HOUSING ON WIRE
ASM-ROOF

- CROSSOVER NETWORK
BX-SPEAKER
150140-01-000
CONNECTS TO (2)
4-PIN HOUSINGS
FROM WIRE ASM-ROOF



- RCP-25 (PUR-2)
OVHD

- TRANSMITTER-INFRARED, IMPACT
149750-11-000

- SPLITTER-TV, 2 WAY
86756-01-000
SCREW
G67-08-08U (2)

- SPLITTER-HD, VIDEO
DISTRIBUTION
168942-01-000
POWER SUPPLY
168942-02-000
SCREW
G11-08-12U (4)

- ID3 ENTERTAIN CENTR/EXT TV-DVD
193 TV ANTENNA-AMPLIFIED SYSTEM
21W DINING/BUFFET/TV
265 CODES/STANDARDS-CSA/CMVSS
1B1 CODES/STANDARDS USA

- 1B1 265 21W

2 APPLY FOAM TAPE TO TOP OF TV BRACKET
WHERE IT CONTACTS TV FACE.


1 COIL FOR FUTURE USE.

NOTES:

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000

FIRST USED		
11 D-SERIES		
DO NOT SCALE DRAWING		
TITLE: WIRING INSTL-TV/DVD		
SHEET 2	PART NO 175930	REV



- △ 6 ROUTE 110V & 12V IN OPPOSITE ENDS OF ELECTRICAL BOX.
- △ 5 ROUTE TRANSMITTER THROUGH CUTOUT AND COIL FOR FUTURE USE.
- △ 4 SEE 110V LOAD CENTER FOR ADDITIONAL INFORMATION.

3. WHERE WIRES PASS THROUGH HOLES IN STEEL AND NOT OTHERWISE PROTECTED, USE GROMMET 92908-02-000.
2. ALL WIRES TO BE SECURED WITH CLAMP 10495-01-000 OR CLIP 80734-01-000 EVERY 600MM. USE SCREW 667-10-12B UNLESS OTHERWISE SPECIFIED.
1. 110V WIRE TO BE CLAMPED WITH CLAMP 10497-05-000 WITHIN 200MM OF OUTLET BOXES, USE SCREW 667-10-12B.

NOTES:


- 1D3 ENTERTAIN CENTR/EXT TV-DVD
- 193 TV ANTENNA-AMPLIFIED SYSTEM
- 42K TV-32" COLOR, STEREO W/REMOTE
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA


1B1 265 42K


FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000


FOR ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000

FIRST USED		
11 D-SERIES		
DO NOT SCALE DRAWING		
TITLE: WIRING INSTL-TV/DVD		
SHEET 3	PART NO 175930	REV









- NOTES:
- 10 TAPE UNUSED YELLOW CIRCUIT BACK TO CABLE ASM.
 - 9 CABLE IS PART OF WIRE ASM-IP,MAIN.
 - 8 SEE RADIO INSTL FOR ADDITIONAL INFORMATION.
 - 7 CONNECT CABLE-RCA TO RADIO 'AUX INPUT' CONNECTION.
 - 6 SUPPLIED WITH TV
 - 5 CONNECTED TO THE REAR SIDE OF SATELLITE PREP PLATE, CONNECTION LABELED "FROM ROOF SATELLITE DISH".
 - 4 WITHOUT ID3
 - 3 CONNECTED TO THE FRONT SIDE OF SATELLITE PREP PLATE, CONNECTION LABELED "TO SATELLITE RECEIVER OUTPUT".
 - 2 CABLE ROUTED IN ROOF.
 - 1 MARKED WITH RED TAPE.

- ID3 ENTERTAIN CENTR/EXT TV-DVD
- 21W DINING/BUFFET/TV
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA


FIRST USED	
11 D-SERIES	
DO NOT SCALE DRAWING	
TITLE: WIRING INSTL-TV/DVD	
SHEET 7	PART NO 175930
REV	

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

X-X

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

DETAIL GA



- NOTES:
- 9 WITHOUT ID3
 - 8 COIL CABLE IN LEFT OVHD CABINET FOR FUTURE USE.
 - 7 CONNECT CABLE-RCA TO RADIO 'AUX INPUT' CONNECTION.
 - 6 SEE RADIO INSTL FOR ADDITIONAL INFORMATION.
 - 5 CABLE IS PART OF WIRE ASM-IP,MAIN.
 - 4 CONNECTED TO THE REAR SIDE OF SATELLITE PREP PLATE, CONNECTION LABELED "FROM ROOF SATELLITE DISH".
 - 3 CONNECTED TO THE FRONT SIDE OF SATELLITE PREP PLATE, CONNECTION LABELED "TO SATELLITE RECEIVER OUTPUT".
 - 2 CABLE ROUTED IN ROOF.
 - 1 MARKED WITH RED TAPE.


DETAIL HA

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

- ID3 ENTERTAIN CENTR/EXT TV-DVD
- 42K TV-32" COLOR,STEREO W/REMOTE
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

FIRST USED	
11 D-SERIES	
DO NOT SCALE DRAWING	
TITLE: WIRING INSTL-TV/DVD	
SHEET 8	PART NO 175930
REV 1 2/8/2011	




1JU TV (REAR) - 19" COLOR, STEREO
265 CODES/STANDARDS-CSA/CMVSS
1B1 CODES/STANDARDS USA

1B1 265 1JU

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000

11 D-SERIES		
DO NOT SCALE DRAWING		
TITLE: WIRING INSTL-TV/DVD		
SHEET 9	PART NO 175930	REV



1JU TV (REAR) - 19" COLOR, STEREO
265 CODES/STANDARDS - CSA/CMVSS
1B1 CODES/STANDARDS USA

1B1 265 1JU

11 D-SERIES		
DO NOT SCALE DRAWING		
TITLE: WIRING INSTL-TV/DVD		
SHEET 10	PART NO 175930	REV

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000

PLATE-MOUNTING,TV
162935-08-CHT
SCREW (MAIN SUPPORT)
SUPPLIED WITH TV
SCREW (LOWER SUPPORT)
OMG02B-04-016 (2)
WASHER
E14-10-00B (4)

SUPPORT-MOUNTING,TV
162934-08-CHT
SCREW
G11-08-12U (8)



TV-19",STEREO LCD 12V
170909-05-000

RCP-TV
(REF)

LA

102

196
(REF)

VIEW LA
(TV NOT SHOWN)

1 CENTER OVER WINDOW CUTOUT.

NOTES:



FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000

1JU TV (REAR)-19"COLOR, STEREO
265 CODES/STANDARDS-CSA/CMVSS
1B1 CODES/STANDARDS USA

1B1 265 1JU

11 D-SERIES		
DO NOT SCALE DRAWING		
TITLE: WIRING INSTL-TV/DVD		
SHEET 11	PART NO 175930	REV



NOTES:

1 CENTER OVER WINDOW CUTOUT.


FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000

61K TV (REAR) - 26" COLOR STEREO
265 CODES/STANDARDS - CSA/CMVSS
1B1 CODES/STANDARDS USA

1B1 265 61K

11 D-SERIES		
DO NOT SCALE DRAWING		
TITLE: WIRING INSTL-TV/DVD		
SHEET 12	PART NO 175930	REV



- 5 MOUNT BRACKET TO TV BEFORE ATTACHING TO WALLMOUNT.
- 4 PLACE TV NEXT TO SLIDEOUT END WALL.
3. WHERE WIRES PASS THROUGH HOLES IN STEEL AND NOT OTHERWISE PROTECTED, USE GROMMET 92908-02-000.
2. ALL WIRES TO BE SECURED WITH CLAMP 10495-01-000 OR CLIP 80734-01-000 EVERY 600MM. USE SCREW 667-10-12B UNLESS OTHERWISE SPECIFIED.
1. 110V WIRE TO BE CLAMPED WITH CLAMP 10497-05-000 WITHIN 200MM OF OUTLET BOXES, USE SCREW 667-10-12B.

NOTES:

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000


FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000




68D TV-40" COLOR, STEREO W/REMOTE

265 CODES/STANDARDS-CSA/CMVSS

1B1 CODES/STANDARDS USA

1B1	265
11 D-SERIES	
DO NOT SCALE DRAWING	
TITLE: WIRING INSTL-TV/DVD	
SHEET 13	PART NO 175930
1 2/8/2011	







1 SUPPORT-MOUNTING, TV 162934-11-CHT SCREW 611-08-12U (8)

PLATE-MOUNTING, TV 162935-08-CHT SCREW (MAIN SUPPORT) SUPPLIED WITH TV SCREW (LOWER SUPPORT) OM602B-04-016 (2) WASHER E14-10-00B (4)

VIEW PB (TV NOT SHOWN) (420)



VIEW PA (TV NOT SHOWN) (1JU)



VIEW PB (TV NOT SHOWN) (61A)

1 CLEAN AND APPLY ADHESIVE PROMOTOR 900680-04-000 TO BOTH SURFACES AND BOND WITH TAPE 76322-23-000 (1000 MM) AROUND ENTIRE PERIMETER OF BRACKET.

NOTES:

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

- (61A) TV-26" COLOR, STEREO W/REMOTE
- (420) TV-19" WITH REMOTE
- (1JU) TV (REAR)-19" COLOR, STEREO
- (265) CODES/STANDARDS-CSA/CMVSS
- (1B1) CODES/STANDARDS USA

(1B1) (265)

FIRST USED		
11 D-SERIES		
DO NOT SCALE DRAWING		
TITLE: WIRING INSTL-TV/DVD		
SHEET 15	PART NO 175930	REV