




DANGER

Danger of electrical shock, burns or death. Always remove all power sources before attempting any repair, service or diagnostic work. Power can be present from shore power, generator, inverter or battery. All power sources must be disabled and secured before performing any service.



CAUTION


If you lack the skills, tools or equipment to perform diagnostic or repair work leave such work to an authorized Winnebago Industries dealer or other qualified shop.




- 5 WIRING IS IN SIDEWALL
- 4 USE ONE OF THE SPEAKERS PROVIDED IN THE KIT. SEND THE SCREWS IN THE KIT TO THE SURPLUS STORE. SEND THE KIT WIRE ASM-PIGTAIL TO WIRE PREP TO BE INCORPORATED INTO A WIRE ASM.
- 3 WITHOUT 64R WIRE TIE SWITCH AND WIRE ASM TO MAIN HARNESS.
2. ROUTE TANK SENSOR WIRES SO THEY DO NOT PASS OVER SENSORS. USE WIRE TIE MOUNT 155366-01-000 AND WIRE TIE 8343-01-000 AS NEEDED. TANK SURFACE MUST BE CLEANED USING ISOPROPYL ALCOHOL AND PRIMED WITH PRIMER 94.

1. ALL WIRES TO BE SECURED WITH CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 EVERY 600MM, USE SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.

NOTES:



DETAIL AA




DETAIL AB

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

- 1HE A/C ROOF-HI EFF LOW PROFILE
- 53B WTR HTR-6GAL ELECTRIC/LP GAS
- 250 A/C ROOF AIR (1) 14,800 BTU
- 64R EXTERIOR WASH STATION
- 40N GEN-4.0KW-ONANGAS-MICROQUIET
- 29P AC HEAT PUMP-HI EFF, LOW PFL
- 1A3 GENERATOR WITHOUT
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

WINNEBAGO		COPYRIGHT 2010 WINNEBAGO INDUSTRIES, INC.	
DFTR	ORIG. DATE		
CHKR	ALL DIMENSIONS ARE IN MILLIMETERS		
P.E.	FIRST USED	11 730C	
M.E.	DSNR		
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
HOLE DIM (X)		3	
ONE-PLACE (X,X)		1.5	
TWO-PLACE (X,XX)		0.50	
ANGLE		1°	
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING			
TITLE: WIRING INSTL-BODY, 12V			
SHEET 1 OF 5	PART NO	176135	REV
REF:		1 9/8/2010	



- 7 NOT USED WITH 1D5
- 6 NOT USED WITH 53B
- 5 MOUNT SWITCH AND SPACER TO BLOCK ON JAMB. ADJUST HEIGHT TO MATCH MAGNET.
- 4 MOUNT MAGNET USING PILOT HOLES IN SCREEN DOOR FRAME. MOUNT WITH MAGNET TOWARD SWITCH.
- 3 WIRE ROUTED IN SIDEWALL.

2. WITH FRONT ENTERTAINMENT CENTER, SEE WIRING INSTL-TV/FRT FOR ADDITIONAL INFORMATION.
1. ALL WIRES TO BE SECURED WITH CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 EVERY 600mm, USE SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.


NOTES:

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000


- 52N ELECTRIC AWNING
- 1LK TV-19"DC, COLOR, LCD W/REMOTE
- 53B WTR HTR-6GAL ELECTRIC/LP GAS
- 1E2 ENTRANCE STEP-ELEC
- 1D5 ENTERTAINMENT CTR/EX W/CD
- 1B1 CODES/STANDARDS USA
- 265 CODES/STANDARDS-CSA/CMVSS

FIRST USED		11 730C
DO NOT SCALE DRAWING		
TITLE:		WIRING INSTL-BODY, 12V
SHEET 2	PART NO	176135
		REV




SWITCH-ROCKER
135740-02-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-06-CHT
SCREW
G11-08-08U (2)

DETAIL CE




DETAIL CJ
(SUPPLIED
WITH AWNING)
52N




SWITCH-ROCKER
135740-01-CHT
135740-02-CHT
SWITCH-BASE
135741-02-CHT
SWITCH-BEZEL
135742-13-CHT
SCREW
G11-08-08U (4)

DETAIL CA




SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-07-CHT
SCREW
G11-08-08U (2)

DETAIL CB




SWITCH-ROCKER
135740-01-CHT
135740-02-CHT
SWITCH-BASE
135741-02-CHT
SWITCH-BEZEL
135742-16-CHT
SCREW
G11-08-08U (4)

DETAIL CK




SWITCH-ROCKER
135740-01-CHT (2)
SWITCH-BASE
135741-02-CHT
SWITCH-BEZEL
135742-19-CHT
SCREW
G11-08-08U (4)

DETAIL CG




SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)

DETAIL CC




SWITCH-ROCKER
135740-01-CHT
135740-02-CHT
SWITCH-BASE
135741-02-CHT
SWITCH-BEZEL
135742-13-CHT
SCREW
G11-08-08U (4)

DETAIL CK




SWITCH-ROCKER
135740-01-CHT
135740-02-CHT
SWITCH-BASE
135741-02-CHT
SWITCH-BEZEL
135742-16-CHT
SCREW
G11-08-08U (4)


DETAIL CH




DETAIL CP



DETAIL CM



DETAIL CN



DETAIL CR

WARNING CRUSH HAZARD. Keep people and objects clear of the inside and the outside of the slideout room when operating. Failure to comply could result in death or serious injury.




FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR
ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000

- 52N AWNING - PATIO, ELECTRIC
- 53B WTR HTR-6GAL ELECTRIC/LP GAS
- 1E2 ENTRANCE STEP-ELEC.
- 1D5 ENTERTAINMENT CENTR/EXT W/CD
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

FIRST USED			11 730C
DO NOT SCALE DRAWING			
TITLE:			WIRING INSTL-BODY, 12V
SHEET 3	PART NO	176135	REV

NOTES:
1 NOT USED WITH 1E2



3 SENSOR SUPPLIED WITH SATELLITE ASSEMBLY.

2 FOR REFERENCE ONLY. SEE LOAD CENTER/ATS ASM FOR ADDITIONAL INFORMATION.

1. SEE ROOF ASSEMBLY FOR ADDITIONAL INFORMATION.

NOTES:

DETAIL DA 2

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000



265 CODES/STANDARDS-CSA/CMVSS

181 CODES/STANDARDS USA

181 265

FIRST USED		11 730C	
DO NOT SCALE DRAWING			
TITLE: WIRING INSTL-BODY, 12V			
SHEET 4	PART NO	176135	REV



THE SATELLITE DISH WIRE CONNECTIONS
ARE TO BE PLACED ON THE CENTERLINE
OF THE MOTORHOME FACING FORWARD



VIEW EC-EC

CONNECT 8' CABLE ASM COAX
(FRONT TV ORG) FROM ROOF ASM
TO MAIN INPUT ON SATELLITE DISH

CONNECT 9' CABLE ASM COAX
(REAR TV ORG/ORG) FROM ROOF ASM
TO AUX INPUT ON SATELLITE DISH



3 REMOVE ALL SHIPPING RESTRAINTS AND FIRMLY INSERT
THE SUPPLIED PLUGS INTO THE APPROPRIATE SIZED HOLES
AS SPECIFIED IN THE INSTALLATION PROCESS.

2 SEE ANTENNA INSTALLATION MANUAL FOR CORRECT
INSTALLATION PROCEDURE.

1 WRAP BRACKET LEGS AROUND ANTENNA BASE.

NOTES:

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR
ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000

48P SAT TV SYSTEM IN-MOTION
480 SATELLITE DISH
1D5 ENTERTAINMENT CENTR/EXT W/CD
265 CODES/STANDARDS-CSA/CMVSS
1B1 CODES/STANDARDS USA

1B1 265

FIRST USED
11 730C
DO NOT SCALE DRAWING
TITLE:
WIRING INSTL-BODY, 12V
SHEET 5 PART NO. 176135 REV

1 9/8/2010