




DANGER

Danger of electrical shock, burns or death. Always remove all power sources before attempting any repair, service or diagnostic work. Power can be present from shore power, generator, inverter or battery. All power sources must be disabled and secured before performing any service.



CAUTION

If you lack the skills, tools or equipment to perform diagnostic or repair work leave such work to an authorized Winnebago Industries dealer or other qualified shop.



- 23R DRAINAGE SYSTEM/HEAT-PREWIRE
- 23T DRAINAGE SYSTEM-HEATED
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA
- 1B1 265


WINNEBAGO		COPYRIGHT 2010 WINNEBAGO INDUSTRIES, INC.	
DFTR	ORIG. DATE		
CHKR	ALL DIMENSIONS ARE IN MILLIMETERS		
P.E.	FIRST USED	11 524J	
M.E.			
DSNR			
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
HOLE DIM (X)		3	
ONE-PLACE (X,X)		1.5	
TWO-PLACE (X,XX)		0.50	
ANGLE		1°	
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING			
TITLE: WIRING INSTL-BODY, 12V			
SHEET 1 OF 5		PART NO 176436 REV	
REF:		1 12/3/2010	

2 WIRE ROUTED THROUGH FLOOR IN THIS AREA.

1. ROUTE TANK SENSOR WIRES SO THEY DO NOT PASS OVER SENSORS. USE WIRE TIE MOUNT 155366-01-000 AS NEEDED. TANK SURFACE MUST BE CLEANED USING ISOPROPYL ALCOHOL AND PRIME WITH PRIMER 94.

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR
ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000



DETAIL BA

SPEAKER-ROUND
160868-01-000
SPEAKER-GRILLE,ROUND
160868-02-CHT
SCREW
611-08-08U (4)

651 WIRE ASM-BUNK LAMP
149130-01-027

WIRE ASM-OVHD
151909-01-000

SWITCH
DETAIL DC

WIRE ASM-LEFT
174404-01-000

TO REFRIGERATOR

SWITCH
DETAIL DJ

SWITCH
DETAIL DB

WIRE ASM-COACH
TO OVHD LIGHTS

SWITCH
DETAIL DT

23R OR 23T

WIRE ASM-HEATER,RELAY
153891-01-000
WIRE ASM-HEATER,TANKS
134551-03-000
RELAY
63912-02-000
SCREW
611-08-12B

1 TO COMPARTMENT LAMP

1 8 PIN HSG
TO WATER PUMP
SWITCH


1

WIRE ASM-COACH
TO RIGHT SIDE

PLATE-COAX
149557-03-CHT
SCREW
639-08-08U (2)

SWITCHES
DETAIL DA

RECEPTACLE
132958-01-000 14W
DETAIL BB
SPACER (REF)



- 23R DRAINAGE SYSTEM/HEAT-PREWIRE
- 14W DINETTE
- 651 BUNK FRONT OVERHEAD-SINGLE
- 23T DRAINAGE SYSTEM-HEATED
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

1B1 265


FIRST USED		11 524J
DO NOT SCALE DRAWING		
TITLE:		WIRING INSTL-BODY,12V
SHEET 2	PART NO	176436
		REV

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR
ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000

1 WIRE ROUTED THROUGH FLOOR IN THIS AREA.

NOTES:



D
C
B
A

D
C
B
A

- NOTES:
- 5 MOUNTED ON THE EXTERIOR OF THE SIDEWALL.
 - 4 SEE WIRING INSTL-TV FOR CONNECTION DETAIL.
 - 3 WITH FEATURE 33F CABEL SUPPLIED WITH DIESEL GENERATOR.
 - 2 PANEL SUPPLIED WITH GENERATOR.
 - 1 SEE WIRING INSTL-TV FOR ADDITIONAL INFORMATION


- 1DJ EXTERIOR SPEAKER SYSTEM
- 52N AWNING - PATIO, ELECTRIC
- 321 GENERATOR PREP KIT
- 1L9 ENTERTAINMENT CENTER-CABOVER
- 52G GEN-3.6KW ONAN LP MICROQUIET
- 33F GEN-3.5 KW ONAN DIESEL
- 323 GENERATOR PREP KIT - DIESEL
- 265 CODES/STANDARDS-CSA/CMVSS
- 255 RADIO/AM/FM/CD/DVD, COACH
- 1B1 CODES/STANDARDS USA

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000


FOR
ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000

FIRST USED	
11 524J	
DO NOT SCALE DRAWING	
TITLE: WIRING INSTL-BODY, 12V	
SHEET 3	PART NO 176436
REV	

PLATE
98351-22-CHT
SCREW
G11-06-10U (4)




SWITCH-BATT DISC
108357-17-000
ACTUATOR-BATT DISC
108356-19-CHT




SWITCH-STEP
108357-19-000

DETAIL DL




DETAIL DP
(SUPPLIED WITH AWNING)



SWITCH-WATER PUMP
108357-21-000
ACTUATOR
108356-23-CHT


DETAIL DT

SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-07-CHT
SCREW
G11-08-08U (2)




DETAIL DK

SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-59-CHT
SCREW
G11-08-08U (2)




DETAIL DG

SWITCH-BLANK
138253-01-CHT
SWITCH-ROCKER
135740-06-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)
LABEL-SWITCH
134563-01-CHT




HOLDING TANK HEATER
TURN OFF When Not In Use
SEE OPERATORS MANUAL

DETAIL DD




DETAIL DE

SWITCH-ROCKER
135740-01-CHT (2)
SWITCH-BASE
135741-02-CHT
SWITCH-BEZEL
135742-19-CHT
SCREW
G11-08-08U (4)



DETAIL DH




DETAIL DM ILK

SWITCH-ROCKER
135740-01-CHT (2)
SWITCH-BASE
135741-02-CHT
SWITCH-BEZEL
135742-55-CHT
SCREW
G11-08-08U (4)


SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)

SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)




DETAIL DJ

SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-40-CHT
SCREW
G11-08-08U (2)




DETAIL DM IL9

SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-07-CHT
SCREW
G11-08-08U (2)




DETAIL DA

SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-07-CHT
SCREW
G11-08-08U (2)




DETAIL DB

SWITCH-ROCKER
135740-01-CHT (2)
SWITCH-BASE
135741-01-CHT (2)
SWITCH-BEZEL
135742-01-CHT (2)
SCREW
G11-08-08U (4)




DETAIL DC

SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-07-CHT
SCREW
G11-08-08U (2)




DETAIL DR


SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-12-CHT
SCREW
G11-08-08U (2)



DETAIL CS



DETAIL DF



DETAIL DN




- NOTES:
- 4 FOR REFERENCE ONLY. SEE LOAD CENTER/ATS ASM FOR ADDITIONAL INFORMATION.
 - 3 MOUNT SWITCH AND SPACER TO BLOCK ON JAMB. ADJUST HEIGHT TO MATCH MAGNET.
 - 2 MOUNT MAGNET USING PILOT HOLES IN SCREEN DOOR FRAME. MOUNT WITH MAGNET TOWARD SWITCH.
 - 1 WITHOUT 23T OR 23R

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR
ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000

- 23R DRAINAGE SYSTEM/HEAT-PREWIRED
- 52N AWNING - PATIO, ELECTRIC
- 23T DRAINAGE SYSTEM-HEATED
- IL9 ENTERTAINMENT CENTER-CABOVER
- ILK TV-20"DC,COLOR,LCD W/REMOTE
- IE2 ENTRANCE STEP-ELEC.
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

FIRST USED	11 524J	
DO NOT SCALE DRAWING		
TITLE:	WIRING INSTL-BODY, 12V	
SHEET 4	PART NO	176436
REV		



- 3 WRAP BRACKET LEGS AROUND ANTENNA BASE.
- 2 SEE ANTENNA INSTALLATION MANUAL FOR CORRECT INSTALLATION PROCEDURE.

1. SEE ROOF ASM FOR ADDITIONAL INFORMATION.

NOTES:

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

- 193 TV ANTENNA-AMPLIFIED SYSTEM
- 255 RADIO/AM/FM/CD/DVD, COACH
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

181		265	
FIRST USED			
11 524J			
DO NOT SCALE DRAWING			
TITLE:			
WIRING INSTL-BODY, 12V			
SHEET 5		PART NO	176436
			REV