




Danger of electrical shock, burns or death. Always remove all power sources before attempting any repair, service or diagnostic work. Power can be present from shore power, generator, inverter or battery. All power sources must be disabled and secured before performing any service.



If you lack the skills, tools or equipment to perform diagnostic or repair work leave such work to an authorized Winnebago Industries dealer or other qualified shop.




- 5 WIRE IS PART OF WIRE ASM-CHASSIS.
- 4 THIS IS THE TYPE OF WIRE FOR THE ENTIRE CIRCUIT UNLESS OTHERWISE SPECIFIED.
- 3 WIRE IN ROOF.
- 2 WIRE IN SIDEWALL.
- 1 ALL OUTLETS DOWN STREAM AND INCLUDING THIS OUTLET ARE GROUND FAULT INTERRUPT PROTECTED.

NOTES:

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

	FOR ELECTRICAL CALLOUTS SEE DWG NO 121339-01-00
---	---

		COPYRIGHT 2010 WINNEBAGO INDUSTRIES, INC.	
DFT# _____		ORIG. DATE _____	
CHK# _____		ALL DIMENSIONS ARE IN MILLIMETERS	
P.E. _____		FIRST USED _____	
W.E. _____		11 E36D	
DSN# _____		UNUSPECIFIED TOLERANCES ARE:	
WHOLE DIM (X, Y) ±		MATERIAL:	
ONE-PLACE (X, X) ±			
TWO-PLACE (X, XX) ±			
ANGLE ±			
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING			
TITLE:			
WIRING DIAGRAM-BODY, 110V			
SHEET 1 of 4		PART NO 176579	
		REV _____	




- NOTES:
- 5 WIRE IS PART OF WIRE ASM-CHASSIS.
 - 4 THIS IS THE TYPE OF WIRE FOR THE ENTIRE CIRCUIT UNLESS OTHERWISE SPECIFIED.
 - 3 WIRE IN ROOF.
 - 2 WIRE IN SIDEWALL.
 - 1 ALL OUTLETS DOWN STREAM AND INCLUDING THIS OUTLET ARE GROUND FAULT INTERRUPT PROTECTED.

- 41R SOFA/SLEEPER
- 410 SOFA/SLEEPER-ULTRALEATHER
- 401 INVERTER-DC/AC, 1000 WATT
- 53Z WTR HTR-6GAL/110/LP/MTR/AUTO
- 12D ELECTRICAL SYSTEM 30 AMP
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

FIRST USED		11 E36D
DO NOT SCALE DRAWING		
TITLE:		WIRING DIAGRAM-BODY, 110V
SHEET 2	PART NO	176579

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR
ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000



- NOTES:
- 5 WIRE IS PART OF WIRE ASM-CHASSIS.
 - 4 THIS IS THE TYPE OF WIRE FOR THE ENTIRE CIRCUIT UNLESS OTHERWISE SPECIFIED.
 - 3 WIRE IN ROOF.
 - 2 WIRE IN SIDEWALL.
 - 1 ALL OUTLETS DOWN STREAM AND INCLUDING THIS OUTLET ARE GROUND FAULT INTERRUPT PROTECTED.

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000

- 41R SOFA/SLEEPER
- 410 SOFA/SLEEPER-ULTRALEATHER
- 401 INVERTER-DC/AC, 1000 WATT
- 40B INVERTER-DC/AC, 300 WATT
- 53F WATER HEATER-ELEC. IGNITION
- 78J ELECTRICAL SYSTEM-50 AMP
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

1B1 265 78J 53F

FIRST USED			11 E36D
DO NOT SCALE DRAWING			
TITLE:			WIRING DIAGRAM-BODY, 110V
SHEET 3	PART NO	176579	REV

