







DANGER

Danger of electrical shock, burns or death. Always remove all power sources before attempting any repair, service or diagnostic work. Power can be present from shore power, generator, inverter or battery. All power sources must be disabled and secured before performing any service.



CAUTION

If you lack the skills, tools or equipment to perform diagnostic or repair work leave such work to an authorized Winnebago Industries dealer or other qualified shop.



- 029 CHINESE CHASSIS, GAS
- 11U TV-22"DC,LCD,STEREO/CD/DVD
- 53B WTR HTR-6GAL ELECTRIC/LP GAS
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

WINNEBAGO COPYRIGHT 2013 WINNEBAGO INDUSTRIES, INC.

DFTR	ORIG. DATE
CHKR	ALL DIMENSIONS ARE IN MILLIMETERS
P.E.	FIRST USED
M.E.	13 170X
DSNR	

UNSPECIFIED TOLERANCES ARE:
 WHOLE DIM (X) : 3
 ONE-PLACE (X.X) : 1.5
 TWO-PLACE (X.XX) : 0.50
 ANGLE : 1°

THIRD ANGLE PROJECTION

DO NOT SCALE DRAWING REFER TO ES0018 FOR FASTENER TIGHTENING GUIDELINES


TITLE: **WIRING INSTL-BODY, 12V**


SHEET 1 OF 4 PART NO 180227 REV

- NOTES:**
- ALL WIRES TO BE SECURED WITH CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 EVERY 600MM, USE SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR ONSTALLATION.
 - ROUTE TANK SENSOR WIRES SO THEY DO NOT PASSOVER SENSORS. USE WIRE TIE MOUNT 155366-01-000 AND WIRE TIE 8343-01-000 AS NEEDED. TANK SURFACE MUST BE CLEANED USING ISOPROPYL ALCOHOL AND PRIMED WITH PRIMER 94.
- 5 WATER TANK IS LOCATED UNDER COUCH WITH 029 .
 4 MOUNT ON EXTERIOR SURFACE OF VAN SIDEWALL.
 3 PLACE CROSS LOCATOR ON SENSORS OVER DIMPLES ON TANK.

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000





- TV-LCD 180602-01-000
- WIRE ASM-TV POWER 170909-02-000
- ADAPTOR-COAX 90° 176986-01-000
- COVER-WIRE 180129-01-CHT
- SCREW 0MG02B-04-012 (4)
- WASHER E14-10-00B (4)
- BRACKET-TV MTG 179661-06-CHT
- 179661-07-CHT (USE TV SUPPLIED SCREWS FOR LOWER ATTACHMENT)
- SCREW 0MG02B-06-016 (4)
- NUT 0MD54F-06-000 (4)
- DETAIL BF

- SPEAKER 160868-01-CHT
- GRILL 160868-02-CHT
- SCREW G11-08-08U (4)

- SWITCH 080531-05-CHT
- DETAIL CG

- WALLPLATE 179004-02-CHT
- DETAIL BD

- SPEAKER 160868-01-CHT (2)
- GRILL 160868-02-CHT (2)
- SCREW G11-08-08U (8)

- READ-5

- SWITCH 136118-01-000
- DETAIL CF

- WIRE ASM-OVHD,DINETTE 167061-01-000

- SWITCH-SOFA 136118-01-000

- RCP-12V 132958-01-000
- DETAIL BE

- WIRE ASM-LEFT 179175-01-000


- BRACKET-TV SWING MOUNT 179241-02-CHT
- PAD-FELT 3/8 023320-01-000 (3) (ADHERE TO RUBBER BUMPERS ON BRACKET)
- NUT-SERT 39715-01-000 (4)
- BOLT C26-04-10B (4)
- CONVOLUTE 41953-01-000 (1200 MM)

- NEGATIVE BAR 140031-01-CHT
- STUD-ISOLATED 86233-01-000 (2)
- NUT D39-06-00B (4)
- BOLT C26-05-12B (2)



- SWITCH-WATER PUMP 108357-15-000
- ACTUATOR 108356-23-CHT

- SWITCH-DRAIN PUMP 108357-09-000
- ACTUATOR 108356-27-CHT
- SWITCH-BLANK 096241-03-000


- COAX (RED) ADAPTOR-COAX 82134-01-000
- NUT 82136-01-000
- LABEL 87236-01-000



DETAIL BC




DETAIL BD




- 6 WITHOUT 029.
- 5 MOUNTED IN EXTERIOR SERVICE CENTER.
- 4 COAX IS PART OF WIRE ASM-OVHD.
- 3 COVER ALL WIRES AND CABLES WITH CONVOLUTED TUBING. SECURE TO TV BRACKET SO THAT WIRES AND CABLES DO NOT BECOME PINCHED.
- 2 LOCATE HOLES TO MATCH PANEL ASM-VERTICAL.

1. ALL WIRES TO BE SECURED WITH CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 EVERY 600MM, USE SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR ONSTALLATION.

NOTES:



VIEW BA



VIEW BB 11U


FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

- 029 CHINESE CHASSIS, GAS
- 11U TV-22"DC,LCD,STEREO/CD/DVD
- 53B WTR HTR-6GAL ELECTRIC/LP GAS
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA


FIRST USED	
13 170X	
DO NOT SCALE DRAWING	
TITLE: WIRING INSTL-BODY, 12V	
SHEET 2	PART NO 180227 REV

* 180227




SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-09-CHT
SCREW
G11-08-08U (2)

DETAIL CA




SWITCH-BATTERY,DISC
108357-07-000
ACTUATOR-SWITCH
108356-11-CHT
PLATE-SWITCH
98351-07-CHT
SCREW
G11-06-10U (2)

DETAIL CD
(FRONT SIDE)




SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-45-CHT
SCREW
G11-08-08U (2)

DETAIL CG 11U




SWITCH-ROCKER
135740-01-CHT (2)
135740-05-CHT
SWITCH-BASE
135741-03-CHT
SWITCH-BEZEL
135742-24-CHT
SCREW
G11-08-08U (4)

DETAIL CB




SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-40-CHT
SCREW
G11-08-08U (2)

DETAIL CE




SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)

DETAIL CH




SWITCH-ROCKER
135740-06-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-35-CHT
SCREW
G11-08-08U (2)

DETAIL CC 53B



SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)

DETAIL CF



SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)

DETAIL CJ

11U TV-22"DC,LCD,STEREO/CD/DVD

265 CODES/STANDARDS-CSA/CMVSS

1B1 CODES/STANDARDS USA





1B1 265

FIRST USED	13 170X	
DO NOT SCALE DRAWING		
TITLE:	WIRING INSTL-BODY, 12V	
SHEET 3	PART NO 180227	REV

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR
ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000

* 180227 * A



- 4 REMOVE REAR CARGO LAMP. CUT THE RED AND 'PUR/BLU' WIRES AND SPLICE TOGETHER.
- 3 MOUNTED ON INTERIOR SURFACE OF ROOF.
- 2 MOUNTED ON EXTERIOR SURFACE OF ROOF.

1. ALL WIRES TO BE SECURED WITH CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 EVERY 600MM, USE SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.

NOTES:

265	CODES/STANDARDS-CSA/CMVSS
1B1	CODES/STANDARDS USA
1B1	265

FIRST USED	13 170X
DO NOT SCALE DRAWING	
WIRING INSTL-BODY, 12V	
SHEET 4	PART NO 180227 REV

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

* 180227 *