



DANGER

Danger of electrical shock, burns or death. Always remove all power sources before attempting any repair, service or diagnostic work. Power can be present from shore power, generator, inverter or battery. All power sources must be disabled and secured before performing any service.



CAUTION

If you lack the skills, tools or equipment to perform diagnostic or repair work leave such work to an authorized Winnebago Industries dealer or other qualified shop.

DRAWING NO.	MODEL
181764-01	224V,222B
181764-02	226Q/P
181764-03	231C/P
181764-04	231J/P
181764-05	231R/P
181764-06	231W/P

RELEASE	REV/DATE	DWG NO	181764
REV ZONE	REVISION RECORD	DATE	DTR-ORIG



LAMP-MARKER,BASE
111102-01-000
LAMP ASM-CLEARANCE,RED
111102-03-000
SCREW
G11-08-12U (EXT) (2)

LAMP-MARKER,BASE
111102-01-000
LAMP ASM-CLEARANCE,AMBER
111102-02-000
SCREW
G11-08-12U (EXT) (2)
CONNECTOR
58028-01-000 (2)

LAMP-MARKER,BASE
111102-01-000
LAMP ASM-CLEARANCE,RED
111102-03-000
SCREW
G11-08-12U (EXT) (2)

LAMP-MARKER,BASE
111102-01-000
LAMP ASM-CLEARANCE,AMBER
111102-02-000
SCREW
G11-08-12U (EXT) (2)
CONNECTOR
58028-01-000 (2)

LEXT-1



- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA
- 1B1 265

WINNEBAGO COPYRIGHT 2013 WINNEBAGO INDUSTRIES, INC.

DTR	ORIG. DATE
CHKR	ALL DIMENSIONS ARE IN MILLIMETERS
P.E.	
M.E.	FIRST USED
DSNR	13 200-SERIES

UNSPECIFIED TOLERANCES ARE:

WHOLE DIM (X)	: 3
ONE-PLACE (X.X)	: 1.5
TWO-PLACE (X.XX)	: 0.50
ANGLE	: 1°

THIRD ANGLE PROJECTION

DO NOT SCALE DRAWING REFER TO ES0018 FOR FASTENER TIGHTENING GUIDELINES

TITLE: **WIRING INSTL-EXTERIOR LAMPS**

SHEET 1 OF 2 PART NO **181764** REV





REF: 1 01-Feb-2013

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

1 NOT USED WITH 224V, 226Q, OR 222B.

* 181764 *



- NOTES:
- 4 USED ONLY ON THE PREMIER MODEL.
 - 3 NOT USED ON THE PREMIER MODEL.
 - 2 TAILLAMP MUST BE INSTALLED WITH WIRES DOWN.
 - 1 SECURE WIRE BELOW COACH WITH CLAMP 10495-01-000 AND SCREW G67-10-12B.

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

265 CODES/STANDARDS-CSA/CMVSS
1B1 CODES/STANDARDS USA
1B1 265

FIRST USED

13 200-SERIES

DO NOT SCALE DRAWING

TITLE: WIRING INSTL-EXTERIOR LAMPS

SHEET 2 PART NO. 181764 REV

* 181764 * A