




RELEASE		REV	DATE	DWG NO	182990
REV	ZONE	REVISION RECORD			DATE
					0FTR-ORIG




- 11** ADD TEFLON TAPE 010405-01-000.
- 10** APPLY PRIMER 126427-02-000 AND CEMENT 126427-01-000 BETWEEN ELBOW AND FLEX PIPE.
9. SEE DRAWING 061607 FOR INSTALLATION OF GROMMETS.
8. SECURE DRAINAGE PIPES TO CABINET USING WIRE TIE 108046-02-000, AND SCREW 000G67-10-12U AT INTERVALS OF NOT OF NOT MORE THAN 4 FEET APART.
- 7** SECURE VENT PIPE TO GROMMET WITH CLAMP 062401-02-000.
- 6** VENT PIPE MUST PROJECT 51 MIN AND 64 MAX ABOVE ROOF FOR PROPER FIT AND FUNCTION. ADD S-1 (116666-01-CHT SEAL-VENT PIPE) AROUND PIPE ON ROOF BEFORE VENT CAP IS INSTALLED.
5. SEAL AROUND SHOWER WITH SILICONE.
- 4** USE SMOOTH PLUMBERS PUTTY 167459-01-000 TO SEAL STRAINER (0.2 PER STRAINER).
3. ALL PIPE AND FITTINGS TO BE ASSEMBLED WITH SOLVENT 004020-01-000 (USA), 004020-02-000 (CAN)
2. SLOPE OF TRAP ARM MUST BE 6 PER 305 mm.
1. SLOPE OF HORIZONTAL PIPING TO BE MINIMUM OF 3 PER 305 mm.

- 43W** CABINET-LAVATORY
- 850** CABINET-WARDROBE EXCHANGE
- 265** CODES/STANDARDS-CSA/CMVSS
- 1B1** CODES/STANDARDS USA
- 21M** WASHER/DRYER PREP
- 21S** WASHER & DRYER-PAIR



WINNEBAGO® I N D U S T R I E S		COPYRIGHT 2014 WINNEBAGO INDUSTRIES, INC.	
DFT#		ORIG. DATE	
CHK#		ALL DIMENSIONS ARE IN MILLIMETERS	
P.E.			
M.E.		FIRST USED	
DSNR		14 P36M	
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) ± 3			
ONE-PLACE (X.X) ± 1.5			
TWO-PLACE (X.XX) ± 0.50			
ANGLE ± 1°			
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING		REFER TO ES0018 FOR FASTENER TIGHTENING GUIDELINES	
TITLE: DRAINAGE SYSTEM INSTL			
SHEET 1 OF 4		PART NO 182990	REV

FOR DRAINAGE CALLOUTS SEE DWG NO 116229-01-000



182990




FIRST USED		14 P36M	
DO NOT SCALE DRAWING			
TITLE: DRAINAGE SYSTEM INSTL			
SHEET	2	PART NO	182990
			REV
		1	09-May-2014




FIRST USED			
14 P36M			
DO NOT SCALE DRAWING			
TITLE: DRAINAGE SYSTEM INSTL			
SHEET 3		PART NO 182990	REV



TOP VIEW SHOWING ONLY DRAINS AND TANKS



FIRST USED		14 P36M	
DO NOT SCALE DRAWING			
TITLE: DRAINAGE SYSTEM INSTL			
SHEET 4	PART NO	182990	REV




- 11 VALVE MUST REMAIN OPEN AFTER WATER TEST.
- 10 INSTALL FAUCET W/OUT BASEPLATE.
- 9 ELBOW TO BE TURN 45° BELOW HORIZONTAL LINE.
8. ALL CRIMP FITTINGS TO 1/2" PEX TUBING REQUIRE 1/2" CLAMP 140171-03-000.
7. ALL CRIMP FITTINGS TO 5/8" PEX TUBING REQUIRE 5/8" CLAMP 140171-04-000.
- 6 LABEL HOT AND COLD SUPPLY TUBES AND TAPE FITTING TO TUBE BEFORE CABINET SET TO PREVENT MOVEMENT.
- 5 ADD PIPE WRAP (LADDER SCRAP 110157-02-000) INSULATION.
- 4 ADD TEFLON TAPE 010405-02-000.
3. ALL TUBING TO BE SECURED AT 1200 INTERVALS MAXIMUM WITH CLAMP 010495-01-000 AND SCREW 000G67-10-12U OR EQUIVALENT.
2. TUBING TO BE INSTALLED WITH SUFFICIENT SLOPE TO PROVIDE DRAINAGE TO NEAREST VALVE.
1. PLASTIC FITTINGS TO BE SEALED WITH SEALANT 084456-01-000.

- 850 CABINET-WARDROBE EXCHANGE
- 21M WASHER/DRYER PREP
- 43W CABINET-LAVATORY
- 21S WASHER & DRYER-PAIR
- 15L REFR/FRZR 2DOOR RESIDENTIAL
- 79W REFRIGERATOR-4 DOOR
- WIN WINNEBAGO ONLY
- ITA ITASCA ONLY

		COPYRIGHT 2014 WINNEBAGO INDUSTRIES, INC.	
DFTD		ORIG. DATE	
CHKD		ALL DIMENSIONS ARE IN MILLIMETERS	
P.E.			
M.E.		FIRST USED	
DSNR		14 P36M	
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) : 3			
ONE-PLACE (X.X) : 1.5			
TWO-PLACE (X.XX) : 0.50			
ANGLE : 1°			
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING		REFER TO ES0018 FOR FASTENER TIGHTENING GUIDELINES	
TITLE: WATER SYSTEM INSTL			
SHEET 1 OF 4		PART NO 182991 REV	

FOR
WATER
CALLOUTS
SEE DWG NO
116230-01-000

*182991**A



FIRST USED		14 P36M	
DO NOT SCALE DRAWING			
TITLE: WATER SYSTEM INSTL			
SHEET 2	PART NO	182991	REV

43W FAUCET-LAV
178237-01-CHT
WASTE ASM
(SUPPLIED W/FAUCET)

DETAIL R
(SEE SHT2)

DETAIL K

FAUCET-GALLEY
185364-01-CHT

DISPENSER-SOAP/LOTION
173282-01-CHT

DETAIL U

DETAIL M

VIEW G

WATER-HTR
145541-01-000
DOOR
125420-05-CHT
EXTR-STRAP
100885-51-034(3)
088860-51-004
SCREW
000G39-10-10U(16)
PLATFORM ASM- W.H.
144200-A1-000
CABLE
076767-03-000

BRACKET-VALVE,BYPASS
159640-04-CHT
SCREW
000G11-10-12U (2)

CLAMP
010495-04-000(2)
RIVET
113133-03-CHT(2)

CLAMP
010495-04-000 (2)
RIVET
113133-03-CHT (2)

DETAIL U

SECTION H-H
(ROTATED)

SECTION S-S

DETAIL K

FIRST USED		14 P36M	
DO NOT SCALE DRAWING			
TITLE: WATER SYSTEM INSTL			
SHEET 3	PART NO	182991	REV

WATER PUMP CENTER ASM
182945-01-XXX

TOP VIEW SHOWING LINE UNDER FLOOR

TO TANK FLUSH

VIEW P

FLUSHING SYSTEM
125697-05-000

SERVICE CENTER ASM
182602-04-XXX

VIEW N

FILTER ASM
155482-01-CHT
SCREW
000G11-10-12U(4)

FILTER
155482-02-CHT

WRENCH-FILTER
155482-03-CHT

CLAMP
010495-04-000
RIVET
113133-03-CHT

FIRST USED		14 P36M	
DO NOT SCALE DRAWING			
TITLE: WATER SYSTEM INSTL			
SHEET	4	PART NO	182991
		REV	