



DANGER

Danger of electrical shock, burns or death. Always remove all power sources before attempting any repair, service or diagnostic work. Power can be present from shore power, generator, inverter or battery. All power sources must be disabled and secured before performing any service.




CAUTION

If you lack the skills, tools or equipment to perform diagnostic or repair work leave such work to an authorized Winnebago Industries dealer or other qualified shop.

DRAWING NO.	FEATURE
184893-01	WIN
184893-02	ITA



RELEASE	REV/DATE	DWG NO	184893
REV ZONE	REVISION RECORD	DATE	DFT-ORIG



3 WIRE PASSES THROUGH FLOOR IN THIS AREA.

- ROUTE TANK SENSOR WIRES SO THEY DO NOT PASS OVER SENSORS. USE WIRE TIE MOUNT 155366-01-000 AND WIRE TIE 8343-01-000 AS NEEDED. TANK SURFACE MUST BE CLEANED USING ISOPROPYL ALCOHOL AND PRIMED WITH PRIMER 94.
- AT MINIMUM ALL WIRES TO BE SUPPORTED AND SECURED PER CODE REQUIREMENTS. USE CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 AND SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.

NOTES:



FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

- ITA ITASCA ONLY
- WIN WINNEBAGO ONLY
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

1B1 265

WINNEBAGO

COPYRIGHT 2014 WINNEBAGO INDUSTRIES, INC.

DFT-ORIG	ORIG. DATE
CHKR	ALL DIMENSIONS ARE IN MILLIMETERS
P.E.	FIRST USED
M.E.	14 P34B
DSNR	

UNSPECIFIED TOLERANCES ARE:

WHOLE DIM (X)	: 3
ONE-PLACE (X.X)	: 1.5
TWO-PLACE (X.XX)	: 0.50
ANGLE	: 1°

THIRD ANGLE PROJECTION


DO NOT SCALE DRAWING REFER TO ES0018 FOR FASTENER TIGHTENING GUIDELINES

TITLE: **WIRING INSTL-BODY, 12V**

SHEET 1 OF 10 PART NO **184893** REV

REF: 1 16-Apr-2014

* 184893 *



NOTES:
 1. AT MINIMUM ALL WIRES TO BE SUPPORTED AND SECURED PER CODE REQUIREMENTS. USE CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 AND SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

265 CODES/STANDARDS-CSA/CMVSS

1B1 CODES/STANDARDS USA

1B1 265


FIRST USED **14 P34B**

DO NOT SCALE DRAWING

TITLE: **WIRING INSTL-BODY, 12V**

SHEET 2 PART NO **184893** REV

* 184893 * A



LAMP-WALL
119258-73-CHT (2)
BULB
117805-02-000 (2)
SCREW
G67-10-24U (4)
CONNECTOR
58028-01-000 (4)

SWITCH
DETAIL EM

SWITCH
DETAIL EN

2 PIN HOUSING
TO SIDEWALL

WIRE ASM-OVHD
186218-01-000

COAX TO
WIRE ASM-ROOF
DETAIL CA

TO WIRE ASM-ROOF

RELAY-FURNACE
63912-02-000 (2)
SCREW
G12-08-12U (2)

SWITCH
DETAIL EC

2 PIN HOUSING
TO WIRE ASM-SIDEWALL

LAMP-MAKEUP
166329-01-CHT

4 PIN HOUSING
TO SIDEWALL

WIRE ASM-OVHD
186200-01-000

SWITCH
DETAIL EM

LED-2C
2

12V-RECEPTACLE
(SEE SHEET 4)

TO AWNING

CABINET ASM-SPEAKER
143006-01-XXX
SCREW
G67-10-10U (4)
SPEAKER
124884-02-000
GRILL
151844-01-CHT
SCREW
76790-06-000 (4)

2 PIN HOUSING
TO SIDEWALL

SWITCH
DETAIL EH

1DF EXT ENT CTR
180544-02-XXX

SWITCH
DETAIL EA

SWITCH
DETAIL ED

SWITCH
DETAIL EF

SWITCH
DETAIL EG

LCS-1

SWITCH
DETAIL EE

MISC CONNECTIONS
TO LOAD CENTER
DETAILS HC


TO SLIDEOUT MODULE
(SEE SHEET 10)

12V BREAKER
PANEL
DETAIL DA

2 PIN HOUSING
TO WIRE ASM-SIDEWALL

4 PIN HOUSING
TO WATER HEATER

4 PIN HOUSING
TO FURNACE



DETAIL CA

2 WIRE PASSES THROUGH FLOOR IN THIS AREA.

1. AT MINIMUM ALL WIRES TO BE SUPPORTED AND SECURED PER CODE REQUIREMENTS. USE CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 AND SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.

NOTES:

- 1DF EXT TV ENTERTAINMENT CENTER
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA


1B1 265

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000


X-X
FOR
ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000

FIRST USED		14 P34B	
DO NOT SCALE DRAWING			
WIRING INSTL-BODY, 12V			
SHEET 3	PART NO	184893	REV
		16-Apr-2014	

* 184893 * A



DETAIL DA (BACK VIEW)




DETAIL DA (FRONT VIEW)

BUSS BAR
141744-05-000 (3)
SCREW
G39-08-06U (3)


CIRCUIT BREAKER
93654-01-000 (6 AMP)
SCREW
G52-06-04U
WASHER
OME02B-04-071

CIRCUIT BREAKER
93654-05-000 (10 AMP)
SCREW
G52-06-04U
WASHER
OME02B-04-071
PLUG
081211-06-000


CIRCUIT BREAKER
182283-01-000 (20 AMP)
SCREW
G52-06-04U
WASHER
OME02B-04-071



DETAIL DB-DB



DETAIL DC



DETAIL DD

- 79W REFRIGERATOR-4 DOOR
- 15L RESIDENTIAL REFRIGERATOR PKG
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA


FIRST USED	
14 P34B	
DO NOT SCALE DRAWING	
TITLE: WIRING INSTL-BODY,12V	
SHEET 4	PART NO 184893 REV

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000


NOTES:
1 SEE AWNING INSTL FOR ADDITIONAL INFORMATION.

* 184893 * A




SWITCH-ROCKER
135740-02-CHT (2)
SWITCH-BASE
135741-02-CHT
SWITCH-BEZEL
135742-13-CHT
SCREW
G11-08-08U (4)

DETAIL EA




SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-07-CHT
SCREW
G11-08-08U (2)

DETAIL EF




SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)

DETAIL EM
(4 PLACES)




SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)

DETAIL EB




SWITCH-PUMP
108357-21-000
ACTUATOR
108356-23-CHT
SCREW
G11-06-10U (2)

DETAIL EG




SWITCH-TV LIFT
108357-16-000
ACTUATOR
108356-26-CHT
PLATE
144363-02-CHT
SCREW
G11-06-10U (2)

DETAIL EN
(2 PLACES)




SWITCH-ROCKER
135740-01-CHT
135740-02-CHT
SWITCH-BASE
135741-02-CHT
SWITCH-BEZEL
135742-18-CHT
SCREW
G11-08-08U (4)

DETAIL EC




SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-30-CHT
SCREW
G11-08-08U (2)

DETAIL EH




SWITCH-ROCKER
135740-01-CHT (2)
SWITCH-BASE
135741-02-CHT
SWITCH-BEZEL
135742-36-CHT
SCREW
G11-08-08U (4)

DETAIL EP




SWITCH-ROCKER
135740-01-CHT (2)
SWITCH-BASE
135741-02-CHT
SWITCH-BEZEL
135742-49-CHT
SCREW
G11-08-08U (4)

DETAIL ED




SWITCH-ROCKER
135740-01-CHT
135740-04-CHT
SWITCH-BASE
135741-02-CHT
SWITCH-BEZEL
135742-49-CHT
SCREW
G11-08-08U (4)
WIRE ASM-RESISTOR
140195-01-000

DETAIL EJ (41Y)




SWITCH-ROCKER
135740-01-CHT (2)
SWITCH-BASE
135741-02-CHT
SWITCH-BEZEL
135742-38-CHT
SCREW
G11-08-08U (4)

DETAIL EE



SWITCH-ROCKER
135740-01-CHT
135740-02-CHT (2)
SWITCH-BASE
135741-03-CHT
SWITCH-BEZEL
135742-25-CHT
SCREW
G11-08-08U (4)

DETAIL EK





- (41Y) FAN - CEILING,BEDROOM
- (265) CODES/STANDARDS-CSA/CMVSS
- (1B1) CODES/STANDARDS USA

FIRST USED	14 P34B	
TITLE:	DO NOT SCALE DRAWING	
SHEET 5	PART NO 184893	REV
16-Apr-2014		

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

* 184893 *



- NOTES:
- 2 CENTER FAN OVER 25MM HOLE IN ROOF.
 - 1 APPLY LOCTITE P/N 62917-06-000 TO FAN BLADE MOUNTING NUT THREADS.

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000


FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

- 41Y FAN - CEILING,BEDROOM
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA



1B1 265

FIRST USED	14 P34B	
DO NOT SCALE DRAWING		
TITLE: WIRING INSTL-BODY,12V		
SHEET 6	PART NO 184893	REV



*184893 *A





DETAIL GE



DETAIL GC




DETAIL GF



DETAIL GD

THE SATELLITE DISH WIRE CONNECTIONS ARE TO BE PLACED ON THE CENTERLINE OF THE MOTORHOME FACING FORWARD




DETAIL GA 2

CONNECT 2-PIN HOUSING FROM ROOF ASM TO SATELLITE DISH HERE AND ADD CONVOLUTED TUBING

CONNECT CABLE ASM COAX (ORG-2) FROM ROOF ASM TO SEC INPUT ON SATELLITE DISH

CONNECT CABLE ASM COAX (ORG) FROM ROOF ASM TO MAIN INPUT ON SATELLITE DISH



VIEW GB-GB


FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

- 282 SOLAR PANEL - 100 WATT
- 783 SATELLITE HD TV SYSTEM AUTOC
- 193 TV ANTENNA-AMPLIFIED SYSTEM
- 48P SAT TV SYSTEM IN-MOTION
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

FIRST USED	
14 P34B	
DO NOT SCALE DRAWING	
TITLE: WIRING INSTL-BODY, 12V	
SHEET 7	PART NO. 184893 REV

- NOTES:
- 2 REMOVE ALL SHIPPING RESTRAINTS BEFORE MOUNTING.
 - 1 SEE MANUFACTURER'S INSTALLATION FOR ADDITIONAL INFORMATION.



- NOTES:
- 5 WIRE IS FROM WIRE ASM-IP,MAIN. SEE WIRING INSTL-FRONT END FOR ADDITIONAL INFORMATION.
 - 4 SEE LOAD CENTER/ATS ASM FOR ADDITIONAL INFORMATION.
 - 3 SEE WIRING INSTL-CHASSIS FOR ADDITIONAL INFORMATION.
 - 2 SET 'BAT TYPE' TO 'AGM2'
SET 'LBCO' TO '11VDC'.
SEE OPERATORS MANUAL FOR SETUP PROCEDURE.
 - 1 SET 'GEN TYPE' TO MATCH GENERATOR MODEL INSTALLED IN COACH.
SET 'SAFE TYPE' TO 'IGNITION'.
SEE OPERATORS MANUAL FOR SETUP PROCEDURE.


FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

265 CODES/STANDARDS-CSA/CMVSS
1B1 CODES/STANDARDS USA

1B1	265
FIRST USED	
14 P34B	
DO NOT SCALE DRAWING	
TITLE: WIRING INSTL-BODY,12V	
SHEET 8	PART NO 184893 REV

* 184893 *



SPEAKER-5-1/4" 3-WAY W/GRILL
180783-01-CHT (4)

LED-2C
5

WIRE ASM-TRAY,FRONT LH
182420-01-000

12-PIN HOUSING TO
WIRE ASM-ROOF

9-PIN HOUSING TO
WIRE ASM-ROOF

WIRE ASM-TRAY,FRONT RH
182419-01-000

LED-2C
4

SPEAKER-5-1/4" 3-WAY W/GRILL
180783-01-CHT (3)

265 CODES/STANDARDS-CSA/CMVSS

1B1 CODES/STANDARDS USA

1B1 265

FIRST USED
14 P34B


DO NOT SCALE DRAWING

TITLE:
WIRING INSTL-BODY,12V




SHEET 9 PART NO **184893** REV

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

X-X
FOR
ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000



NOTES:
 1 ROUTE WIRES ALONG FLOOR.



FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

265 CODES/STANDARDS-CSA/CMVSS
 1B1 CODES/STANDARDS USA
 1B1 265

FIRST USED	14 P34B	
DO NOT SCALE DRAWING		
TITLE: WIRING INSTL-BODY, 12V		
SHEET 10	PART NO 184893	REV

* 184893 * A