











DANGER

Danger of electrical shock, burns or death. Always remove all power sources before attempting any repair, service or diagnostic work. Power can be present from shore power, generator, inverter or battery. All power sources must be disabled and secured before performing any service.



CAUTION

If you lack the skills, tools or equipment to perform diagnostic or repair work leave such work to an authorized Winnebago Industries dealer or other qualified shop.



- 6 REMOVE BULB SUPPLIED WITH LAMP, SEND BULB TO STOCK AS PART NUMBER 117805-02-000, REPLACE WITH LED BULB.
- 5 WITHOUT 1D3
- 4 WIRE PASSES THROUGH FLOOR IN THIS AREA.
- 3 PLACE CROSS LOCATOR ON SENSORS OVER DIMPLES ON TANK.

2. ROUTE TANK SENSOR WIRES SO THEY DO NOT PASS OVER SENSORS. USE WIRE TIE MOUNT 155366-01-000 AND WIRE TIE 8343-01-000 AS NEEDED. TANK SURFACE MUST BE CLEANED USING ISOPROPYL ALCOHOL AND PRIMED WITH PRIMER 94.
1. AT MINIMUM ALL WIRES TO BE SUPPORTED AND SECURED PER CODE REQUIREMENTS. USE CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 AND SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.

NOTES:



FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000


- 1D3 ENTERTAIN CENTR/EXT TV-DVD
- 401 INVERTER-DC/AC, 1000 WATT
- WIN WINNEBAGO ONLY
- ITA ITASCA ONLY
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

		COPYRIGHT 2013 WINNEBAGO INDUSTRIES, INC.	
DFT-ORIG	ORIG. DATE	ALL DIMENSIONS ARE IN MILLIMETERS	
CHKR		FIRST USED	
P.E.		14 E35F	
M.E.		MATERIAL:	
DSNR		UNSPECIFIED TOLERANCES ARE:	
		WHOLE DIM (X)	: 3
		ONE-PLACE (X.X)	: 1.5
		TWO-PLACE (X.XX)	: 0.50
		ANGLE	: 1°
		THIRD ANGLE PROJECTION	
DO NOT SCALE DRAWING		REFER TO ES0018 FOR FASTENER TIGHTENING GUIDELINES	
TITLE: WIRING INSTL-BODY,12V			
SHEET 1 OF 8	PART NO 185233	REV	
REF:	1	19-Dec-2013	

* 185233 *



- LAMP 93575-62-CHT BULB 117805-02-000 (2)
- CONNECTOR 58028-01-000 (2)
- SCREW G11-06-10J (2)
- LAMP 119258-75-CHT BULB 67479-01-000
- CONNECTOR 58028-01-000 (2)
- SCREW G11-06-10J (2)



- 3 ROUTE RCA & COAX TO BEDROOM TV THROUGH THE ROUTED PATH IN SIDEWALL.
- 2 WIRE PASSES THROUGH FLOOR IN THIS AREA.

NOTES:
 1. AT MINIMUM ALL WIRES TO BE SUPPORTED AND SECURED PER CODE REQUIREMENTS. USE CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 AND SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.


- 401 INVERTER-DC/AC, 1000 WATT
- 29R AC HEAT PUMP-2 HI EFFICIENCY
- 276 A/C ROOF-HI EFF (2) W/EMS
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

FIRST USED	14 E35F
TITLE:	DO NOT SCALE DRAWING
	WIRING INSTL-BODY,12V
SHEET 2	PART NO 185233 REV

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

* 185233 * A



CONNECT ALL GROUNDS TO GROUND BAR

NEGATIVE BAR
140031-01-CHT
BOLT
C26-06-12B (6)
NUT
D39-06-00B (6)
STUD-ISOLATED
86233-01-000 (2)
NUT
D34-06-00B (2)
SCREW
G67-10-12B (4)

DETAIL CE


SWITCH
DETAIL DC

SWITCH
DETAIL DD

SWITCHES
DETAIL DH

SWITCH
DETAIL CA

CONVERTER-45 AMP
184353-01-000
SCREW
G11-08-12U (3)



DETAIL CC

GROUND BAR

AWNING-RELAY
63912-02-000
SCREW
G11-08-08B

STUD-ISOLATED
86233-01-000
NUT
D34-06-00U
SCREW
G67-10-12U (2)
BOOT
77479-02-000

LCR-1

TO COMPT LAMP

TO MAIN TV

SPEAKER-SUBWOOFER
124884-01-000
GRILL-SUBWOOFER
151844-01-CHT
SCREW
G11-08-12U (4)

IR RECEIVER

DETAIL CE

MAIN CONNECTION
TO WIRE ASM-CHASSIS

SWITCH
DETAIL DE

SWITCH
DETAIL DF

LO2-3 BULB-LED
176793-01-000 (2) 5

CONVERTER
DETAIL CC

ENTERTAINMENT
CTR COMPL-TV
173821-05-XXX 1D3

TO EXT ENT CTR
ANTENNA 1D3

2 PIN HSG
TO WIRE ASM-
EXT ENT CTR
COAX (GRN/GRN/GRN)
CABLE-COMPONENT/
COMPOSITE

TO WIRE ASM-ROOF
FOR COAX CONNECTIONS
DETAIL FB

ROUTE WIRES
THRU HOLE

GROMMET
8386-01-000

JAMB-DOOR

SWITCH/MAGNET-
STEP, ELECTRIC
116995-02-000 27G OR 26F OR 26H
116995-03-000 27A OR 92A OR 24C
SCREW
G11-06-08B (4)

DETAIL CA

ET,EU
TO REFRIGERATOR

4 PIN HSG
TO FURNACE

6 PIN HSG
TO SIDEWALL

6 PIN HSG
TO SIDEWALL

WIRE ASM-OVHD
175158-01-000

LO1-3 BULB-LED
176793-01-000 (2) 5

SPEAKER
94097-01-000 (2)
GRILLE
173348-01-CHT (2)
SCREW
G11-08-08B (8)

6 PIN HSG
TO SIDEWALL

- 1D3 ENTERTAIN CENTR/EXT TV-DVD
- 255 RADIO/AM/FM/CD/DVD PLAYER
- 92A EXT FULL BODY PAINT PKG # 2
- 27G EXTERIOR GRAPHICS PACKAGE #1
- 27A EXT FULL BODY PAINT PKG #1
- 26H EXT GRAPHIC/PAINT-DLX PKG 2
- 26F EXT GRAPHIC/PAINT DLX PKG 1
- 24C EXT FULL BODY PAINT PKG # 3
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

1B1 265

FIRST USED	14 E35F	
DO NOT SCALE DRAWING		
TITLE:	WIRING INSTL-BODY,12V	
SHEET 3	PART NO	185233
	REV	

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000


FOR
ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000

- 6 SEE WIRING INSTL-TV/DVD FOR ADDITIONAL INFORMATION.
- 5 REMOVE BULB SUPPLIED WITH LAMP, SEND BULB TO STOCK AS PART NUMBER 117805-02-000, REPLACE WITH LED BULB.
- 4 WIRE PASSES THROUGH FLOOR IN THIS AREA.
- 3 MOUNT MAGNET USING PILOT HOLES IN SCREEN DOOR FRAME, MOUNT WITH MAGNET TOWARD SWITCH.
- 2 MOUNT SWITCH AND SPACER TO BLOCK ON JAMB, ADJUST HEIGHT TO MATCH MAGNET.

NOTES:


1. AT MINIMUM ALL WIRES TO BE SUPPORTED AND SECURED PER CODE REQUIREMENTS. USE CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 AND SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.

* 185233 * A




SWITCH-PUMP
108357-15-000
ACTUATOR
108356-23-CHT
PLATE
98351-07-CHT
SCREW
G11-06-10U (2)

DETAIL DA




SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-07-CHT
SCREW
G11-08-08U (2)

DETAIL DB




SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)

DETAIL DC




SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-07-CHT
SCREW
G11-08-08U (2)

DETAIL DF




SWITCH-ROCKER
135740-01-CHT (2)
SWITCH-BASE
135741-02-CHT
SWITCH-BEZEL
135742-19-CHT
SCREW
G11-08-08U (4)

DETAIL DD



SWITCH-ROCKER
135740-06-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-35-CHT
SCREW
G11-08-08U (2)

DETAIL DG



SWITCH-PUMP
108357-15-000
ACTUATOR
108356-23-CHT
PLATE
98351-07-CHT
SCREW
G11-06-10U (2)


DETAIL DE

SWITCH-CHASSIS BATTERY
108357-18-000
ACTUATOR-SWITCH
108356-20-CHT
CIRCUITS TTZ,UUB,
TTY,UUC,MK
WIRE ASM-THERM
186796-01-000

SWITCH-COACH BATT
108357-18-000
ACTUATOR-SWITCH
108356-19-CHT
CIRCUITS LH,LJ,
LG,KF,WC
WIRE ASM-THERM
186796-01-000

SWITCH-AWNING
108357-06-000
ACTUATOR-SWITCH
108356-12-CHT
CIRCUITS
FFD,FFR,FFE,
FFE,JJR,FFD

PLATE-SWITCH
158431-15-CHT
SCREW
G11-06-10U (6)



DETAIL DH 1

SWITCH-STEP
108357-19-000
CIRCUITS ER,ES

SCREW
G11-10-12U (4)

SCREW
G52-06-04B (12)

M
6 BLK


PLATE
139067-02-CHT

SCREW
G39-08-06B (2)


CIRCUIT BREAKER
93654-03-000

PLUG
81211-06-000
CIRCUIT BREAKER
93654-03-000

LABEL
92547-16-000



DETAIL DK
(BACK VIEW)



DETAIL DK
(FRONT VIEW)

HOUSING 12V CIRCUIT BREAKERS

(PUSH TO RESET)

DL

DL

BUSS BAR
92786-05-000 (2)


CIRCUIT BREAKER
93654-02-000 (8)

CIRCUIT BREAKER
93654-01-000 (2)

PLATE-KEY,
SLIDE ROOM
163987-01-CHT
SCREW
76790-05-000 (4)

LABEL-SLIDROOM
CONTROL,MAN
163988-01-CHT

SWITCH-KEY,SPST-
ILLINOIS LCK
163097-01-000
(CONNECTS TO
CIRCUITS DY & DDJ)



DETAIL DK


LABEL-SLIDEOUT,
DRIVER,FRONT
163992-01-CHT

DRIVER'S
SIDE FRONT

LABEL-SLIDEOUT,
PASS,REAR
163992-03-CHT

PASSENGER'S
SIDE REAR


SWITCH
108357-06-000
ACTUATOR
108356-24-CHT
(CIRCUITS
DR,DT,DU)




SWITCH
108357-06-000
ACTUATOR
108356-24-CHT
(CIRCUITS
BBM,DT,BBN)

LABEL-WARNING,SLIDEOUT
116549-01-000

WARNING CRUSH HAZARD. Keep people and objects clear of the inside and the outside of the slideout room when operating. Failure to comply could result in death or serious injury.




VIEW DL-DL




DETAIL DM

SWITCH-ROCKER
135740-02-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-61-CHT
SCREW
G11-08-08U (2)



DETAIL DN



FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000

- 45B LOFT BED
- 45D LOFT BED - WITHOUT
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

FIRST USED	
14 E35F	
DO NOT SCALE DRAWING	
WIRING INSTL-BODY,12V	
SHEET 4	PART NO 185233 REV

NOTES:
1 FOR SWITCH ORIENTATION SEE DETAIL DN

* 185233 A

8

7

6



5

4

3

2

1



1 REMOVE BULB SUPPLIED WITH LAMP, SEND BULB TO STOCK AS PART NUMBER 117805-02-000, REPLACE WITH LED BULB.

NOTES:

- 255 RADIO/AM/FM/CD/DVD PLAYER
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

1B1 265

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

FIRST USED		14 E35F	
DO NOT SCALE DRAWING			
TITLE: WIRING INSTL-BODY, 12V			
SHEET 5	PART NO	185233	REV
		1	19-Dec-2013

8

7

6

5




4

3

2

1

* 185233 * A



- NOTES:
- 3 WRAP LEGS AROUND ANTENNA BASE.
 - 2 CONNECT THE ORANGE COAX FROM ROOF ASM TO ONE OF THE 2 GRAY COAX CABLES ON THE SATELLITE DISH, THE OTHER GRAY COAX IS NOT USED.
 - 1 SEE DWG 76319-01-000 FOR INSTALLATION INSTRUCTIONS.


- 1D3 ENTERTAIN CENTR/EXT TV-DVD
- 48Q SATELLITE TV SYSTEM MANUAL
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

FIRST USED	
14 E35F	
DO NOT SCALE DRAWING	
TITLE: WIRING INSTL-BODY, 12V	
SHEET 6	PART NO 185233 REV


FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

* 185233 * A



VIEW GA



DETAIL GC

2 DATA CABLE FOR EMS PANEL IS MARKED WITH RED TAPE.

- AT MINIMUM ALL WIRES TO BE SUPPORTED AND SECURED PER CODE REQUIREMENTS. USE CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 AND SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.

NOTES:

- 401 INVERTER-DC/AC, 1000 WATT
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

1B1 265

FIRST USED	
14 E35F	
DO NOT SCALE DRAWING	
TITLE: WIRING INSTL-BODY, 12V	
SHEET 7	PART NO 185233 REV

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

* 185233 * A

8

7

6

5

4

3

2

1

D

D

C


C

B

B

A

A



265 CODES/STANDARDS-CSA/CMVSS

1B1 CODES/STANDARDS USA

1B1 265

FIRST USED 14 E35F

DO NOT SCALE DRAWING

TITLE: WIRING INSTL-BODY,12V

SHEET 8 PART NO 185233 REV

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

* 185233 * A