





DANGER

Danger of electrical shock, burns or death. Always remove all power sources before attempting any repair, service or diagnostic work. Power can be present from shore power, generator, inverter or battery. All power sources must be disabled and secured before performing any service.




CAUTION

If you lack the skills, tools or equipment to perform diagnostic or repair work leave such work to an authorized Winnebago Industries dealer or other qualified shop.



- 4 WIRE PASSES THROUGH FLOOR IN THIS AREA.
 3 PLACE CROSS LOCATOR ON SENSOR OVER DIMPLES ON TANK.
2. ROUTE TANK SENSOR WIRES SO THEY DO NOT PASS OVER SENSORS. USE WIRE TIE MOUNT 155366-01-000 AND WIRE TIE 8343-01-000 AS NEEDED. TANK SURFACE MUST BE CLEANED USING ISOPROPYL ALCOHOL AND PRIMED WITH PRIMER 94.
 1. AT MINIMUM ALL WIRES TO BE SUPPORTED AND SECURED PER CODE REQUIREMENTS. USE CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 AND SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.

- 1DG EXT ENTERTAIN CTR W/TV & CD
- 299 ENTERTAINMENT CENTER EXT.W/O
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA



- 1DG EXT ENTERTAIN CTR W/TV & CD
- 299 ENTERTAINMENT CENTER EXT.W/O
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

WINNEBAGO COPYRIGHT 2014 WINNEBAGO INDUSTRIES, INC.

ALL DIMENSIONS ARE IN MILLIMETERS

14 D35G

UNSPECIFIED TOLERANCES ARE:
 WHOLE DIM (X) : 3
 ONE-PLACE (X.X) : 1.5
 TWO-PLACE (X.XX) : 0.50
 ANGLE : 1'

THIRD ANGLE PROJECTION


DO NOT SCALE DRAWING REFER TO ES0018 FOR FASTENER TIGHTENING GUIDELINES

TITLE: WIRING INSTL-BODY, 12V

SHEET 1 OF 8 PART NO 186483 REV

REF: 1 20-Jun-2014

* 186483 *



- 9 SEE BED INSTALLATION FOR MORE INFORMATION.
- 8 WIRE TO BE MARKED BY WRAP OF BLUE TAPE 19MM WIDE WITHIN 50MM FROM END.
- 7 WIRE TO BE MARKED BY PUPLE TAPE 19MM WIDE WITHIN 50MM FROM THE END.
- 6 ROUTE WIRES THROUGH PATH IN SIDEWALL TO TV CABINET.
- 5 WIRE IS ROUTED IN SIDEWALL.
- 4 REMOVE BULB SUPPLIED WITH LAMP, SEND BULB TO STOCK AS PART NUMBER 117805-02-000, REPLACE WITH LED BULB.
- 3 WIRE FROM ROOF.
- 2 WIRE PASSES THROUGH FLOOR IN THIS AREA.

1. ALL WIRES TO BE SECURED WITH CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 EVERY 600MM, USE SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.

10 MOUNT COVER TO SLIDEOUT FRAME TUBES TO COVER COACH AND CHASSIS CONNECTIONS AFTER WIRE ASSEMBLIES ARE ROUTED AND CLAMPED DOWN PROPERLY.




- 1DG EXT ENTERTAIN CTR W/TV & CD
- 29R AC HEAT PUMP-2 HI EFFICIENCY
- 276 A/C ROOF-HI EFF (2) W/EMS
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

1B1	265
FIRST USED	
14 D35G	
DO NOT SCALE DRAWING	
TITLE: WIRING INSTL-BODY, 12V	
SHEET 2	PART NO 186483 REV

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

* 186483 * A



- 571 RADIO SPEAKERS
- 1JM HOME THEATER SOUND SYSTEM
- 92A EXT FULL BODY PAINT PKG # 2
- 27A EXT FULL BODY PAINT PKG #1
- 26H EXT GRAPHIC/PAINT-DLX PKG 2
- 26F EXT GRAPHIC/PAINT DLX PKG 1
- 24C EXT FULL BODY PAINT PKG # 3
- 1DG EXT ENTERTAIN CTR W/TV & CD
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

- 4 WIRE PASSES THROUGH FLOOR IN THIS AREA.
- 3 MOUNT MAGNET USING PILOT HOLES IN SCREEN DOOR FRAME, MOUNT WITH MAGNET TOWARD SWITCH.
- 2 MOUNT SWITCH AND SPACER TO BLOCK ON JAMB, ADJUST HEIGHT TO MATCH MAGNET.

1. ALL WIRES TO BE SECURED WITH CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 EVERY 600MM, USE SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

FIRST USED

14 D35G


DO NOT SCALE DRAWING

TITLE: **WIRING INSTL-BODY, 12V**

SHEET 3 PART NO **186483** REV


20-Jun-2014

* 186483 *




SWITCH-ROCKER
135740-01-CHT
135740-02-CHT
SWITCH-BASE
135741-02-CHT
SWITCH-BEZEL
135742-16-CHT
SCREW
G11-08-08U (4)

DETAIL DA




SWITCH-PUMP
108357-21-000
ACTUATOR
108356-23-CHT

DETAIL DF




SWITCH-ROCKER
135740-01-CHT
135740-02-CHT
SWITCH-BASE
135741-02-CHT
SWITCH-BEZEL
135742-16-CHT
SCREW
G11-08-08U (4)

DETAIL DG




SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)

DETAIL DB




SWITCH-ROCKER
135740-01-CHT (2)
SWITCH-BASE
135741-02-CHT
SWITCH-BEZEL
135742-19-CHT
SCREW
G11-08-08U (4)

DETAIL DC




SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-07-CHT
SCREW
G11-08-08U (2)

DETAIL DD



SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)

DETAIL DE




DETAIL DJ

SWITCH-AWNING
108357-06-000
ACTUATOR-SWITCH
108356-12-CHT
CIRCUITS
FFD,FFR,FFE,
FFE,JJR,FFD

SWITCH-COMT LIGHTS
108357-01-000
ACTUATOR-SWITCH
108356-14-CHT
CIRCUITS WC,NW

SWITCH-COACH BATT
108357-18-000
ACTUATOR-SWITCH
108356-19-CHT
CIRCUITS KF,LJ,LG,
LH,WC
WIRE ASM-THERM
186796-01-000



DETAIL DH

PLATE-SWITCH
158431-23-CHT
SCREW
G11-06-10U (6)

SWITCH-AWNING LIGHTS
108357-14-000
ACTUATOR-SWITCH
108356-28-CHT

SWITCH-AUTO LEVEL
108357-18-000
ACTUATOR-SWITCH
108356-15-CHT
CIRCUITS SSD,SSE,
SSC,SSE,SSF

SWITCH-STEP
108357-19-000
CIRCUITS ER,ES

SWITCH-CHASSIS BATTERY
108357-18-000
ACTUATOR-SWITCH
108356-20-CHT
CIRCUITS TTY,TTZ,MK,
UUB,UUC
WIRE ASM-THERM
186796-01-000

SWITCH
108357-06-000
ACTUATOR
108356-25-CHT

LABEL-SLIDEOUT,
PASS,FRONT
163992-04-CHT

LABEL-SLIDEOUT,
DRIVER,FRONT
163992-01-CHT

SLIDEOUT-ELEC.FRONT
171341-01-000 (2)
SCREW
76790-05-000 (4)

CONNECT TO 12-PIN
HOUSING WITH CIRCUITS
SSP,GGE,GGF,
GGD,DR,DU,VVP,VVN




PLATE-KEY,
SLIDE ROOM
163987-01-CHT
SCREW
76790-05-000 (4)

LABEL-SLIDEROOM
CONTROL, MAN
163988-01-CHT

SWITCH-KEY,SPST-
ILLINOIS LCK
163097-01-000
(CONNECTS TO
CIRCUITS DY & DDJ)

LABEL-SLIDEOUT,
DRIVER,REAR
163992-02-CHT


SWITCH
108357-06-000
ACTUATOR
108356-24-CHT
DT,BBN,BBM,
BBA,DDJ,BBA

SWITCH
108357-06-000
ACTUATOR
108356-24-CHT
DT,HHE,HHF,
BBA,DDJ,BBA

WARNING CRUSH HAZARD. Keep people and objects clear of the inside and the outside of the slideout room when operating. Failure to comply could result in death or serious injury.

DETAIL DN

LABEL-WARNING,SLIDEOUT
116549-01-000




DETAIL DK
(BACK VIEW)


PLUG
81211-06-000

CIRCUIT BREAKER
93655-01-000
SCREW
G52-06-04B
WASHER
OME02B


LABEL
92547-17-000



DETAIL DK
(FRONT VIEW)




DETAIL DL




DETAIL DM

SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-07-CHT
SCREW
G11-08-08U (2)




DETAIL DS

SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)



DETAIL DR

SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)



DETAIL DP

SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000

265 CODES/STANDARDS-CSA/CMVSS



1B1 CODES/STANDARDS USA

1B1 265

FIRST USED	
14 D35G	
DO NOT SCALE DRAWING	
WIRING INSTL-BODY,12V	
SHEET 4	PART NO 186483 REV

NOTES:
1 FOR SWITCH ORIENTATION SEE DETAIL DJ.

* 186483



1JM SPEAKER-ROUND, CEILING
179783-01-CHT (3)
SCREW
G1208-12-170 (12)

LSH-3

LF1N3
BULB-LED
176793-01-000

LED-2
15

LO1-3
6
WASHER
180671-02-CHT (5)
BULB-LED
176793-01-000 (6)

1 REMOVE BULB SUPPLIED WITH LAMP, SEND BULB TO STOCK AS PART NUMBER 117805-02-000, REPLACE WITH LED BULB.

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000



X-X FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

- 1JM HOME THEATER SOUND SYSTEM
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

FIRST USED	14 D35G	
DO NOT SCALE DRAWING		
TITLE: WIRING INSTL-BODY,12V		
SHEET 5	PART NO. 186483	REV

* 186483 * A

THE SATELLITE DISH WIRE CONNECTIONS ARE TO BE PLACED IN THE CENTERLINE OF THE MOTORHOME FACING FORWARD





CONNECT 2 PIN HOUSING FROM ROOF ASM TO SATELLITE DISH HERE AND ADD CONVOLUTED TUBING

CONNECT CABLE ASM COAX (ORG-2) FROM ROOF ASM TO SEC INPUT ON SATELLITE DISH

CONNECT CABLE ASM COAX (ORG) FROM ROOF ASM TO MAIN INPUT ON SATELLITE DISH

VIEW FC-FC



VIEW FA

- NOTES:
- 4 REMOVE GROUND WIRE FROM ANTENNA BASE.
 - 3 SEE MANUFACTURER'S INSTALLATION FOR ADDITIONAL INFORMATION.
 - 2 WRAP LEGS AROUND ANTENNA BASE.
 - 1 SEE ANTENNA INSTALLATION MANUAL FOR CORRECT INSTALLATION PROCEDURE.

- 78K SATELLITE TV SYSTEM AUTO
- 1DG EXT ENTERTAIN CTR W/TV & CD
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

FIRST USED	
14 D35G	
DO NOT SCALE DRAWING	
TITLE: WIRING INSTL-BODY, 12V	
SHEET 6	PART NO 186483 REV

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

* 186483 * A

8

7

6


5

4


3

2


1




DETAIL DN




PANEL-MONITOR
175724-01-000
SCREW
G11-08-08U (4)



PANEL-MONITOR, EMS
174295-06-000




THERMOSTAT
135618-03-CHT (276)
135618-01-CHT (29R)
SCREW
G13-07-12B (2)
GASKET-THERMOSTAT
134588-09-000




REMOTE PANEL-INVERTER
(SUPPLIED WITH INVERTER)
MODULE 12V-DISCONNECT
173355-01-000
DETAIL GB






DETAIL GA



DETAIL GB



DETAIL GC
(FRONT LEFT)



DETAIL GD

NOTES:
1 WRAP BOTH ENDS WITH TAPE 8363-01-000 TO SECURE CONNECTION.


FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

- 401 INVERTER-DC/AC, 1000 WATT
- 29R AC HEAT PUMP-2 HI EFFICIENCY
- 276 A/C ROOF-HI EFF (2) W/EMS
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

1B1	265
FIRST USED	
14 D35G	
DO NOT SCALE DRAWING	
TITLE: WIRING INSTL-BODY, 12V	
SHEET 7	PART NO 186483 REV

* 186483 * A



VIEW HA

- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA
- 1B1 265

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

FIRST USED	
14 D35G	
DO NOT SCALE DRAWING	
TITLE: WIRING INSTL-BODY, 12V	
SHEET 8	PART NO 186483 REV

* 186483 * A